

AML Water Quality Database

Site Samples Data Sheet - Lab Report

AML Site: 2226

N Murphy Rd Grouting

Point ID: 2226BH02
Status: Open Well
Well Depth: 63.3
Surface Elevation: 695.046

Point ID	Sample Date	Water Elevation	pH Lab	Acidity	Alkalinity	SO4 mg/L	Al mg/L	Fe mg/L	Mn mg/L	As mg/L	Ba mg/L	Cd mg/L	Cr mg/L	Pb mg/L	Hg mg/L	Se mg/L	Ag mg/L	E Coli
2226BH02	12/30/2014	639.6	5.9	<5	111	132	21.7	90.8	2.01	0.0259	0.440	<0.001	0.0631	0.0771	<0.0001	<0.005	<0.005	
	3/11/2015	639.56	6.1	<0	89.3	82.5	21.5	69.3	1.34	0.0236	0.292	<0.00021	0.0567	0.0488	<0.000011	<0.0033	<0.0033	

The Site Samples Data Sheet displays common water quality parameters sampled by DOR at water sampling points. Contact AML personnel for information regarding other types of sample parameters. A blank field indicates that the parameter was not sampled on a given date. Note that if the flow is recorded as "None" for a given date, all other sample parameters will be blank.

AML Water Quality Database

Site Samples Data Sheet - Lab Report

AML Site: 2226
N Murphy Rd Grouting

Point ID: 2226BH04
Status: Open Well
Well Depth: 36.55
Surface Elevation: 687.013

Point ID	Sample Date	Water Elevation	pH Lab	Acidity	Alkalinity	SO4 mg/L	Al mg/L	Fe mg/L	Mn mg/L	As mg/L	Ba mg/L	Cd mg/L	Cr mg/L	Pb mg/L	Hg mg/L	Se mg/L	Ag mg/L	E Coli
2226BH04	12/30/2014	655.41	6.1	<5	129	581	749	1650	18.4	0.353	1.38	<0.001	0.668	0.434	0.00033	<0.05	<0.005	
	3/11/2015	655.42	6.0	<0	113	674	1290	2570	28.9	0.568	2.27	<0.0011	0.966	0.363	0.00058	<0.033	0.0120	

The Site Samples Data Sheet displays common water quality parameters sampled by DOR at water sampling points. Contact AML personnel for information regarding other types of sample parameters. A blank field indicates that the parameter was not sampled on a given date. Note that if the flow is recorded as "None" for a given date, all other sample parameters will be blank.

AML Water Quality Database

Site Samples Data Sheet - Lab Report

AML Site: 2226

N Murphy Rd Grouting

Point ID: 2226BH12
 Status: Open Well
 Well Depth: 39.94
 Surface Elevation: 663.377

Point ID	Sample Date	Water Elevation	pH Lab	Acidity	Alkalinity	SO4 mg/L	Al mg/L	Fe mg/L	Mn mg/L	As mg/L	Ba mg/L	Cd mg/L	Cr mg/L	Pb mg/L	Hg mg/L	Se mg/L	Ag mg/L	E Coli
2226BH12	12/30/2014	630.51	6.6	<5	221	135	51.2	144	4.00	0.0442	0.391	<0.001	0.126	0.127	<0.0001	<0.005	<0.005	
	3/11/2015	630.56	6.5	<0	167	81.7	24.3	48.1	0.823	0.0214	0.176	<0.00021	0.0532	0.0342	<0.000011	<0.0033	<0.0033	absent
	6/18/2015	630.46	6.50	87	196	136	16.5	173	4.72	0.0095	0.310	0.0009	0.0902	0.098	<0.002	<0.001	<0.0004	
	10/7/2015	629.797	6.79	86	196	148	154	195	<0.3	<0.1	0.348	<0.1	<0.5	<0.3	0.0802	0.0381	<0.04	
	12/30/2015	631.347	6.52	92	146	121	35.2	77.2	1.63	0.030	0.359	0.001	0.059	0.084	0.00115	<0.003	<0.004	
	3/17/2016	630.787	6.52	104	202	123	138	102	2.28	<0.1	0.589	<0.01	<0.05	0.132	<0.006	0.0406	<0.04	

The Site Samples Data Sheet displays common water quality parameters sampled by DOR at water sampling points. Contact AML personnel for information regarding other types of sample parameters. A blank field indicates that the parameter was not sampled on a given date. Note that if the flow is recorded as "None" for a given date, all other sample parameters will be blank.

AML Water Quality Database

Site Samples Data Sheet - Lab Report

AML Site: 2227
Cardonia Grouting

Point ID: 2227BH01
Status: Open Well
Well Depth: 39.6
Surface Elevation: 651.789

Point ID	Sample Date	Water Elevation	pH Lab	Acidity	Alkalinity	SO4 mg/L	Al mg/L	Fe mg/L	Mn mg/L	As mg/L	Ba mg/L	Cd mg/L	Cr mg/L	Pb mg/L	Hg mg/L	Se mg/L	Ag mg/L	E Coli
2227BH01	12/30/2014	618.29	6.4	<5	136	111	462	1060	54.1	0.210	2.74	<0.001	0.832	0.829	0.00047	<0.005	<0.005	
	3/11/2015	618.32	6.7	<0	136	19.4	56.0	95.7	1.13	0.0283	0.295	<0.00021	0.101	0.0873	<0.000011	<0.0033	<0.0033	present
	6/18/2015	618.19	6.36	92	159	101	15.2	54.0	9.45	0.0018	0.385	0.0008	0.0315	0.128	<0.002	0.001	<0.0004	
	10/7/2015	618.029	6.61	104	160	268	270	376	19.5	<1	2.35	<0.1	0.135	0.767	<0.006	<0.3	<0.04	
	12/30/2015	618.819	6.55	44	134	40.9	5.79	8.63	0.997	<0.01	0.124	<0.001	<0.005	0.030	0.00097	<0.003	<0.004	
	3/17/2016	618.119	6.49	85	126	74.2	105	92.4	10.6	<0.1	0.690	<0.01	<0.05	0.255	<0.006	0.0531	<0.04	

The Site Samples Data Sheet displays common water quality parameters sampled by DOR at water sampling points. Contact AML personnel for information regarding other types of sample parameters. A blank field indicates that the parameter was not sampled on a given date. Note that if the flow is recorded as "None" for a given date, all other sample parameters will be blank.

AML Water Quality Database

Site Samples Data Sheet - Lab Report

AML Site: 2227
Cardonia Grouting

Point ID: 2227BH02
Status: Open Well
Well Depth: 58.05
Surface Elevation: 676.968

Point ID	Sample Date	Water Elevation	pH Lab	Acidity	Alkalinity	SO4 mg/L	Al mg/L	Fe mg/L	Mn mg/L	As mg/L	Ba mg/L	Cd mg/L	Cr mg/L	Pb mg/L	Hg mg/L	Se mg/L	Ag mg/L	E Coli
2227BH02	12/30/2014	630.42	4.4	88.0	<1	271	114	387	4.65	0.0654	0.503	<0.001	0.232	0.162	<0.0001	<0.005	<0.005	
	3/11/2015	631.48	4.2	48.0	<1	338	208	816	6.27	0.190	1.05	<0.0011	0.419	0.217	0.00029	<0.0165	<0.0033	

The Site Samples Data Sheet displays common water quality parameters sampled by DOR at water sampling points. Contact AML personnel for information regarding other types of sample parameters. A blank field indicates that the parameter was not sampled on a given date. Note that if the flow is recorded as "None" for a given date, all other sample parameters will be blank.

AML Water Quality Database

Site Samples Data Sheet - Lab Report

AML Site: 2227
Cardonia Grouting

Point ID: 2227BH07
Status: Open Well
Well Depth: 67.5
Surface Elevation: 687.845

Point ID	Sample Date	Water Elevation	pH Lab	Acidity	Alkalinity	SO4 mg/L	Al mg/L	Fe mg/L	Mn mg/L	As mg/L	Ba mg/L	Cd mg/L	Cr mg/L	Pb mg/L	Hg mg/L	Se mg/L	Ag mg/L	E Coli
2227BH07	12/30/2014	621.86	6.4	<5	199	285	155	2150	981	0.423	7.18	<0.001	0.383	0.414	0.00039	0.421	<0.1	
	3/11/2015	620.46	6.6	<0	203	266	24.3	392	182	0.123	1.12	<0.00021	0.0698	0.0470	<0.000011	0.0171	<0.0033	

The Site Samples Data Sheet displays common water quality parameters sampled by DOR at water sampling points. Contact AML personnel for information regarding other types of sample parameters. A blank field indicates that the parameter was not sampled on a given date. Note that if the flow is recorded as "None" for a given date, all other sample parameters will be blank.

AML Water Quality Database

Site Samples Data Sheet - Lab Report

AML Site: 2228
CR 1200N Grouting

Point ID: 2228BH02
Status: Open Well
Well Depth: 46.17
Surface Elevation: 706.889

Point ID	Sample Date	Water Elevation	pH Lab	Acidity	Alkalinity	SO4 mg/L	Al mg/L	Fe mg/L	Mn mg/L	As mg/L	Ba mg/L	Cd mg/L	Cr mg/L	Pb mg/L	Hg mg/L	Se mg/L	Ag mg/L	E Coli
2228BH02	12/30/2014	674.43	6.3	<5	122	93.9	5.30	20.1	5.65	<0.005	0.0926	<0.001	0.0126	0.0129	<0.000024	<0.005	<0.005	
	3/19/2015	675.26	6.7	<0	137	96.0	1.88	7.18	2.25	<0.0029	0.0502	<0.00021	<0.0025	<0.0029	<0.000011	<0.0033	<0.0033	
	6/18/2015	675.87	6.45	69	128	107	0.57	6.26	3.05	0.0011	0.038	<0.0001	0.0023	0.002	<0.002	<0.001	<0.0004	
	10/7/2015	674.389	6.59	78	117	109	1.94	6.14	2.93	<0.01	0.042	<0.001	0.002	0.003	<0.00006	0.0040	<0.0004	
	12/30/2015	675.719	6.56	71	119	54.7	4.81	6.79	1.68	<0.01	0.063	<0.001	<0.005	0.008	0.00075	<0.003	<0.004	

The Site Samples Data Sheet displays common water quality parameters sampled by DOR at water sampling points. Contact AML personnel for information regarding other types of sample parameters. A blank field indicates that the parameter was not sampled on a given date. Note that if the flow is recorded as "None" for a given date, all other sample parameters will be blank.

AML Water Quality Database

Site Samples Data Sheet - Lab Report

AML Site: 2228
CR 1200N Grouting

Point ID: 2228BH03
Status: Open Well
Well Depth: 48.1
Surface Elevation: 710.653

Point ID	Sample Date	Water Elevation	pH Lab	Acidity	Alkalinity	SO4 mg/L	Al mg/L	Fe mg/L	Mn mg/L	As mg/L	Ba mg/L	Cd mg/L	Cr mg/L	Pb mg/L	Hg mg/L	Se mg/L	Ag mg/L	E Coli
2228BH03	12/30/2014	676.59	6.3	<5	145	121	15.9	70.2	1.66	0.0475	0.188	<0.001	0.0411	0.0492	<0.0001	<0.005	<0.005	
	3/19/2015	677.82	6.6	<0	144	74.6	1.86	12.1	0.640	<0.0029	0.0632	<0.00021	<0.0025	<0.0029	<0.000011	<0.0033	<0.0033	
	3/17/2016	677.093	6.35	142	155	125	8.42	105	1.12	0.214	0.126	<0.001	<0.05	0.026	<0.0006	0.0749	<0.04	

The Site Samples Data Sheet displays common water quality parameters sampled by DOR at water sampling points. Contact AML personnel for information regarding other types of sample parameters. A blank field indicates that the parameter was not sampled on a given date. Note that if the flow is recorded as "None" for a given date, all other sample parameters will be blank.

AML Water Quality Database

Site Samples Data Sheet - Lab Report

AML Site: 2228
CR 1200N Grouting

Point ID: 2228BH07
Status: Open Well
Well Depth: 41.47
Surface Elevation: 696.909

Point ID	Sample Date	Water Elevation	pH Lab	Acidity	Alkalinity	SO4 mg/L	Al mg/L	Fe mg/L	Mn mg/L	As mg/L	Ba mg/L	Cd mg/L	Cr mg/L	Pb mg/L	Hg mg/L	Se mg/L	Ag mg/L	E Coli
2228BH07	12/30/2014	676.42	6.5	<5	135	84.1	<0.1	5.04	0.413	<0.005	0.119	<0.001	<0.005	<0.004	<0.0001	<0.005	<0.005	
	3/11/2015	676.72	6.5	<0	138	97.2	2.36	17.1	1.90	<0.0029	0.118	<0.00021	<0.0025	<0.0029	<0.000011	<0.0033	<0.0033	

The Site Samples Data Sheet displays common water quality parameters sampled by DOR at water sampling points. Contact AML personnel for information regarding other types of sample parameters. A blank field indicates that the parameter was not sampled on a given date. Note that if the flow is recorded as "None" for a given date, all other sample parameters will be blank.

AML Water Quality Database

Site Samples Data Sheet - Lab Report

AML Site: 2228
CR 1200N Grouting

Point ID: 2228BH08
Status: Open Well
Well Depth: 29.98
Surface Elevation: 690.791

Point ID	Sample Date	Water Elevation	pH Lab	Acidity	Alkalinity	SO4 mg/L	Al mg/L	Fe mg/L	Mn mg/L	As mg/L	Ba mg/L	Cd mg/L	Cr mg/L	Pb mg/L	Hg mg/L	Se mg/L	Ag mg/L	E Coli
2228BH08	12/30/2014	676.29	6.9	<5	265	117	7.86	37.4	3.63	<0.005	0.189	<0.001	0.0225	0.0222	<0.0001	<0.005	<0.005	
	3/11/2015	676.49	7.0	<0	274	72.9	<0.0056	2.86	3.43	<0.0029	0.172	<0.00021	<0.0025	<0.0029	<0.000011	<0.0033	<0.0033	absent
	6/18/2015	676.29	6.71	71	257	126	0.38	17.0	4.62	<0.004	0.138	<0.001	<0.006	<0.005	<0.002	<0.01	<0.004	
	10/7/2015	675.531	7.03	54	252	62.9	5.63	11.5	2.97	<0.1	0.138	<0.01	<0.005	0.004	<0.0006	<0.03	<0.004	
	12/30/2015	678.901	6.69	59	152	102	1.86	4.84	2.95	<0.01	0.056	<0.001	<0.005	0.005	0.00080	<0.003	<0.004	
	3/17/2016	676.301	6.76	77	354	135	3.60	13.4	4.72	<0.01	0.125	<0.001	<0.005	0.006	<0.0006	0.0098	<0.004	

The Site Samples Data Sheet displays common water quality parameters sampled by DOR at water sampling points. Contact AML personnel for information regarding other types of sample parameters. A blank field indicates that the parameter was not sampled on a given date. Note that if the flow is recorded as "None" for a given date, all other sample parameters will be blank.