



N

PLUMBING - HOT & COLD WATER PLAN





PLUMBING SYMBOLS

COLD WATER LINE HARD

COLD WATER LINE SOFT

HOT WATER LINE SOFT

→ DIRECTION OF FLOW (VARIOUS LINES)
→ WASTE PIPING (DRAIN LINE)

WASTE PIPING (DRAIN LINE)

XT. --- VENT PIPING

C.O. >-- EXTERIOR CLEAN OUT

<u>CO.</u> > — CLEAN OUT <u>FD. W/ CO.</u> ○ — FLOOR DRAIN W/ CLEANOUT (NOT USED) — SHUT-OFF VALVE

PIPING UNION (FOR W/H) DIELECTRIC

FP

HB FREEZEPROOF HOSE BIBB

TID TREEZERROOF 1109E DID

TO AIR ADMITTANCE VALVE

SHUT-OFF VALVE

WATER LINES VERTICAL TRANSITION FROM UNDER SLAB TO ABOVE SLAB

DRAWING P-| WATER LINES UNDER SLABDRAWING P-2 WASTE WATER UNDER SLABDAW CUT SLABDAS REQUIRED.


REFERENCE 5/P-2 FOR ADDITIONAL INFORMATION.

PLUMBING - HOT & COLD WATER ISO



PLUMBING - WATER SOFTENER
CONNECTION DETAIL
N.T.S.





FORT HARRISON STATE PARK
BUILDING 803 CONVERSION TO APM RESIDENCE
INDIANA DEPT. OF NATURAL RESOURCES
5753 Glenn Rd.




IVISION OF ENGINEER
ROOM W299, INDIANA GOVERNMENT CENTER SO
402 WEST WASHINGTON STREET
INDIANAPOLIS, INDIANA 46204


Revisions:
ADDENDUM 1 10-02-2019

File Number: 37-46


Drawing Number:

P-1





N.T.S. THREADED CLEANOUT ADAPTER AND PLUG EXTENDING MAX. (- ABOVE SURFACE.



EXTERIOR CLEAN-OUT

REUSE EXISTING ROOF PENETRATION 2"V TYP. 4" VENT THROUGH THE ROOF 2"V TYP.	
CO.	NEW ROOF PENETRATION 3" VENT WITH 4" VENT THROUGH THE ROOF
NEW PIPE CONNECTING TO EXISTING SEWER LINE A" P-3 P-1 3" 4" A" A" A" A" A" A" A" A" A	2"V
EXT. LINE OF FOUNDATION WALL EXISTING SEWER LINE	- /2" 4" P-5
CONTRACTOR SHALL CONNECT NEW SANITARY TO EXISTING.	2"— P-8 P-7 P-7 P-4 P-4

PLUMBING - SANITARY SEWER ISO

MARK	VENDOR / MOD. NO.	PLUMBING FIXTURE SCHEDULE	1110/	0.147	T	· · · · · · · · · · · · · · · · · · ·		T	T
		DESCRIPTION	H.W.	C.W.	TRAP	WASTE	VENT	SCOPE OF WORK	NOTES
P-	MENARDS / MOD. # 105188-001-001	MAAX [®] T5-3060 60"x 3-1/1" Tub-Shower with Right Drain	1/2"	1/2"		- /2"	 - /2 "	BASE BID	, 5
P-1	MENARDS / MOD. # 733AA.051.010	WATER CLOSET / AMERICAN STANDARD TITAN 2pcs. ELONGATED, WHITE	_	1/2"	INTEGRAL	4"	2"	BASE BID	
P-3	MENARDS / VANITY ENSEMBLE	BATHROOM SINK INTEGRAL WITH COUNTERTOP, SEE SPECS SHEET 6-1	1/2"	1/2"	- /4"	- /2"	- /2"	BASE BID	2
P-4	MENARDS / TUXANY MOD. # ST3312D1	OFFSET STAINLESS STEEL KITCHEN SINK WITH FAUCET & SPRAY	1/2"	1/2"		- <i>/</i> 2"	<u> </u>	BASE BID	3
P-5	MENARDS / MOD. # 05188-001-00	MAAX [®] T5-3 <i>060 60</i> "x 3H//1" Tub-Shower with Left Drain	1/2"	1/2"		- <i>/</i> 2"	- /2"	ALTERNATE #4	 , 5
P-6	MENARDS / MOD. # 733AA.05 .01.0	WATER CLOSET / AMERICAN STANDARD TITAN 2pcs. ELONGATED, WHITE.	_	1/2"	INTEGRAL	4"	2"	ALTERNATE #4	
P-7	MENARDS / VANITY ENSEMBLE	BATHROOM SINK INTEGRAL WITH COUNTERTOP, SEE SPECS SHEET 6-2	1/2"	1/2"	- /4"	- <i>/</i> 2"	- <i>/</i> 2"	ALTERNATE #4	2
P-8	MENARDS / MOD. # 38569	Oatey Quadtro Center Drain Washing Machine Outlet Box	1/2"	1/2"	. ,	,	11/-	BASE BID	7
p_g	EASTMAN / MOD. # 60011	EXPANSION TANK FOR GAS WATER HEATER	1/2"					BASE BID	
P-10	TO BE DETERMINED	WATER SOFTENER SYSTEM		~~~~			~~~~	BY OWNER	**************************************
2-	TO BE DETERMINED	SINK MOUNTED DRINKING WATER SYSTEM						BY OWNER	8
WH-I	Lochinvar/MOD. # UTNO40 40	Ultra Low NOx Residential Gas Water Heater	3/4"	3/4"	~~~~ ~ ~			BASE BID	
2/HB-I	W <i>OODFO</i> RD / M <i>OD. #15</i>	EXTERIOR / FREEZE PROOF HOSE BIBB	-	1/2"				BASE BID	7

NOTES:

- |. MENARDS: Tuscany Marianna One—Handle Tub/Shower Faucet in Brushed Nickel; MODEL # ||25 BN 2. MENARDS: MOEN HILLIARD 2H LAVATORY FAUCET, MODEL # 845375RN
- MENARDS: KITCHEN SINK FAUCET, DELTA CLASSIC IH KIT W/SP SS, MODEL # 400-SS-DST
- PROVIDE DRAFT HOOD, VENT PIPE, CONNECTIONS, DISCHARGE PIPE, METAL DRAIN PAN, GAS CONNECTIONS AND REQUIRED ACCESSORIES
- 5. | Piece Unit, COLOR: WHITE
- PROVIDE BRASS COVER PLATES

PROVIDE BRASS WATER HAMMER BALL VALVES

8. SOFTENER AND DRINKING WATER SYSTEM EQUIPMENT BY OWNER. PROVIDE ALL PIPING, VALVES, AND RELATED ITEMS AS REQUIRED FOR CONNECTION TO OWNER'S FUTURE EQUIPMENT.

PLUMBING FIXTURE SCHEDULE




ŒS	NDIANA DEPT. OF NATURAL RESOURCES
ENCE	LDING 803 CONVERSION TO APM RESIDENCE
\succeq	FORT HARRISON STATE PARK

ADDENDUM 1 10-02-2019 🛕

Project Number: ENG1803727638 equisition Number: Drawing Date: 09-05-2019 Orawing Scale:
AS NOTED

File Number: 37-46

P-2



NOTES:

ALL SUPPLY AND RETURN AIR DUCTWORK SHALL BE INSULATED (R-6)

PLAN NOTES:


- 1 INSTALL NEW GRILL MATCHING EXISTING IN DIMENSIONS
- 2 8" ROUND INSULATED (R-6) SPIRAL DUCTWORK, TYP.
- 3 8" ROUND INSULATED (R-6) FLEX DUCT (25 LF MAXIMUM), TYP. UL-181, ATCO OR EQUAL.
- THERMOSTAT SHALL BE HONEYWELL TH5110D-1022 OR EQUAL, INCLUDE BATTERY.
- 5 REFERENCE ELECTRICAL PLAN FOR EXHAUST FANS



MECHANICAL FIXTURE SCHEDULE					
MARK	VENDOR / MOD. NO.	DESCRIPTION	NOTES		
M-1	TITUS / MOD.# OMNI-AA	SUPPLY AIR DIFFUSER 12"x12"	1, 2, 3		
M-2	TITUS / MOD.# 350FS	RETURN AIR GRILLE APPROX.10" X 48", TYPE 1 BORDER, TYPE A FASTENING, VERIFY SIZE	3		
M-3	Dundas - Jafine MODEL # BLH4WZW	ProVent 3" White Louvered Exhaust Hood	, , , , , , , , , , , , , , , , , , , ,		

NOTES:

- 1. PROVIDE MODEL D-100 DAMPER.
- 2. GYPSUM BOARD CEILING MOUNT. CENTER ON WINDOWS WHERE INDICATED.
- 3. COORDINATE WITH EXISTING RA DUCTWORK



FORT HARRISON STATE PARK
BUILDING 803 CONVERSION TO APM RESIDENCE
INDIANA DEPT. OF NATURAL RESOURCES



VISION OF ENGINEERING

SOM W299, INDIANA GOVERNMENT CENTER SOUTH

402 WEST WASHINGTON STREET
INDIANAPOLIS, INDIANA 46204

Revisions:
ADDENDUM 1 10-02-2019

Project Number:
ENG1803727638

Requisition Number:
105143

Designer:
R. P. Drawing Date:
R. P. 09-05-2019

Drafter:
B.D. AS NOTED

DNR Approval:

File Number: 37-46

Drawing Number:

M-1