

Indiana County Endangered, Threatened and Rare Species List

County: La Porte



Species Name	Common Name	FED	STATE	GRANK	SRANK
Insect: Plecoptera (Stoneflies)					
<i>Isoperla frisoni</i>	Wisconsin Stripetail		SE	G5	S1
Mollusk: Gastropoda					
<i>Lymnaea stagnalis</i>	Swamp Lymnaea		SSC	G5	S2
Insect: Diptera					
<i>Mydas tibialis</i>	Golden Legged Mydas Fly		ST	GNR	S1S2
Insect: Homoptera					
<i>Bruchomorpha extensa</i>	The Long-nosed Elephant Hopper		SR	GNR	S2S3
<i>Chlorotettix dentatus</i>	Toothed Chlorotettix Leafhopper		SE	GNR	S1
<i>Cicadula straminea</i>	Straw-colored Sedge Leafhopper		ST	GNR	S1S2
<i>Cosmotettix bilineatus</i>	Two-lined cosmotettix		SR	GNR	S1S2
<i>Flexamia reflexus</i>	Indiangrass Flexamia		SR	GNR	S1S2
<i>Laevincephalus acus</i>	Pointed Fen Laevincephalus		SR	GNR	S1S2
<i>Mesamia nigradorsum</i>	Black-banded Sunflower Leafhopper		WL	GNR	S2S3
<i>Mesamia straminea</i>	Helianthus Leafhopper		SE	GNR	S1
<i>Paraphlepsius maculosus</i>	Peppered Paraphlepsius Leafhopper		ST	GNR	S1S2
<i>Polyamia caperata</i>	Little Bluestem Polyamia		SR	GNR	S2
<i>Polyamia herbida</i>	The Prairie Panic Grass Leafhopper		ST	GNR	S2
<i>Polyamia obtecta</i>	Sand Panic Grass Leafhopper		WL	GNR	S2S3
<i>Prairiana kansana</i>	The Kansas Prairie Leafhopper		SE	GNR	S1
<i>Scaphoideus ochraceus</i>	a leafhopper		SR	GNR	SNR
Insect: Lepidoptera (Butterflies & Moths)					
<i>Acrionicta dactylina</i>	Fingered Dagger Moth		SR	G5	SNR
<i>Acrionicta funeralis</i>	Funerary Dagger Moth		SR	G5	SNR
<i>Aethes patricia</i>			SE	G3G4	S1
<i>Agrotis stigmata</i>	Spotted Dart Moth		ST	G4	S1S2
<i>Anaplectoides prasina</i>	Green arches		SR	G5	S1S3
<i>Apamea burgessi</i>	A Noctuid Moth		ST	G4	S1
<i>Apamea indocilis</i>	The Spastic Apamea		ST	G5	S1S3
<i>Apamea lignicolora</i>	The Wood-colored Apamea		ST	G5	S1S2
<i>Apamea lutosa</i>	Opalescent Apamea		SE	GNR	S1
<i>Apamea nigrior</i>	Black-dashed Apamea		SR	G5	S2S3
<i>Apantesis virguncula</i>	Little Virgin Tiger Moth		SR	G5	S1S2
<i>Atrytonopsis hianna</i>	Dusted Skipper		ST	G4G5	S2S3
<i>Boloria selene myrina</i>	Silver-bordered Fritillary		ST	G5T5	S2S3
<i>Boloria selene nebraskensis</i>	The Nebraska Silver Bordered Fritillary		SE	G5T3T4	S2S3
<i>Capis curvata</i>	Curved Halter Moth		ST	G5	S2S3

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: La Porte



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Catocala abbreviatella</i>	The Abbreviated Leadplant Underwing Moth		SE	G3G4	S1
<i>Catocala amestris</i>	The Leadplant Underwing Moth		SE	G4	S1
<i>Catocala gracilis</i>	Graceful Underwing		SR	G5	S2S3
<i>Catocala praeclara</i>	Praeclara Underwing		SR	G5	S2S3
<i>Catocala relict</i>	White Underwing		SR	G5	SNR
<i>Catocala sordida</i>	The Huckleberry Underwing		SR	G5	S2S3
<i>Crambus bidens</i>	Forked Grass-veneer		SR	GNR	SNR
<i>Crambus girardellus</i>	Orange-striped Sedge Moth		SR	GNR	S2S3
<i>Danaus plexippus</i>	Monarch	C	WL	G4	S4S5B
<i>Dargida rubripennis</i>	The Pink Streak		ST	G3G4	S1
<i>Erynnis martialis</i>	Mottled Duskywing		WL	G3	S3
<i>Eubaphe meridiana</i>	Little Beggar Moth		SR	G4	S2
<i>Eucosma bilineana</i>			SR	GNR	S1S2
<i>Eucosma bipunctella</i>	A Moth		SR	GNR	S1S2
<i>Eucosma giganteana</i>	Giant Eucosma		SR	GNR	S1S2
<i>Fagitana littera</i>	The Marsh Fern Moth		ST	G4	S1S2
<i>Gabara subnivosella</i>	A Noctuid Moth		SR	G4	S1S2
<i>Grammia phyllira</i>	The Sand Barrens Grammia		SR	G4	S2S3
<i>Herpetogramma thestealis</i>	Zigzag Herpetogramma Moth		SR	GNR	S2S3
<i>Hesperia leonardus</i>	Leonard's Skipper		ST	G4	S2S3
<i>Homophoberia cristata</i>	Waterlily Moth		SR	G4	S1S3
<i>Hypenodes caducus</i>	Large Hypenodes		SR	GNR	SNR
<i>Lethe eurydice eurydice</i>	Eyed Brown		WL	G5T5	S3
<i>Lethe eurydice fumosus</i>	Smoky-eyed Brown		SE	G5T3T4	S1
<i>Leucania amygdalina</i>	Salt Marsh Wainscot		SR	GNR	S2
<i>Leucania inermis</i>	Unarmed Wainscot		SR	G5	S2S3
<i>Leucania multilinea</i>	Many-lined Wainscot		SR	G5	S1S2
<i>Lycaena helloides</i>	Purplish Copper		ST	G5	S2S3
<i>Macrochilo absorptalis</i>	Slant-lined Owlet		SR	G4G5	S2S3
<i>Macrochilo hypocritalis</i>	Twin-dotted Macrochilo		SR	G4	S2
<i>Macrochilo louisiana</i>	Louisiana Macrochilo		ST	G4	S1S2
<i>Melanomma auricinctaria</i>	Huckleberry Eye-spot Moth		SR	G4	S2S3
<i>Meropleon ambifusca</i>	Newman's Brocade		ST	G3G4	S1S2
<i>Meropleon diversicolor</i>	Multicolored Sedgeminer		SR	G5	S2S3
<i>Metanema determinata</i>	Dark Metanema		SR	G5	SNR
<i>Metanema inatomaria</i>	Pale Metanema		SR	G5	SNR
<i>Neonympha mitchellii mitchellii</i>	Mitchell's Satyr	LE	SE	G2T2	S1
<i>Nola cilicoides</i>	Blurry-patched Nola Moth		SR	G5	SNR
<i>Notodonta scitipennis</i>	Finned-willow Prominent		ST	G5	S1S2

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: La Porte



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Odontotia elegans</i>	Elegant Prominent		SR	G5	S1S2
<i>Oligia obtusa</i>	A Noctuid Moth		SE	G4	S1
<i>Papaipema beeriana</i>	Beer's Blazing Star Borer Moth		ST	G2G3	S1S3
<i>Papaipema cerina</i>	Golden Borer Moth		ST	G2G4	S1
<i>Papaipema harrisii</i>	Heracleum Stem Borer Moth		SR	G4?	S3
<i>Papaipema limpida</i>	The Ironweed Borer Moth		SR	G2G4	S1S2
<i>Papaipema lysimachiae</i>	The St. John's Wort Borer Moth		SR	G4G5	S1S3
<i>Papaipema maritima</i>	The Giant Sunflower Borer Moth		ST	G3	S2
<i>Papaipema pterisii</i>	Bracken Borer Moth		WL	G5	SNR
<i>Papaipema rigida</i>	Rigid Sunflower Borer Moth		SR	G4G5	S2S3
<i>Papaipema rutila</i>	Mayapple Borer Moth		SR	G4	S1S3
<i>Papaipema sciata</i>	The Culver's Root Borer		ST	G3	S1S2
<i>Papaipema silphii</i>	Silphium Borer Moth		ST	G3G4	S2
<i>Papaipema speciosissima</i>	The Royal Fern Borer Moth		ST	G4	S2S3
<i>Parasa indetermina</i>	Stinging Rose Caterpillar Moth		SR	G4	S1S2
<i>Peoria gemmatella</i>	Gemmed Cordgrass Borer		SE	GNR	S1
<i>Photodes enervata</i>	The Many-lined Cordgrass Moth		ST	G4	S1
<i>Photodes includens</i>	The Included Cordgrass Borer		ST	G4	S1
<i>Photodes inops</i>	Spartina Borer Moth		SR	G3G4	S2S3
<i>Plagodis kuetzingi</i>	Purple Plagodis		SR	G5	SNR
<i>Poanes massasoit</i>	Mulberry Wing Skipper			G4	S3S4
<i>Poanes viator viator</i>	Big Broad-winged Skipper		ST	G5T4	S2
<i>Polites mystic</i>	Long Dash Skipper			G5	S3S4
<i>Polygonia progne</i>	Gray Comma		ST	G5	S2S3
<i>Problema byssus</i>	Bunchgrass Skipper		ST	G4	S1S2
<i>Pyreferra citrombra</i>	Citrine Sallow		SR	GNR	SNR
<i>Pyreferra hesperidago</i>	Mustard Sallow		SR	G5	SNR
<i>Pyreferra pettiti</i>	A Noctuid Moth		SR	G5	SNR
<i>Resapamea stipata</i>	The Four-lined Cordgrass Borer		SE	G4	S1
<i>Sciota dammersi</i>	Leadplant Leafwebber Moth		SE	GNR	S1
<i>Sitochroa dasconalis</i>	Pearly Indigo Borer		ST	GNR	S1S2
<i>Spilosoma latipennis</i>	The Red-legged Tussock Moth		SR	G4	S2S3
<i>Tricholita notata</i>	Marked Noctuid		ST	G5	S1S2
<i>Virbia opella</i>	Tawny Virbia		SR	G5	S2S3
Insect: Odonata (Dragonflies & Damselflies)					
<i>Cordulegaster bilineata</i>	Brown Spiketail		WL	G5	S3
<i>Leucorrhinia frigida</i>	Frosted Whiteface		ST	G5	S2S3
<i>Nannothemis bella</i>	Elfin Skimmer		SE	G4G5	S1S2
<i>Rhionaeschna mutata</i>	Spatterdock Darner		ST	G4	S2S3
<i>Sympetrum semicinctum</i>	Band-winged Meadowhawk		SR	G5	S2S3

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: La Porte



Species Name	Common Name	FED	STATE	GRANK	SRANK
Insect: Orthoptera					
<i>Chloealtis conspersa</i>	Sprinkled Locust		SR	G5	S2S3
<i>Melanoplus gracilis</i>	Graceful Spur-throated Grasshopper		SR	G5	S1S2
<i>Neoconocephalus exiliscanorus</i>	Slightly Musical Conehead		SR	GNR	SNR
<i>Neoconocephalus nebrascensis</i>	Nebraska Conehead		SR	GNR	S1S2
Fish					
<i>Acipenser fulvescens</i>	Lake Sturgeon		SE	G3G4	S1
<i>Ichthyomyzon fossor</i>	Northern Brook Lamprey		SE	G4	S1
<i>Moxostoma valenciennesi</i>	Greater Redhorse		SE	G4	S2
<i>Rhinichthys cataractae</i>	Longnose Dace		SSC	G5	S2
Amphibian					
<i>Acris blanchardi</i>	Blanchard's Cricket Frog		SSC	G5	S4
<i>Hemidactylium scutatum</i>	Four-toed Salamander		SSC	G5	S2
<i>Necturus maculosus</i>	Common mudpuppy		SSC	G5	S2
Reptile					
<i>Clemmys guttata</i>	Spotted Turtle	C	SE	G5	S2
<i>Clonophis kirtlandii</i>	Kirtland's Snake		SE	G2	S2
<i>Emydoidea blandingii</i>	Blanding's Turtle	C	SE	G4	S2
<i>Opheodrys vernalis</i>	Smooth Green Snake		SE	G5	S2
<i>Sistrurus catenatus</i>	Eastern Massasauga	LT	SE	G3	S2
<i>Terrapene carolina carolina</i>	Eastern Box Turtle		SSC	G5T5	S3
<i>Terrapene ornata ornata</i>	Ornate Box Turtle		SE	G5T5	S1
<i>Thamnophis proximus proximus</i>	Western Ribbon Snake		SSC	G5T5	S3
Bird					
<i>Ammodramus henslowii</i>	Henslow's Sparrow		SE	G4	S3B
<i>Ardea alba</i>	Great Egret		SSC	G5	S1B
<i>Bartramia longicauda</i>	Upland Sandpiper		SE	G5	S3B
<i>Botaurus lentiginosus</i>	American Bittern		SE	G5	S2B
<i>Buteo platypterus</i>	Broad-winged Hawk		SSC	G5	S3B
<i>Certhia americana</i>	Brown Creeper			G5	S2B
<i>Chlidonias niger</i>	Black Tern		SE	G4G5	S1B
<i>Circus hudsonius</i>	Northern Harrier		SE	G5	S2
<i>Cistothorus palustris</i>	Marsh Wren		SE	G5	S3B
<i>Cistothorus platensis</i>	Sedge Wren		SE	G5	S3B
<i>Empidonax alnorum</i>	Alder Flycatcher			G5	S2B
<i>Euphagus cyanocephalus</i>	Brewer's Blackbird			G5	SHB,S1N
<i>Falco peregrinus</i>	Peregrine Falcon		SSC	G4	S2B
<i>Gallinula galeata</i>	Common gallinule		SE	G5	S3B
<i>Grus canadensis</i>	Sandhill Crane		SSC	G5	S2B,S1N

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: La Porte



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Haliaeetus leucocephalus</i>	Bald Eagle		SSC	G5	S2
<i>Ixobrychus exilis</i>	Least Bittern		SE	G4G5	S3B
<i>Lanius ludovicianus</i>	Loggerhead Shrike		SE	G4	S3B
<i>Mniotilta varia</i>	Black-and-white Warbler		SSC	G5	S1S2B
<i>Nycticorax nycticorax</i>	Black-crowned Night-heron		SE	G5	S1B
<i>Pandion haliaetus</i>	Osprey		SSC	G5	S1B
<i>Rallus elegans</i>	King Rail		SE	G4	S1B
<i>Rallus limicola</i>	Virginia Rail		SE	G5	S3B
<i>Setophaga cerulea</i>	Cerulean Warbler		SE	G4	S3B
<i>Setophaga citrina</i>	Hooded Warbler		SSC	G5	S3B
<i>Sturnella neglecta</i>	Western Meadowlark		SSC	G5	S2B
<i>Wilsonia canadensis</i>	Canada Warbler			G5	S2B
<i>Xanthocephalus xanthocephalus</i>	Yellow-headed Blackbird		SE	G5	S1B
Mammal					
<i>Condylura cristata</i>	Star-nosed Mole		SSC	G5	S2?
<i>Lasiurus borealis</i>	Eastern Red Bat		SSC	G3G4	S4
<i>Mustela nivalis</i>	Least Weasel		SSC	G5	S2?
<i>Myotis lucifugus</i>	Little Brown Bat	C	SE	G3	S2
<i>Myotis septentrionalis</i>	Northern Long Eared Bat	LT	SE	G1G2	S2S3
<i>Myotis sodalis</i>	Indiana Bat	LE	SE	G2	S1
<i>Spermophilus franklinii</i>	Franklin's Ground Squirrel		SE	G5	S2
<i>Taxidea taxus</i>	American Badger		SSC	G5	S2
Vascular Plant					
<i>Actaea rubra ssp. rubra</i>	red baneberry		ST	G5T5	S1?
<i>Alnus incana ssp. rugosa</i>	speckled alder		WL	G5T5	S3
<i>Andromeda glaucophylla</i>	bog rosemary		ST	G5T5	S2
<i>Anticlea elegans var. glaucus</i>	white camas		ST	G5T4T5	S3
<i>Aralia hispida</i>	bristly sarsaparilla		SE	G5	S1
<i>Arctostaphylos uva-ursi</i>	bearberry		ST	G5	S3
<i>Aristida longespica var. geniculata</i>	slim-spike three-awn grass		WL	G5T5?	S3
<i>Aristida tuberculosa</i>	seabeach needlegrass		ST	G5	S3
<i>Betula papyrifera</i>	paper birch		ST	G5	S3
<i>Betula populifolia</i>	gray birch		WL	G5	S1
<i>Bidens beckii</i>	Beck's water-marigold		SE	G5	S1
<i>Botrychium matricariifolium</i>	chamomile grape-fern		ST	G5	S3
<i>Brachyelytrum aristosum</i>	northern shorthusk		SE	G5	S1
<i>Calla palustris</i>	wild calla		SE	G5	S1
<i>Carex arcata</i>	black sedge		ST	G5	S2
<i>Carex atherodes</i>	awned sedge		SE	G5	S1
<i>Carex atlantica ssp. capillacea</i>	Howe's sedge		SE	G5T5?	S1

Indiana Natural Heritage Data Center
 Division of Nature Preserves
 Indiana Department of Natural Resources
 This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: La Porte



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Carex aurea</i>	golden-fruited sedge		ST	G5	S3
<i>Carex brunnescens</i>	brownish sedge		ST	G5	S2
<i>Carex cephaloidea</i>	thinleaf sedge		ST	G5	S2
<i>Carex chordorrhiza</i>	creeping sedge		SE	G5	S1
<i>Carex debilis var. rudgei</i>	white-edge sedge		WL	G5T5	S3
<i>Carex echinata</i>	little prickly sedge		SE	G5	S1
<i>Carex flava</i>	yellow sedge		ST	G5	S2
<i>Carex folliculata</i>	long sedge		ST	G5	S3
<i>Carex leptoneuria</i>	finely-nerved sedge		SE	G5	S1
<i>Carex limosa</i>	mud sedge		SE	G5	S1
<i>Carex pedunculata</i>	longstalk sedge		WL	G5	S3
<i>Carex projecta</i>	necklace sedge		SE	G5	SU
<i>Carex scabrata</i>	rough sedge		SE	G5	S1
<i>Carex seorsa</i>	weak stellate sedge		ST	G5	S3
<i>Carex trisperma</i>	three-seed sedge		WL	G5	S3
<i>Chimaphila maculata</i>	spotted wintergreen		WL	G5	S3
<i>Chimaphila umbellata ssp. cisatlantica</i>	pipsissewa		SE	G5T5	S1
<i>Chrysosplenium americanum</i>	American golden-saxifrage		ST	G5	S2
<i>Circaea alpina</i>	small enchanter's nightshade		SX	G5	SX
<i>Cirsium pitcheri</i>	dune thistle	LT	SE	G2G3	S1
<i>Clinopodium arkansanum</i>	calamint		ST	G5	S2
<i>Clinopodium vulgare</i>	American wild basil		WL	G5	S3
<i>Conioselinum chinense</i>	hemlock parsley		SE	G5	S1
<i>Coptis trifolia var. groenlandica</i>	goldthread		ST	G5T5	S3
<i>Cornus rugosa</i>	roundleaf dogwood		ST	G5	S3
<i>Corydalis sempervirens</i>	pale corydalis		SE	G5	S1
<i>Cyperus dentatus</i>	toothed sedge		SE	G4	S1
<i>Cypripedium candidum</i>	small white lady's-slipper		ST	G4	S3
<i>Cypripedium parviflorum var. makasin</i>	small yellow lady's-slipper		ST	G5T4T5	S3
<i>Dendrolycopodium hickeyi</i>	Hickey's clubmoss		ST	G5	S3
<i>Dendrolycopodium obscurum</i>	tree clubmoss		ST	G5	S3
<i>Deschampsia cespitosa</i>	tufted hairgrass		ST	G5	S3
<i>Dichanthelium boreale</i>	northern witchgrass		ST	G5	S3
<i>Dichanthelium leibergii</i>	Leiberg's witchgrass		ST	G4	S2
<i>Diervilla lonicera</i>	northern bush-honeysuckle		WL	G5	S3
<i>Diphasiastrum tristachyum</i>	deep-root clubmoss		ST	G5	S2
<i>Drosera intermedia</i>	spoon-leaved sundew		ST	G5	S3
<i>Drosera rotundifolia</i>	roundleaf sundew		WL	G5	S3
<i>Dryopteris celsa</i>	log fern		SE	G4	S1
<i>Dryopteris clintoniana</i>	Clinton's woodfern		SE	G5	S1

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: La Porte



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Eleocharis melanocarpa</i>	black-fruited spike-rush		ST	G4	S2
<i>Epigaea repens</i>	trailing arbutus		ST	G5	S3
<i>Equisetum sylvaticum</i>	woodland horsetail		SE	G5	S1
<i>Equisetum variegatum var. variegatum</i>	variegated horsetail		SE	G5T5	S1
<i>Eriocaulon aquaticum</i>	pipewort		SE	G5	S1
<i>Eriophorum angustifolium</i>	narrow-leaved cotton-grass		ST	G5	S3
<i>Eriophorum gracile</i>	slender cotton-grass		ST	G5	S2
<i>Eriophorum viridicarinatum</i>	green-keeled cotton-grass		ST	G5	S3
<i>Fallopia cilinodis</i>	fringed black bindweed		SE	G5	S1
<i>Fragaria vesca var. americana</i>	woodland strawberry		SE	G5T5	S1
<i>Gentiana puberulenta</i>	downy gentian		SE	G4G5	S1
<i>Geranium robertianum</i>	herb-Robert		ST	G5	S3
<i>Huperzia lucidula</i>	shining clubmoss		WL	G5	S3
<i>Hydrastis canadensis</i>	golden seal		WL	G3G4	S3
<i>Hypericum pyramidatum</i>	great St. John's-wort		ST	G4T4	S2
<i>Ilex mucronata</i>	mountain holly		ST	G5	S3
<i>Juglans cinerea</i>	butternut		ST	G3	S2
<i>Juncus articulatus</i>	jointed rush		SE	G5	S1
<i>Juncus balticus var. littoralis</i>	Baltic rush		WL	G5T5	S3
<i>Juncus pelocarpus</i>	brown-fruited rush		SE	G5	S1
<i>Juncus scirpoides</i>	scirpus-like rush		ST	G5	S2
<i>Juniperus communis var. depressa</i>	ground juniper		ST	G5T5	S3
<i>Larix laricina</i>	tamarack		ST	G5	S2
<i>Lathyrus japonicus</i>	beach peavine		SE	G5	S1
<i>Lathyrus venosus</i>	smooth veiny pea		SE	G5	S1
<i>Lilium philadelphicum</i>	wood lily		WL	G5	SU
<i>Linum striatum</i>	ridged yellow flax		WL	G5	S3
<i>Lonicera canadensis</i>	American fly-honeysuckle		SE	G5	S1
<i>Luzula acuminata var. acuminata</i>	Hairy Woodrush		SE	G5T5	S1
<i>Lycopodiella inundata</i>	northern bog clubmoss		ST	G5	S2
<i>Lycopodium clavatum</i>	running pine		WL	G5	S3
<i>Malaxis unifolia</i>	green adder's-mouth orchid		SE	G5	S1
<i>Matteuccia struthiopteris</i>	ostrich fern		ST	G5	S3
<i>Melampyrum lineare</i>	American cow-wheat		SE	G5	S1
<i>Milium effusum</i>	tall millet-grass		ST	G5	S1
<i>Minuartia michauxii var. michauxii</i>	Michaux's stitchwort		ST	G5T5	S2
<i>Myosotis laxa</i>	smaller forget-me-not		ST	G5	S2
<i>Myriophyllum pinnatum</i>	cutleaf water-milfoil		SE	G5	S1
<i>Najas gracillima</i>	thread-like naiad		ST	G5?	S3
<i>Oenothera perennis</i>	small sundrops		ST	G5	S3

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: La Porte



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Orthilia secunda</i>	one-sided wintergreen		SX	G5	SX
<i>Oryzopsis asperifolia</i>	white-grained mountain-ricegrass		SE	G5	S1
<i>Panax trifolius</i>	dwarf ginseng		WL	G5	S3
<i>Panicum verrucosum</i>	warty panic-grass		ST	G4	S2
<i>Persicaria careyi</i>	Carey's smartweed		ST	G4	S2
<i>Pinus banksiana</i>	jack pine		ST	G5	S3
<i>Pinus strobus</i>	eastern white pine		ST	G5	S3
<i>Pinus virginiana</i>	Virginia pine		WL	G5	S3
<i>Piptatheropsis pungens</i>	slender mountain-ricegrass		SE	G5	S1
<i>Piptochaetium avenaceum</i>	blackseed needlegrass		ST	G5	S3
<i>Platanthera aquilonis</i>	leafy northern green orchid		ST	G5	S2
<i>Platanthera ciliaris</i>	yellow-fringe orchid		SE	G5	S1
<i>Platanthera clavellata</i>	small green woodland orchid		WL	G5	S3
<i>Platanthera lacera</i>	green-fringe orchid		WL	G5	S3
<i>Platanthera leucophaea</i>	prairie white-fringed orchid	LT	SE	G2G3	S1
<i>Platanthera psycodes</i>	small purple-fringe orchid		ST	G5	S3
<i>Poa alsodes</i>	grove meadow grass		ST	G4G5	S3
<i>Poa paludigena</i>	bog bluegrass		ST	G3G4	S3
<i>Polygonum articulatum</i>	eastern jointweed		ST	G5	S3
<i>Polytaenia nuttallii</i>	prairie parsley		SE	G5	S1
<i>Potamogeton epihydrus</i>	nuttall pondweed		SE	G5	S1
<i>Potamogeton friesii</i>	Fries' pondweed		SE	G5	S1
<i>Potamogeton praelongus</i>	white-stem pondweed		ST	G5	S1
<i>Potamogeton pulcher</i>	spotted pondweed		ST	G5	S2
<i>Potamogeton pusillus</i>	slender pondweed		WL	G5	S2
<i>Potamogeton robbinsii</i>	flatleaf pondweed		ST	G5	S3
<i>Potamogeton strictifolius</i>	straight-leaf pondweed		ST	G5	S2
<i>Potamogeton vaseyi</i>	Vasey's pondweed		SE	G4	S1
<i>Potentilla anserina</i>	silverweed		ST	G5	S2
<i>Prenanthes aspera</i>	rough rattlesnake-root		ST	G4?	S3
<i>Prunus pensylvanica</i>	fire cherry		ST	G5	S3
<i>Pyrola americana</i>	American wintergreen		ST	G5	S2
<i>Pyrola elliptica</i>	elliptical-leaf wintergreen		WL	G5	S3
<i>Rhamnus alnifolia</i>	alderleaf buckthorn		ST	G5	S3
<i>Rhexia mariana var. mariana</i>	Maryland meadow beauty		ST	G5T5	S1
<i>Rhynchospora recognita</i>	globe beaked-rush		SE	G5?	S1
<i>Rhynchospora scirpoides</i>	long-beaked baldrush		ST	G4	S3
<i>Scheuchzeria palustris ssp. americana</i>	American scheuchzeria		SE	G5T5	S1
<i>Silene regia</i>	royal catchfly		SE	G3	S1
<i>Sisyrinchium montanum</i>	strict blue-eyed-grass		SE	G5	S1

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: La Porte



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Solidago simplex var. gillmanii</i>	sticky goldenrod		ST	G5T3?	S2
<i>Sorbus decora</i>	northern mountain-ash		SX	G5	SX
<i>Sparganium androcladum</i>	branching bur-reed		ST	G4G5	S2
<i>Spiranthes lucida</i>	shining ladies'-tresses		ST	G4	S3
<i>Styrax americanus</i>	American snowbell		ST	G5	S3
<i>Symphotrichum boreale</i>	rushlike aster		ST	G5	S2
<i>Symphotrichum sericeum</i>	western silvery aster		ST	G5	S2
<i>Thuja occidentalis</i>	northern white cedar		SE	G5	S1
<i>Triantha glutinosa</i>	false asphodel		ST	G5	S2
<i>Triglochin palustris</i>	marsh arrow-grass		ST	G5	S2
<i>Turritis glabra</i>	tower-mustard		WL	G5	S3
<i>Utricularia geminiscapa</i>	hidden-fruited bladderwort		SE	G4G5	S1
<i>Utricularia minor</i>	lesser bladderwort		ST	G5	S1
<i>Utricularia purpurea</i>	purple bladderwort		ST	G5	S3
<i>Utricularia subulata</i>	zigzag bladderwort		ST	G5	S2
<i>Vaccinium oxycoccos</i>	small cranberry		ST	G5	S2
<i>Valeriana edulis var. ciliata</i>	hairy valerian		SE	G5T3	S1
<i>Valeriana uliginosa</i>	marsh valerian		SE	G4	S1
<i>Valerianella chenopodiifolia</i>	goose-foot corn-salad		WL	G4	S3
<i>Viburnum opulus var. americanum</i>	highbush-cranberry		SE	G5T5	S1
<i>Viola blanda</i>	smooth white violet		WL	G5	S3
<i>Viola primulifolia</i>	primrose-leaf violet		ST	G5	S3
<i>Wolffiella gladiata</i>	sword bogmat		SE	G5	S1
<i>Xyris difformis</i>	Carolina yellow-eyed grass		ST	G5	S2
High Quality Natural Community					
<i>Forest - flatwoods boreal</i>	Boreal Flatwoods		SG	G2?	S2
<i>Forest - floodplain wet-mesic</i>	Wet-mesic Floodplain Forest		SG	G3?	S3
<i>Forest - upland dry Northwestern Morainal</i>	Northwestern Morainal Dry Upland Forest		SG	GNR	S1
<i>Forest - upland dry-mesic Grand Prairie</i>	Grand Prairie Dry-mesic Upland Forest		SG	GNR	S1
<i>Forest - upland dry-mesic Northwestern Morainal</i>	Northwestern Morainal Dry-mesic Upland Forest		SG	GNR	S1
<i>Forest - upland mesic Grand Prairie</i>	Grand Prairie Mesic Upland Forest		SG	GNR	S1
<i>Forest - upland mesic Northwestern Morainal</i>	Northwestern Morainal Mesic Upland Forest		SG	GNR	S1
<i>Lake - lake</i>	Lake		SG	GNR	S2
<i>Prairie - dry-mesic</i>	Dry-mesic Prairie		SG	G3	S2
<i>Prairie - mesic</i>	Mesic Prairie		SG	G2	S2
<i>Prairie - sand dry</i>	Dry Sand Prairie		SG	G3	S2

Indiana Natural Heritage Data Center
 Division of Nature Preserves
 Indiana Department of Natural Resources
 This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: La Porte



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Prairie - sand dry-mesic</i>	Dry-mesic Sand Prairie		SG	G3	S3
<i>Prairie - sand wet-mesic</i>	Wet-mesic Sand Prairie		SG	G1?	S2
<i>Prairie - wet</i>	Wet Prairie		SG	G3	S1
<i>Wetland - bog acid</i>	Acid Bog		SG	G3	S2
<i>Wetland - bog circumneutral</i>	Circumneutral Bog		SG	G3	S3
<i>Wetland - fen</i>	Fen		SG	G3	S3
<i>Wetland - fen forested</i>	Forested Fen		SG	G3	S1
<i>Wetland - marsh</i>	Marsh		SG	GU	S4
<i>Wetland - meadow sedge</i>	Sedge Meadow		SG	G3?	S1
<i>Wetland - seep circumneutral</i>	Circumneutral Seep		SG	GU	S1
<i>Wetland - swamp shrub</i>	Shrub Swamp		SG	GU	S2

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked