

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
Mollusk: Bivalvia (Mussels)					
<i>Alasmidonta viridis</i>	Slippershell Mussel		SSC	G4G5	S3
<i>Eurynia dilatata</i>	Spike		SSC	G5	S4
<i>Plethobasus cyphus</i>	Sheepnose	LE	SE	G3	S1
<i>Venustaconcha ellipsiformis</i>	Ellipse			G4	S2
<i>Villosa iris</i>	Rainbow		SSC	G5	S3
Insect: Coleoptera (Beetles)					
<i>Nicrophorus americanus</i>	American Burying Beetle	LE	SX	G3	SX
Insect: Diptera					
<i>Mydas tibialis</i>	Golden Legged Mydas Fly		ST	GNR	S1S2
Insect: Homoptera					
<i>Bruchomorpha dorsata</i>			SR	GNR	S2
<i>Bruchomorpha oculata</i>			SR	GNR	SNR
<i>Chlorotettix fallax</i>	Deceptive Chlorotettix Leafhopper		SR	GNR	S1S2
<i>Cosmotettix bilineatus</i>	Two-lined cosmotettix		SR	GNR	S1S2
<i>Flexamia pyrops</i>	The Long-nose Three-awn Leafhopper		ST	GNR	S1
<i>Flexamia reflexus</i>	Indiangrass Flexamia		SR	GNR	S1S2
<i>Graminella mohri</i>	Mohr's Switchgrass Leafhopper		SE	GNR	S1
<i>Mesamia nigridorsum</i>	Black-banded Sunflower Leafhopper		WL	GNR	S2S3
<i>Mesamia straminea</i>	Helianthus Leafhopper		SE	GNR	S1
<i>Philaenarcys killa</i>	Great Lakes dune spittlebug		SR	GNR	S2S3
<i>Polyamia caperata</i>	Little Bluestem Polyamia		SR	GNR	S2
<i>Polyamia herbida</i>	The Prairie Panic Grass Leafhopper		ST	GNR	S2
<i>Polyamia obtecta</i>	Sand Panic Grass Leafhopper		WL	GNR	S2S3
<i>Prairiana kansana</i>	The Kansas Prairie Leafhopper		SE	GNR	S1
<i>Prosapia ignipectus</i>	Red-legged Spittle Bug		SR	G4	S2
Insect: Lepidoptera (Butterflies & Moths)					
<i>Acleris curvalana</i>	Blueberry Leaf-tier		SR	GNR	SNR
<i>Acleris semipurpurana</i>	Oak Leaf-tier Moth		SR	GNR	SNR
<i>Aethes patricia</i>			SE	G3G4	S1
<i>Agrotis stigmata</i>	Spotted Dart Moth		ST	G4	S1S2
<i>Agrotis vetusta</i>	Old Man Dart		SR	G5	S2
<i>Ancylis semiovana</i>			SR	GNR	S2S3
<i>Apamea burgessi</i>	A Noctuid Moth		ST	G4	S1
<i>Apamea indocilis</i>	The Spastic Apamea		ST	G5	S1S3
<i>Apamea lutosa</i>	Opalescent Apamea		SE	GNR	S1
<i>Apamea nigrior</i>	Black-dashed Apamea		SR	G5	S2S3

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Apamea relicina</i>	A Noctuid Moth		ST	G4	S1S2
<i>Apantesis virguncula</i>	Little Virgin Tiger Moth		SR	G5	S1S2
<i>Atrytonopsis hianna</i>	Dusted Skipper		ST	G4G5	S2S3
<i>Boloria selene myrina</i>	Silver-bordered Fritillary		ST	G5T5	S2S3
<i>Boloria selene nebraskensis</i>	The Nebraska Silver Bordered Fritillary		SE	G5T3T4	S2S3
<i>Callophrys irus</i>	Frosted Elfin	C	SE	G3	S1S2
<i>Callophrys polios</i>	Hoary Elfin		SX	G5	SX
<i>Capis curvata</i>	Curved Halter Moth		ST	G5	S2S3
<i>Caradrina meralis</i>	The Rare Sand Quaker		ST	G5	S2
<i>Caradrina multifera</i>	Dune rustic		ST	GNR	S1S2
<i>Catocala gracilis</i>	Graceful Underwing		SR	G5	S2S3
<i>Catocala praeclara</i>	Praeclara Underwing		SR	G5	S2S3
<i>Chrysanympa formosa</i>	The Huckleberry Looper Moth		SR	G5	S1S3
<i>Coenochroa bipunctella</i>	Sand Dune Panic Grass Moth		SR	GNR	S2S3
<i>Coenochroa illibella</i>	Dune Panic Grass Moth		SR	GNR	S2S3
<i>Crambus bidens</i>	Forked Grass-veneer		SR	GNR	SNR
<i>Crambus girardellus</i>	Orange-striped Sedge Moth		SR	GNR	S2S3
<i>Cyclophora pendulinaria</i>	Sweetfern Geometer		SR	G5	SNR
<i>Cyenia collaris</i>			ST	G4	S2S3
<i>Dargida rubripennis</i>	The Pink Streak		ST	G3G4	S1
<i>Dichagyris acclivis</i>	A Noctuid Moth		ST	G4G5	S2
<i>Digrammia eremiata</i>	The Goat's Rue Looper		SR	G4	S2S3
<i>Erynnis martialis</i>	Mottled Duskywing		WL	G3	S3
<i>Erynnis persius persius</i>	Persius Duskywing		SE	G5T1T3	S1
<i>Eubaphe meridiana</i>	Little Beggar Moth		SR	G4	S2
<i>Euchloe olympia</i>	Olympia Marble		ST	G5	S2S3
<i>Eucoptocnemis fimbriaris</i>	Fringed Dart		ST	G4	S1
<i>Eucosma ochroterminana</i>	Buff-tipped Eucosma		SR	GNR	SNR
<i>Eucosma ornatula</i>			SR	GNR	SNR
<i>Eucosma striatana</i>	Striated Eucosma		SR	G5	SNR
<i>Euphyes bimacula</i>	Two-spotted Skipper		ST	G4	S1S2
<i>Euxoa albipennis</i>	White-striped Dart		SR	G4G5	S1S3
<i>Euxoa aurulenta</i>	Dune Cutworm		ST	G5	S2
<i>Fagitana littera</i>	The Marsh Fern Moth		ST	G4	S1S2
<i>Feltia manifesta</i>	The Record Keeper Moth		SR	G4	S3S4
<i>Grammia anna</i>	Anna's tiger moth		SR	G5	S2S3
<i>Grammia figurata</i>	The Figured Grammia		SR	G5	S2S3
<i>Grammia phyllira</i>	The Sand Barrens Grammia		SR	G4	S2S3

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Hadena capsularis</i>	The Starry Campion Capsule Moth		SR	G5	S1S2
<i>Hadena ectypa</i>	The Starry Campion Moth		ST	G3G4	S1S3
<i>Hemaris gracilis</i>	The Blueberry Clearwing Sphinx		SR	G3G4	S1S2
<i>Hesperia leonardus</i>	Leonard's Skipper		ST	G4	S2S3
<i>Lesmone detrahens</i>	Detracted Owlet		SR	G5	S2
<i>Lethe eurydice fumosus</i>	Smoky-eyed Brown		SE	G5T3T4	S1
<i>Leucania amygdalina</i>	Salt Marsh Wainscot		SR	GNR	S2
<i>Leucania inermis</i>	Unarmed Wainscot		SR	G5	S2S3
<i>Lycaeides melissa samuelis</i>	Karner Blue	LE	SE	G2	S1
<i>Lycaena helloides</i>	Purplish Copper		ST	G5	S2S3
<i>Macalla zelleri</i>	Zeller's Macalla		SR	GNR	SNR
<i>Macrochilo absorptalis</i>	Slant-lined Owlet		SR	G4G5	S2S3
<i>Macrochilo hypocritalis</i>	Twin-dotted Macrochilo		SR	G4	S2
<i>Macrochilo louisiana</i>	Louisiana Macrochilo		ST	G4	S1S2
<i>Melanchra assimilis</i>	Black Arches Moth		SE	G5	S1S2
<i>Melanomma auricinctaria</i>	Huckleberry Eye-spot Moth		SR	G4	S2S3
<i>Meropleon ambifusca</i>	Newman's Brocade		ST	G3G4	S1S2
<i>Meropleon diversicolor</i>	Multicolored Sedgeminer		SR	G5	S2S3
<i>Metanema determinata</i>	Dark Metanema		SR	G5	SNR
<i>Metanema inatomaria</i>	Pale Metanema		SR	G5	SNR
<i>Nola cilicoides</i>	Blurry-patched Nola Moth		SR	G5	SNR
<i>Nola pustulata</i>	Sharp-blotched Nola		SR	G4	SNR
<i>Odontosia elegans</i>	Elegant Prominent		SR	G5	S1S2
<i>Oligia obtusa</i>	A Noctuid Moth		SE	G4	S1
<i>Paectes abrostolella</i>	The Barrens Paectes Moth		SR	G4	S2S3
<i>Papaipema cerina</i>	Golden Borer Moth		ST	G2G4	S1
<i>Papaipema leucostigma</i>	Columbine Borer		ST	G4G5	S1S2
<i>Papaipema lysimachiae</i>	The St. John's Wort Borer Moth		SR	G4G5	S1S3
<i>Papaipema maritima</i>	The Giant Sunflower Borer Moth		ST	G3	S2
<i>Papaipema silphii</i>	Silphium Borer Moth		ST	G3G4	S2
<i>Papaipema speciosissima</i>	The Royal Fern Borer Moth		ST	G4	S2S3
<i>Parasa indetermina</i>	Stinging Rose Caterpillar Moth		SR	G4	S1S2
<i>Peoria gemmatella</i>	Gemmed Cordgrass Borer		SE	GNR	S1
<i>Peoria tetradella</i>			SR	GNR	SNR
<i>Photodes enervata</i>	The Many-lined Cordgrass Moth		ST	G4	S1
<i>Photodes inops</i>	Spartina Borer Moth		SR	G3G4	S2S3
<i>Poanes viator viator</i>	Big Broad-winged Skipper		ST	G5T4	S2
<i>Polygonia progne</i>	Gray Comma		ST	G5	S2S3
<i>Problema byssus</i>	Bunchgrass Skipper		ST	G4	S1S2

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Protorthodes incincta</i>	Saturn quaker		SR	GNR	S2
<i>Pygarctia spraguei</i>	Sprague's Pygartic		SR	G5	S1S2
<i>Pyla arenaeola</i>	A Pyralid Moth		SE	GNR	S1
<i>Pyrausta laticlavia</i>	The Southern Purple Mint Moth		SR	GNR	S1S2
<i>Resapamea stipata</i>	The Four-lined Cordgrass Borer		SE	G4	S1
<i>Schinia indiana</i>	Phlox Moth		SE	G2G4	S1
<i>Schinia septentrionalis</i>	Northern Flower Moth		SR	G3G4	S2S3
<i>Sciota dammersi</i>	Leadplant Leafwebber Moth		SE	GNR	S1
<i>Scirpophaga perstrialis</i>	Reed-boring Crambid Moth		SR	GNR	SNR
<i>Sitochroa dasconalis</i>	Pearly Indigo Borer		ST	GNR	S1S2
<i>Sphinx luscitiosa</i>	The Luscious Willow Sphinx		SR	G4G5	S1S2
<i>Tampa dimediatella</i>	Red-striped Panic Grass Moth		ST	GNR	S2S3
<i>Tricholita notata</i>	Marked Noctuid		ST	G5	S1S2
<i>Virbia opella</i>	Tawny Virbia		SR	G5	S2S3
<i>Zomaria interruptolineana</i>	Broken-lined Zomaria		SR	GNR	SNR
Insect: Odonata (Dragonflies & Damselflies)					
<i>Rhionaeschna mutata</i>	Spatterdock Darner		ST	G4	S2S3
<i>Sympetrum semicinctum</i>	Band-winged Meadowhawk		SR	G5	S2S3
Insect: Orthoptera					
<i>Chloealtis conspersa</i>	Sprinkled Locust		SR	G5	S2S3
<i>Conocephalus saltans</i>	Prairie Meadow Katydid		SR	G5	S1S2
<i>Hesperotettix viridis pratensis</i>	Snakeweed Grasshopper		SR	G5T5	S1S2
<i>Melanoplus viridipes viridipes</i>	Green-legged Spur-throated Grasshopper		SR	G4	S2
<i>Neoconocephalus exiliscanorus</i>	Slightly Musical Conehead		SR	GNR	SNR
<i>Neoconocephalus nebrascensis</i>	Nebraska Conehead		SR	GNR	S1S2
<i>Orphulella pelidna</i>	Spotted-wing Grasshopper		SE	G5	S1
<i>Pseudopomala brachyptera</i>	Bunch Grass Locust		ST	G5	S1
<i>Psinidia fenestralis</i>	Sand Locust		SR	G5	S2
<i>Trimerotropis maritima</i>	Seaside Grasshopper		ST	G5	S1S2
Fish					
<i>Acipenser fulvescens</i>	Lake Sturgeon		SE	G3G4	S1
<i>Rhinichthys cataractae</i>	Longnose Dace		SSC	G5	S2
Amphibian					
<i>Ambystoma laterale</i>	Blue-spotted Salamander		SSC	G5	S2
<i>Hemidactylium scutatum</i>	Four-toed Salamander		SSC	G5	S2
<i>Necturus maculosus</i>	Common mudpuppy		SSC	G5	S2
Reptile					
<i>Clemmys guttata</i>	Spotted Turtle	C	SE	G5	S2
<i>Clonophis kirtlandii</i>	Kirtland's Snake		SE	G2	S2

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Emydoidea blandingii</i>	Blanding's Turtle	C	SE	G4	S2
<i>Kinosternon subrubrum subrubrum</i>	Eastern Mud Turtle		SE	G5T5	S2
<i>Opheodrys vernalis</i>	Smooth Green Snake		SE	G5	S2
<i>Sistrurus catenatus</i>	Eastern Massasauga	LT	SE	G3	S2
<i>Thamnophis butleri</i>	Butler's Garter Snake		SE	G4	S1
<i>Thamnophis proximus proximus</i>	Western Ribbon Snake		SSC	G5T5	S3
Bird					
<i>Ammodramus henslowii</i>	Henslow's Sparrow		SE	G4	S3B
<i>Ardea alba</i>	Great Egret		SSC	G5	S1B
<i>Asio otus</i>	Long-eared Owl			G5	S2
<i>Bartramia longicauda</i>	Upland Sandpiper		SE	G5	S3B
<i>Botaurus lentiginosus</i>	American Bittern		SE	G5	S2B
<i>Buteo platypterus</i>	Broad-winged Hawk		SSC	G5	S3B
<i>Circus hudsonius</i>	Northern Harrier		SE	G5	S2
<i>Cistothorus palustris</i>	Marsh Wren		SE	G5	S3B
<i>Cistothorus platensis</i>	Sedge Wren		SE	G5	S3B
<i>Dendroica virens</i>	Black-throated Green Warbler			G5	S2B
<i>Empidonax alnorum</i>	Alder Flycatcher			G5	S2B
<i>Falco peregrinus</i>	Peregrine Falcon		SSC	G4	S2B
<i>Gallinula galeata</i>	Common gallinule		SE	G5	S3B
<i>Haliaeetus leucocephalus</i>	Bald Eagle		SSC	G5	S2
<i>Ixobrychus exilis</i>	Least Bittern		SE	G4G5	S3B
<i>Lanius ludovicianus</i>	Loggerhead Shrike		SE	G4	S3B
<i>Mniotilta varia</i>	Black-and-white Warbler		SSC	G5	S1S2B
<i>Nycticorax nycticorax</i>	Black-crowned Night-heron		SE	G5	S1B
<i>Rallus elegans</i>	King Rail		SE	G4	S1B
<i>Rallus limicola</i>	Virginia Rail		SE	G5	S3B
<i>Setophaga cerulea</i>	Cerulean Warbler		SE	G4	S3B
<i>Setophaga citrina</i>	Hooded Warbler		SSC	G5	S3B
<i>Sturnella neglecta</i>	Western Meadowlark		SSC	G5	S2B
<i>Vermivora chrysoptera</i>	Golden-winged Warbler	C	SE	G4	S1B
<i>Wilsonia canadensis</i>	Canada Warbler			G5	S2B
Mammal					
<i>Lasiurus borealis</i>	Eastern Red Bat		SSC	G3G4	S4
<i>Lasiurus cinereus</i>	Hoary Bat		SSC	G3G4	S4
<i>Mustela nivalis</i>	Least Weasel		SSC	G5	S2?
<i>Myotis lucifugus</i>	Little Brown Bat	C	SE	G3	S2
<i>Myotis septentrionalis</i>	Northern Long Eared Bat	LT	SE	G1G2	S2S3
<i>Myotis sodalis</i>	Indiana Bat	LE	SE	G2	S1
<i>Perimyotis subflavus</i>	Tricolored Bat		SE	G2G3	S2S3

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Reithrodontomys megalotis</i>	Western Harvest Mouse			G5	S2
<i>Spermophilus franklinii</i>	Franklin's Ground Squirrel		SE	G5	S2
<i>Taxidea taxus</i>	American Badger		SSC	G5	S2
Vascular Plant					
<i>Actaea rubra ssp. rubra</i>	red baneberry		ST	G5T5	S1?
<i>Amelanchier humilis</i>	running serviceberry		SE	G5	S1
<i>Aralia hispida</i>	bristly sarsaparilla		SE	G5	S1
<i>Arctostaphylos uva-ursi</i>	bearberry		ST	G5	S3
<i>Aristida longespica var. geniculata</i>	slim-spike three-awn grass		WL	G5T5?	S3
<i>Aristida tuberculosa</i>	seabeach needlegrass		ST	G5	S3
<i>Betula populifolia</i>	gray birch		WL	G5	S1
<i>Bidens beckii</i>	Beck's water-marigold		SE	G5	S1
<i>Botrychium matricariifolium</i>	chamomile grape-fern		ST	G5	S3
<i>Botrychium simplex</i>	least grape-fern		SE	G5	S1
<i>Brachyelytrum aristosum</i>	northern shorthusk		SE	G5	S1
<i>Buchnera americana</i>	bluehearts		SE	G5?	S1
<i>Carex alata</i>	broadwing sedge		WL	G5	S3
<i>Carex alopecoidea</i>	foxtail sedge		SE	G5	S1
<i>Carex atherodes</i>	awned sedge		SE	G5	S1
<i>Carex atlantica ssp. atlantica</i>	Atlantic sedge		SE	G5T5	S1
<i>Carex atlantica ssp. capillacea</i>	Howe's sedge		SE	G5T5?	S1
<i>Carex aurea</i>	golden-fruited sedge		ST	G5	S3
<i>Carex brunnescens</i>	brownish sedge		ST	G5	S2
<i>Carex castanea</i>	chestnut colored sedge		SE	G5	SU
<i>Carex cephaloidea</i>	thinleaf sedge		ST	G5	S2
<i>Carex conoidea</i>	prairie gray sedge		ST	G5	S2
<i>Carex debilis var. rudgei</i>	white-edge sedge		WL	G5T5	S3
<i>Carex eburnea</i>	ebony sedge		ST	G5	S3
<i>Carex echinata</i>	little prickly sedge		SE	G5	S1
<i>Carex flava</i>	yellow sedge		ST	G5	S2
<i>Carex folliculata</i>	long sedge		ST	G5	S3
<i>Carex garberi</i>	elk sedge		SE	G5	S1
<i>Carex leptoneuria</i>	finely-nerved sedge		SE	G5	S1
<i>Carex limosa</i>	mud sedge		SE	G5	S1
<i>Carex pedunculata</i>	longstalk sedge		WL	G5	S3
<i>Carex projecta</i>	necklace sedge		SE	G5	SU
<i>Carex seorsa</i>	weak stellate sedge		ST	G5	S3
<i>Chimaphila umbellata ssp. cisatlantica</i>	pipsissewa		SE	G5T5	S1
<i>Chrysosplenium americanum</i>	American golden-saxifrage		ST	G5	S2
<i>Circaea alpina</i>	small enchanter's nightshade		SX	G5	SX

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Cirsium hillii</i>	Hill's thistle		SE	G3	S1
<i>Cirsium pitcheri</i>	dune thistle	LT	SE	G2G3	S1
<i>Clintonia borealis</i>	Clinton's lily		SE	G5	S1
<i>Cornus amomum ssp. amomum</i>	silky dogwood		SE	G5	S1
<i>Cornus canadensis</i>	bunchberry		SE	G5	S1
<i>Cornus rugosa</i>	roundleaf dogwood		ST	G5	S3
<i>Cyperus houghtonii</i>	Houghton's nutsedge		SE	G4?	S2
<i>Cypripedium candidum</i>	small white lady's-slipper		ST	G4	S3
<i>Cypripedium parviflorum var. makasin</i>	small yellow lady's-slipper		ST	G5T4T5	S3
<i>Dactylorhiza viridis</i>	long-bract green orchid		SE	G5	S1
<i>Danthonia compressa</i>	flattened oatgrass		SE	G5	SU
<i>Dendrolycopodium hickeyi</i>	Hickey's clubmoss		ST	G5	S3
<i>Dendrolycopodium obscurum</i>	tree clubmoss		ST	G5	S3
<i>Dichanthelium boreale</i>	northern witchgrass		ST	G5	S3
<i>Dichanthelium leibergii</i>	Leiberg's witchgrass		ST	G4	S2
<i>Dichanthelium mattamuskeetense</i>	panic-grass		SX	G4?	SX
<i>Didiplis diandra</i>	water-purslane		SE	G5	S1
<i>Diervilla lonicera</i>	northern bush-honeysuckle		WL	G5	S3
<i>Diphasiastrum tristachyum</i>	deep-root clubmoss		ST	G5	S2
<i>Drosera intermedia</i>	spoon-leaved sundew		ST	G5	S3
<i>Dryopteris clintoniana</i>	Clinton's woodfern		SE	G5	S1
<i>Eleocharis geniculata</i>	capitate spike-rush		ST	G5	S2
<i>Eleocharis melanocarpa</i>	black-fruited spike-rush		ST	G4	S2
<i>Eleocharis microcarpa</i>	small-fruited spike-rush		SE	G5	S1
<i>Eleocharis robbinsii</i>	Robbins' spikerush		ST	G4G5	S2
<i>Epigaea repens</i>	trailing arbutus		ST	G5	S3
<i>Eriocaulon aquaticum</i>	pipewort		SE	G5	S1
<i>Eriophorum angustifolium</i>	narrow-leaved cotton-grass		ST	G5	S3
<i>Euphorbia polygonifolia</i>	seaside spurge		ST	G5?	S2
<i>Eurybia furcata</i>	forked aster		ST	G3	S3
<i>Fimbristylis puberula</i>	Carolina fimbry		SE	G5	S1
<i>Fuirena pumila</i>	dwarf umbrella-sedge		ST	G4	S2
<i>Gentiana alba</i>	yellow gentian		ST	G4	S3
<i>Gentiana puberulenta</i>	downy gentian		SE	G4G5	S1
<i>Geranium bicknellii</i>	Bicknell's northern cranesbill		SE	G5	S1
<i>Glyceria grandis</i>	American manna-grass		SE	G5	S1
<i>Hudsonia tomentosa</i>	sand-heather		ST	G5	S2
<i>Huperzia lucidula</i>	shining clubmoss		WL	G5	S3
<i>Hypericum adpressum</i>	creeping St. John's-wort		SE	G3	S1
<i>Hypericum pyramidatum</i>	great St. John's-wort		ST	G4T4	S2

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Hypericum swinkianum</i>	Swink's St. John's-wort		SE	GNR	SU
<i>Juglans cinerea</i>	butternut		ST	G3	S2
<i>Juncus articulatus</i>	jointed rush		SE	G5	S1
<i>Juncus balticus var. littoralis</i>	Baltic rush		WL	G5T5	S3
<i>Juncus militaris</i>	bayonet rush		SE	G5	S1
<i>Juncus pelocarpus</i>	brown-fruited rush		SE	G5	S1
<i>Juncus scirpoides</i>	scirpus-like rush		ST	G5	S2
<i>Juniperus communis var. depressa</i>	ground juniper		ST	G5T5	S3
<i>Lathyrus japonicus</i>	beach peavine		SE	G5	S1
<i>Lathyrus ochroleucus</i>	pale vetchling peavine		SE	G5	S1
<i>Lathyrus venosus</i>	smooth veiny pea		SE	G5	S1
<i>Lechea stricta</i>	upright pinweed		SX	G4?	SX
<i>Lemna minuta</i>	least duckweed		SE	G4	S1
<i>Lemna valdiviana</i>	pale duckweed		SE	G5	S1
<i>Linnaea borealis</i>	twinflower		SX	G5	SX
<i>Linum striatum</i>	ridged yellow flax		WL	G5	S3
<i>Lipocarpa drummondii</i>	Drummond's hemicarpha		SE	G4G5	S1
<i>Ludwigia sphaerocarpa</i>	globe-fruited false-loosestrife		SE	G5	S1
<i>Lycopodiella inundata</i>	northern bog clubmoss		ST	G5	S2
<i>Lycopodiella subappressa</i>	northern appressed bog clubmoss		SE	G2	S1
<i>Melampyrum lineare</i>	American cow-wheat		SE	G5	S1
<i>Mikania scandens</i>	climbing hempweed		SE	G5	S1
<i>Milium effusum</i>	tall millet-grass		ST	G5	S1
<i>Minuartia michauxii var. michauxii</i>	Michaux's stitchwort		ST	G5T5	S2
<i>Myosotis laxa</i>	smaller forget-me-not		ST	G5	S2
<i>Myriophyllum pinnatum</i>	cutleaf water-milfoil		SE	G5	S1
<i>Myriophyllum verticillatum</i>	whorled water-milfoil		ST	G5	S3
<i>Najas gracillima</i>	thread-like naiad		ST	G5?	S3
<i>Oligoneuron album</i>	prairie goldenrod		ST	G5	S3
<i>Orobanche fasciculata</i>	clustered broomrape		SE	G4G5	S1
<i>Orthilia secunda</i>	one-sided wintergreen		SX	G5	SX
<i>Oryzopsis asperifolia</i>	white-grained mountain-ricegrass		SE	G5	S1
<i>Panax quinquefolius</i>	American ginseng		WL	G3G4	S3
<i>Panax trifolius</i>	dwarf ginseng		WL	G5	S3
<i>Panicum verrucosum</i>	warty panic-grass		ST	G4	S2
<i>Patis racemosa</i>	black-fruit mountain-ricegrass		ST	G5	S3
<i>Perideridia americana</i>	eastern eulophus		SE	G4	S1
<i>Persicaria careyi</i>	Carey's smartweed		ST	G4	S2
<i>Persicaria opelousana</i>	northeastern smartweed		ST	G5TNRQ	S2
<i>Persicaria robustior</i>	stout smartweed		SE	G4G5	SU

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Phemeranthus rugospermus</i>	prairie fame-flower		SE	G3G4	S1
<i>Pinus banksiana</i>	jack pine		ST	G5	S3
<i>Pinus strobus</i>	eastern white pine		ST	G5	S3
<i>Piptatheropsis pungens</i>	slender mountain-ricegrass		SE	G5	S1
<i>Piptochaetium avenaceum</i>	blackseed needlegrass		ST	G5	S3
<i>Plantago cordata</i>	heart-leaved plantain		SE	G4	S1
<i>Platanthera aquilonis</i>	leafy northern green orchid		ST	G5	S2
<i>Platanthera ciliaris</i>	yellow-fringe orchid		SE	G5	S1
<i>Platanthera clavellata</i>	small green woodland orchid		WL	G5	S3
<i>Platanthera hookeri</i>	Hooker's Orchid		SX	G4	SX
<i>Platanthera psycodes</i>	small purple-fringe orchid		ST	G5	S3
<i>Poa alsodes</i>	grove meadow grass		ST	G4G5	S3
<i>Poa paludigena</i>	bog bluegrass		ST	G3G4	S3
<i>Polygala paucifolia</i>	gay-wing milkwort		SE	G5	S1
<i>Polygonum articulatum</i>	eastern jointweed		ST	G5	S3
<i>Populus balsamifera</i>	balsam poplar		SE	G5	S1
<i>Potamogeton epihydrus</i>	nuttall pondweed		SE	G5	S1
<i>Potamogeton pulcher</i>	spotted pondweed		ST	G5	S2
<i>Potamogeton pusillus</i>	slender pondweed		WL	G5	S2
<i>Potamogeton richardsonii</i>	redheadgrass		ST	G5	S3
<i>Potamogeton strictifolius</i>	straight-leaf pondweed		ST	G5	S2
<i>Potamogeton vaseyi</i>	Vasey's pondweed		SE	G4	S1
<i>Potentilla anserina</i>	silverweed		ST	G5	S2
<i>Prenanthes crepidinea</i>	nodding rattlesnake-root		WL	G4	S2
<i>Prunus pensylvanica</i>	fire cherry		ST	G5	S3
<i>Pyrola americana</i>	American wintergreen		ST	G5	S2
<i>Rhexia mariana var. mariana</i>	Maryland meadow beauty		ST	G5T5	S1
<i>Rhus aromatica var. arenaria</i>	beach sumac		ST	G5T3Q	S3
<i>Rhynchospora fusca</i>	brown beakrush		SX	G4G5	SX
<i>Rhynchospora macrostachya</i>	tall beaked-rush		ST	G4	S3
<i>Rhynchospora nitens</i>	short-beaked bald-rush		SE	G4?	S1
<i>Rhynchospora recognita</i>	globe beaked-rush		SE	G5?	S1
<i>Rhynchospora scirpoides</i>	long-beaked baldrush		ST	G4	S3
<i>Salix cordata</i>	heartleaf willow		SE	G4	S1
<i>Sceptridium multifidum</i>	leathery grape-fern			G5	SX
<i>Sceptridium oneidense</i>	blunt-lobe grape-fern		WL	G4	S3
<i>Schoenoplectiella hallii</i>	Hall's bulrush	C	SE	G2G3	S1
<i>Schoenoplectiella purshiana</i>	weakstalk bulrush		ST	G4G5	S3
<i>Schoenoplectiella smithii</i>	Smith's Bulrush		ST	G5?	S2
<i>Schoenoplectus subterminalis</i>	water bulrush		ST	G5	S3

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Schoenoplectus torreyi</i>	Torrey's Bulrush		SE	G5?	S1
<i>Scirpus expansus</i>	bulrush		SE	G4	S1
<i>Scleria reticularis</i>	reticulated nutrush		ST	G4	S2
<i>Selaginella rupestris</i>	ledge spike-moss		SE	G5	S1
<i>Sisyrinchium montanum</i>	strict blue-eyed-grass		SE	G5	S1
<i>Solidago simplex var. gillmanii</i>	sticky goldenrod		ST	G5T3?	S2
<i>Sorbus decora</i>	northern mountain-ash		SX	G5	SX
<i>Sparganium androcladum</i>	branching bur-reed		ST	G4G5	S2
<i>Spiranthes lucida</i>	shining ladies'-tresses		ST	G4	S3
<i>Spiranthes magnicamporum</i>	Great Plains ladies'-tresses		SE	G3G4	S1
<i>Styrax americanus</i>	American snowbell		ST	G5	S3
<i>Symphotrichum boreale</i>	rushlike aster		ST	G5	S2
<i>Symphotrichum sericeum</i>	western silvery aster		ST	G5	S2
<i>Thalictrum pubescens</i>	tall meadowrue		ST	G5	S3
<i>Thuja occidentalis</i>	northern white cedar		SE	G5	S1
<i>Trichostema dichotomum</i>	forked bluecurl		WL	G5	S3
<i>Trillium cernuum var. macranthum</i>	nodding trillium		SE	G5T4	S1
<i>Turritis glabra</i>	tower-mustard		WL	G5	S3
<i>Utricularia cornuta</i>	horned bladderwort		SE	G5	S1
<i>Utricularia minor</i>	lesser bladderwort		ST	G5	S1
<i>Utricularia purpurea</i>	purple bladderwort		ST	G5	S3
<i>Utricularia subulata</i>	zigzag bladderwort		ST	G5	S2
<i>Vaccinium oxycoccos</i>	small cranberry		ST	G5	S2
<i>Valerianella chenopodiifolia</i>	goose-foot corn-salad		WL	G4	S3
<i>Viburnum opulus var. americanum</i>	highbush-cranberry		SE	G5T5	S1
<i>Viola primulifolia</i>	primrose-leaf violet		ST	G5	S3
<i>Woodwardia areolata</i>	netted chainfern		ST	G5	S3
<i>Xyris difformis</i>	Carolina yellow-eyed grass		ST	G5	S2
High Quality Natural Community					
<i>Forest - floodplain wet-mesic</i>	Wet-mesic Floodplain Forest		SG	G3?	S3
<i>Forest - upland dry Northwestern Morainal</i>	Northwestern Morainal Dry Upland Forest		SG	GNR	S1
<i>Forest - upland dry-mesic Northwestern Morainal</i>	Northwestern Morainal Dry-mesic Upland Forest		SG	GNR	S1
<i>Forest - upland mesic Northwestern Morainal</i>	Northwestern Morainal Mesic Upland Forest		SG	GNR	S1
<i>Lake - lake</i>	Lake		SG	GNR	S2
<i>Lake - pond</i>	Pond		SG	GNR	SNR
<i>Prairie - dry-mesic</i>	Dry-mesic Prairie		SG	G3	S2
<i>Prairie - mesic</i>	Mesic Prairie		SG	G2	S2
<i>Prairie - sand dry</i>	Dry Sand Prairie		SG	G3	S2

Indiana Natural Heritage Data Center
 Division of Nature Preserves
 Indiana Department of Natural Resources
 This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Prairie - sand dry-mesic</i>	Dry-mesic Sand Prairie		SG	G3	S3
<i>Prairie - sand wet-mesic</i>	Wet-mesic Sand Prairie		SG	G1?	S2
<i>Prairie - wet</i>	Wet Prairie		SG	G3	S1
<i>Primary - dune lake</i>	Foredune		SG	G3	S1
<i>Rhynchospora capitellata - Rhexia virginica - Rhynchospora scirpoides - Schoenoplectiella hallii Marsh</i>	Inland Coastal Plain Marsh		SG	G2?	SNR
<i>Savanna - sand dry</i>	Dry Sand Savanna		SG	G2?	S2
<i>Savanna - sand dry-mesic</i>	Dry-mesic Sand Savanna		SG	G2?	S2S3
<i>Wetland - fen</i>	Fen		SG	G3	S3
<i>Wetland - fen forested</i>	Forested Fen		SG	G3	S1
<i>Wetland - marsh</i>	Marsh		SG	GU	S4
<i>Wetland - meadow sedge</i>	Sedge Meadow		SG	G3?	S1
<i>Wetland - panne</i>	Panne		SG	G2	S1
<i>Wetland - swamp shrub</i>	Shrub Swamp		SG	GU	S2
Other Significant Feature					
<i>Piping Plover Critical Habitat Area</i>	Piping Plover Critical Habitat Area			GNR	SNR

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: LE = Endangered; LT = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant; WL = watch list
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; G4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; S? = unranked; SNR = unranked; SNA = nonbreeding status unranked