

Table 4A
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

| Comparison of Racial and Ethnic Distribution | | | | | | | | |
|---|--|------------------------------|------------------------------|-------------------|--|---------------------------------|-------------------------|------------------------------|
| Clinic | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaska Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| Action Ctr | 128 | 25.0 | 53.1 | 12.5 | 0.0 | 0.0 | 9.4 | 0.0 |
| Albion | 1,117 | 67.6 | 0.3 | 28.9 | 0.0 | 1.0 | 2.2 | 0.0 |
| Anderson | 2,932 | 66.2 | 13.3 | 13.1 | 0.1 | 0.1 | 7.2 | 0.0 |
| Ball Mem | 3 | * | * | * | * | * | * | * |
| Bartholome | 1,828 | 72.6 | 1.3 | 21.4 | 0.0 | 0.4 | 4.2 | 0.0 |
| Bedford | 1,084 | 94.7 | 0.6 | 2.6 | 0.0 | 0.8 | 1.3 | 0.0 |
| Benton Co | 235 | 79.1 | 0.9 | 17.0 | 0.0 | 0.0 | 3.0 | 0.0 |
| Berne | 149 | 82.6 | 0.7 | 15.4 | 0.0 | 0.0 | 1.3 | 0.0 |
| Bicknell | 99 | * | * | * | * | * | * | * |
| Blackburn | 1,429 | 12.6 | 76.6 | 5.6 | 0.0 | 0.8 | 4.4 | 0.0 |
| Blackford | 411 | 91.2 | 0.7 | 3.9 | 0.2 | 0.2 | 3.6 | 0.0 |
| Boone Co | 736 | 91.6 | 1.6 | 4.6 | 0.0 | 0.4 | 1.8 | 0.0 |
| Brazil | 848 | 90.9 | 0.4 | 4.5 | 0.0 | 0.6 | 3.7 | 0.0 |
| Brown Co | 274 | 92.0 | 0.7 | 4.0 | 0.0 | 0.0 | 3.3 | 0.0 |
| Cambridge | 141 | 92.2 | 0.0 | 4.3 | 0.0 | 0.0 | 3.5 | 0.0 |
| Carroll Co | 348 | 82.2 | 0.3 | 15.2 | 0.0 | 0.0 | 2.3 | 0.0 |
| Cass Co | 1,557 | 56.0 | 0.9 | 39.2 | 0.0 | 1.0 | 2.8 | 0.0 |
| Citizens | 2,245 | 31.9 | 45.1 | 16.2 | 0.0 | 2.1 | 4.5 | 0.0 |
| Civic Ctr | 3,836 | 66.2 | 19.7 | 6.6 | 0.1 | 0.8 | 6.6 | 0.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

| Comparison of Racial and Ethnic Distribution | | | | | | | | |
|---|--|------------------------------|------------------------------|-------------------|--|---------------------------------|-------------------------|------------------------------|
| Clinic | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaska Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| Clark Co | 2,905 | 58.7 | 10.5 | 21.8 | 0.1 | 0.9 | 8.1 | 0.0 |
| Clay City | 35 | * | * | * | * | * | * | * |
| Clinton | 368 | 96.7 | 0.0 | 1.9 | 0.0 | 0.3 | 1.1 | 0.0 |
| Clinton Co | 1,217 | 51.6 | 0.5 | 46.1 | 0.1 | 0.0 | 1.7 | 0.0 |
| Comm East | 236 | 22.5 | 61.4 | 6.4 | 0.0 | 0.0 | 9.7 | 0.0 |
| Cottage Gr | 2,771 | 64.2 | 9.9 | 21.1 | 0.1 | 0.2 | 4.5 | 0.0 |
| Crawford | 296 | 96.3 | 0.0 | 2.7 | 0.0 | 0.0 | 1.0 | 0.0 |
| Crown Pt | 1,946 | 76.6 | 6.9 | 13.1 | 0.0 | 0.7 | 2.7 | 0.0 |
| Daviess Co | 816 | 70.2 | 0.1 | 26.2 | 0.0 | 0.2 | 3.2 | 0.0 |
| Dearborn | 1,131 | 95.0 | 1.0 | 1.1 | 0.1 | 0.0 | 2.7 | 0.0 |
| Decatur | 650 | 85.4 | 0.3 | 11.5 | 0.0 | 0.2 | 2.6 | 0.0 |
| Decatur Co | 810 | 96.7 | 0.1 | 2.7 | 0.1 | 0.0 | 0.4 | 0.0 |
| Dekalb Co | 1,106 | 88.4 | 0.5 | 7.2 | 0.1 | 0.4 | 3.3 | 0.0 |
| Dubois Co | 1,017 | 65.0 | 0.4 | 30.9 | 0.1 | 0.6 | 3.0 | 0.0 |
| E Chicago | 2,350 | 2.9 | 32.8 | 62.1 | 0.0 | 0.0 | 2.1 | 0.0 |
| Eaton | 66 | * | * | * | * | * | * | * |
| Elkhart | 5,055 | 40.3 | 14.6 | 37.6 | 0.0 | 0.5 | 6.9 | 0.0 |
| Elwood | 314 | 85.7 | 0.3 | 11.8 | 0.0 | 0.0 | 2.2 | 0.0 |
| Fayette Co | 750 | 95.6 | 0.8 | 2.0 | 0.0 | 0.3 | 1.3 | 0.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

| Comparison of Racial and Ethnic Distribution | | | | | | | | |
|---|--|------------------------------|------------------------------|-------------------|--|---------------------------------|-------------------------|------------------------------|
| Clinic | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaska Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| Floyd Co | 1,709 | 65.5 | 13.9 | 9.0 | 0.1 | 3.9 | 7.7 | 0.0 |
| Forest Man | 2,498 | 8.4 | 81.9 | 6.0 | 0.2 | 1.0 | 2.6 | 0.0 |
| Fountain | 414 | 94.4 | 0.7 | 4.6 | 0.0 | 0.2 | 0.0 | 0.0 |
| Franklin C | 367 | 98.4 | 0.0 | 0.5 | 0.0 | 0.0 | 1.1 | 0.0 |
| Fulton Co | 586 | 85.7 | 0.7 | 11.9 | 0.0 | 0.0 | 1.7 | 0.0 |
| Georgetown | 4,550 | 14.3 | 41.8 | 40.1 | 0.2 | 1.0 | 2.6 | 0.0 |
| Gibson Co | 687 | 84.6 | 3.5 | 3.3 | 0.1 | 0.0 | 8.4 | 0.0 |
| Glenn Pk | 2,031 | 11.6 | 70.7 | 12.4 | 0.1 | 0.3 | 4.9 | 0.0 |
| Goshen | 2,581 | 47.1 | 1.4 | 48.8 | 0.0 | 0.4 | 2.4 | 0.0 |
| Grant Co | 2,285 | 66.7 | 11.1 | 11.9 | 0.0 | 0.2 | 10.1 | 0.0 |
| Grant St | 1,467 | 1.7 | 90.2 | 5.7 | 0.1 | 0.5 | 1.8 | 0.0 |
| Grassy Crk | 3,219 | 20.9 | 51.8 | 22.6 | 0.1 | 0.7 | 3.8 | 0.0 |
| Greene Co | 679 | 94.6 | 0.3 | 3.8 | 0.0 | 0.1 | 1.2 | 0.0 |
| Hamilton | 2,732 | 73.9 | 8.2 | 13.2 | 0.3 | 2.0 | 2.5 | 0.0 |
| Hammond | 2,893 | 20.8 | 29.9 | 45.5 | 0.0 | 0.4 | 3.3 | 0.1 |
| Hancock Co | 1,001 | 88.5 | 2.0 | 4.6 | 0.2 | 0.0 | 4.7 | 0.0 |
| Hanna | 4,593 | 48.4 | 6.1 | 19.0 | 0.1 | 22.0 | 4.4 | 0.0 |
| Harrison | 898 | 91.5 | 0.1 | 6.2 | 0.1 | 0.7 | 1.3 | 0.0 |
| Hendricks | 1,447 | 83.8 | 6.4 | 5.1 | 0.1 | 2.8 | 1.7 | 0.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

| Comparison of Racial and Ethnic Distribution | | | | | | | | |
|---|--|------------------------------|------------------------------|-------------------|--|---------------------------------|-------------------------|------------------------------|
| Clinic | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaska Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| Henry Co | 1,286 | 89.7 | 1.1 | 3.8 | 0.1 | 0.4 | 5.0 | 0.0 |
| Hessville | 1,411 | 49.0 | 17.8 | 31.0 | 0.1 | 0.2 | 1.9 | 0.0 |
| Hispanic C | 557 | 2.3 | 6.5 | 90.8 | 0.0 | 0.2 | 0.2 | 0.0 |
| Howard Co | 2,898 | 74.9 | 10.1 | 6.7 | 0.0 | 0.2 | 8.1 | 0.0 |
| Huntington | 875 | 91.4 | 0.0 | 3.9 | 0.0 | 0.1 | 4.6 | 0.0 |
| Jackson Co | 1,427 | 77.0 | 1.7 | 21.0 | 0.1 | 0.1 | 0.1 | 0.0 |
| Jasonville | 31 | * | * | * | * | * | * | * |
| Jasper Co | 838 | 80.7 | 1.9 | 16.0 | 0.0 | 0.2 | 1.2 | 0.0 |
| Jay Co | 588 | 84.5 | 0.2 | 13.1 | 0.0 | 0.0 | 2.2 | 0.0 |
| Jefferson | 864 | 82.1 | 0.8 | 11.0 | 0.3 | 0.6 | 5.2 | 0.0 |
| Jennings | 1,155 | 93.5 | 1.6 | 4.0 | 0.1 | 0.1 | 0.8 | 0.0 |
| Johnson Co | 2,558 | 81.2 | 1.8 | 8.1 | 0.0 | 4.1 | 4.8 | 0.0 |
| Kosciusko | 1,727 | 66.2 | 1.0 | 29.9 | 0.1 | 0.5 | 2.4 | 0.0 |
| Lagrange | 610 | 77.7 | 0.7 | 16.6 | 0.0 | 1.1 | 3.9 | 0.0 |
| Lake Station | 1,765 | 37.1 | 18.1 | 36.9 | 0.1 | 0.3 | 7.5 | 0.0 |
| Laporte | 1,617 | 72.9 | 3.4 | 19.7 | 0.0 | 0.2 | 3.8 | 0.0 |
| Main St | 2,818 | 76.3 | 11.4 | 3.4 | 0.1 | 0.6 | 8.2 | 0.0 |
| Marshall | 1,329 | 64.9 | 0.6 | 30.6 | 0.0 | 0.2 | 3.8 | 0.0 |
| Martin Co | 249 | 94.8 | 1.2 | 0.8 | 0.0 | 0.4 | 2.8 | 0.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

| Comparison of Racial and Ethnic Distribution | | | | | | | | |
|---|--|------------------------------|------------------------------|-------------------|--|---------------------------------|-------------------------|------------------------------|
| Clinic | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaska Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| Memorial | 501 | 36.1 | 33.9 | 21.2 | 0.2 | 1.8 | 6.8 | 0.0 |
| Merrillville | 4 | * | * | * | * | * | * | * |
| Methodist | 795 | 29.7 | 42.6 | 19.7 | 0.1 | 3.9 | 3.9 | 0.0 |
| Miami Co | 915 | 83.1 | 2.7 | 5.6 | 0.4 | 0.3 | 7.8 | 0.1 |
| Mich City | 1,631 | 47.5 | 36.9 | 8.2 | 0.1 | 0.6 | 6.8 | 0.0 |
| Moms/Kids | 359 | 25.9 | 30.6 | 41.8 | 0.0 | 0.8 | 0.8 | 0.0 |
| Monroe Co | 2,512 | 73.9 | 5.7 | 7.1 | 0.0 | 4.3 | 9.0 | 0.0 |
| Montgomery | 1,064 | 81.1 | 1.2 | 16.0 | 0.0 | 0.1 | 1.6 | 0.0 |
| Morgan Co | 1,450 | 92.8 | 0.1 | 3.4 | 0.0 | 0.1 | 3.5 | 0.0 |
| N Arlingto | 2,811 | 25.9 | 44.3 | 22.6 | 0.0 | 0.5 | 6.6 | 0.0 |
| N Liberty | 66 | * | * | * | * | * | * | * |
| N Manchest | 283 | 79.5 | 2.1 | 11.0 | 0.0 | 0.7 | 6.7 | 0.0 |
| Newton Co | 237 | 86.9 | 0.4 | 11.0 | 0.0 | 0.4 | 1.3 | 0.0 |
| Northwest | 2,165 | 11.1 | 33.9 | 48.5 | 0.3 | 2.7 | 3.6 | 0.0 |
| Ohio Co | 38 | * | * | * | * | * | * | * |
| Orange Co | 669 | 91.2 | 2.2 | 2.8 | 0.1 | 0.1 | 3.4 | 0.0 |
| Owen Co | 489 | 93.5 | 0.2 | 3.3 | 0.0 | 0.4 | 2.7 | 0.0 |
| Parke Co | 304 | 94.7 | 0.0 | 4.9 | 0.0 | 0.0 | 0.3 | 0.0 |
| Perry Co | 434 | 94.5 | 0.0 | 1.4 | 0.0 | 0.2 | 3.9 | 0.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

| Comparison of Racial and Ethnic Distribution | | | | | | | | |
|---|--|------------------------------|------------------------------|-------------------|--|---------------------------------|-------------------------|------------------------------|
| Clinic | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaska Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| Pike Co | 264 | 95.5 | 0.0 | 3.0 | 0.0 | 0.0 | 1.5 | 0.0 |
| Portage | 1,342 | 62.9 | 10.5 | 23.7 | 0.1 | 0.3 | 2.5 | 0.0 |
| Posey Co | 390 | 85.9 | 2.8 | 3.1 | 0.0 | 0.3 | 7.9 | 0.0 |
| Pulaski Co | 309 | 90.9 | 0.6 | 5.5 | 0.0 | 0.3 | 2.6 | 0.0 |
| Purdue | 486 | 35.8 | 6.6 | 8.8 | 0.0 | 45.7 | 3.1 | 0.0 |
| Putnam Co | 881 | 93.1 | 0.7 | 2.6 | 0.0 | 0.2 | 3.4 | 0.0 |
| Randolph | 698 | 80.5 | 0.6 | 13.8 | 0.0 | 0.0 | 5.2 | 0.0 |
| Richmond | 2,091 | 70.2 | 6.4 | 10.1 | 0.1 | 0.3 | 12.8 | 0.0 |
| Ripley Co | 765 | 93.2 | 0.0 | 4.2 | 0.0 | 0.0 | 2.6 | 0.0 |
| Rush Co | 333 | 91.0 | 0.0 | 4.2 | 0.0 | 0.9 | 3.9 | 0.0 |
| SB Ireland Rd | 2,486 | 62.6 | 14.8 | 12.7 | 0.1 | 0.8 | 9.1 | 0.0 |
| SB Lafayette | 3,848 | 25.5 | 35.6 | 29.5 | 0.1 | 1.4 | 7.9 | 0.0 |
| Scott Co | 981 | 93.7 | 0.4 | 3.9 | 0.0 | 0.1 | 1.9 | 0.0 |
| Shelby Co | 1,151 | 83.1 | 1.0 | 14.0 | 0.0 | 0.0 | 1.9 | 0.0 |
| Shelters | 35 | * | * | * | * | * | * | * |
| SJ Reg Ctr | 144 | 45.1 | 25.7 | 21.5 | 0.0 | 1.4 | 6.3 | 0.0 |
| So Calhoun | 9,729 | 34.4 | 27.8 | 21.6 | 0.0 | 7.5 | 8.7 | 0.0 |
| Spencer Co | 374 | 83.2 | 0.5 | 12.0 | 0.0 | 0.0 | 4.3 | 0.0 |
| St Francis | 71 | * | * | * | * | * | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

| Comparison of Racial and Ethnic Distribution | | | | | | | | |
|---|--|------------------------------|------------------------------|-------------------|--|---------------------------------|-------------------------|------------------------------|
| Clinic | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaska Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| St V-FLC | 463 | 15.3 | 57.9 | 22.7 | 0.0 | 0.2 | 3.9 | 0.0 |
| Starke Co | 774 | 91.7 | 0.1 | 6.5 | 0.0 | 0.0 | 1.7 | 0.0 |
| Steuben Co | 1,246 | 87.6 | 0.6 | 8.6 | 0.0 | 1.0 | 2.3 | 0.0 |
| Sullivan | 507 | 94.3 | 0.8 | 3.2 | 0.0 | 0.0 | 1.8 | 0.0 |
| Switz""Land | 179 | 96.6 | 0.6 | 1.7 | 0.0 | 0.0 | 1.1 | 0.0 |
| Tippecanoe | 4,252 | 55.3 | 10.8 | 27.8 | 0.2 | 0.4 | 5.5 | 0.0 |
| Tipton Co | 260 | 89.2 | 0.4 | 5.8 | 0.4 | 0.0 | 4.2 | 0.0 |
| Union Co | 190 | 94.2 | 0.0 | 1.6 | 0.0 | 0.0 | 4.2 | 0.0 |
| United Fai | 1,559 | 67.9 | 12.8 | 9.2 | 0.0 | 0.3 | 9.8 | 0.0 |
| Valpo | 1,364 | 77.7 | 4.8 | 13.3 | 0.1 | 0.8 | 3.3 | 0.0 |
| Vigo | 2,661 | 75.9 | 8.5 | 4.9 | 0.0 | 0.8 | 9.8 | 0.0 |
| Vincennes | 809 | 87.6 | 2.0 | 5.6 | 0.1 | 0.0 | 4.7 | 0.0 |
| W 21st Ave | 1,524 | 0.9 | 94.6 | 3.2 | 0.0 | 0.1 | 1.1 | 0.1 |
| Wabash | 639 | 86.4 | 0.3 | 6.1 | 0.0 | 0.6 | 6.6 | 0.0 |
| Warren Co | 278 | 98.6 | 0.0 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 |
| Warrick Co | 956 | 88.7 | 1.8 | 4.3 | 0.0 | 0.2 | 5.0 | 0.0 |
| Washington | 702 | 93.7 | 0.0 | 3.4 | 0.0 | 0.1 | 2.7 | 0.0 |
| Wells Co | 567 | 86.1 | 0.7 | 7.6 | 0.0 | 0.0 | 5.6 | 0.0 |
| Westside | 2,198 | 28.3 | 18.6 | 47.7 | 0.3 | 0.6 | 4.5 | 0.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

| Comparison of Racial and Ethnic Distribution | | | | | | | | |
|---|--|------------------------------|------------------------------|-------------------|--|---------------------------------|-------------------------|------------------------------|
| Clinic | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaska Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| White Co | 831 | 74.5 | 0.1 | 23.5 | 0.0 | 0.2 | 1.7 | 0.0 |
| Whitley Co | 746 | 93.8 | 0.4 | 3.9 | 0.0 | 0.1 | 1.7 | 0.0 |
| Wishard | 892 | 11.0 | 44.6 | 41.3 | 0.0 | 1.3 | 1.8 | 0.0 |
| Women""s | 3 | * | * | * | * | * | * | * |
| Unknown Clinics | 5 | * | * | * | * | * | * | * |
| Indiana | 171,189 | 57.4 | 17.2 | 18.6 | 0.1 | 1.8 | 4.9 | 0.0 |
| Nation (Prior Year) | 8,672,965 | 32.5 | 19.1 | 39.7 | 0.9 | 2.5 | 2.7 | 2.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

| Comparison of Age Distribution | | | | |
|---------------------------------------|--|------------------------|-------------------------|-------------------------|
| Clinic | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Action Ctr | 128 | 44.5 | 20.3 | 35.2 |
| Albion | 1,117 | 30.9 | 23.5 | 45.6 |
| Anderson | 2,932 | 43.2 | 17.9 | 38.8 |
| Ball Mem | 3 | * | * | * |
| Bartholome | 1,828 | 41.6 | 17.8 | 40.6 |
| Bedford | 1,084 | 39.6 | 19.4 | 41.1 |
| Benton Co | 235 | 27.7 | 17.4 | 54.9 |
| Berne | 149 | 32.2 | 18.1 | 49.7 |
| Bicknell | 99 | * | * | * |
| Blackburn | 1,429 | 35.3 | 23.7 | 41.0 |
| Blackford | 411 | 34.5 | 21.4 | 44.0 |
| Boone Co | 736 | 36.0 | 19.4 | 44.6 |
| Brazil | 848 | 37.9 | 17.3 | 44.8 |
| Brown Co | 274 | 36.1 | 15.7 | 48.2 |
| Cambridge | 141 | 27.0 | 22.0 | 51.1 |
| Carroll Co | 348 | 34.5 | 16.1 | 49.4 |
| Cass Co | 1,557 | 35.6 | 17.0 | 47.4 |
| Citizens | 2,245 | 38.6 | 21.8 | 39.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

| Comparison of Age Distribution | | | | |
|---------------------------------------|--|------------------------|-------------------------|-------------------------|
| Clinic | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Civic Ctr | 3,836 | 46.0 | 17.3 | 36.7 |
| Clark Co | 2,905 | 34.4 | 21.1 | 44.5 |
| Clay City | 35 | * | * | * |
| Clinton | 368 | 36.4 | 20.7 | 42.9 |
| Clinton Co | 1,217 | 34.4 | 17.9 | 47.7 |
| Comm East | 236 | 95.8 | 3.4 | 0.8 |
| Cottage Gr | 2,771 | 27.5 | 24.4 | 48.1 |
| Crawford | 296 | 36.5 | 16.2 | 47.3 |
| Crown Pt | 1,946 | 43.9 | 17.2 | 38.9 |
| Daviess Co | 816 | 32.6 | 19.0 | 48.4 |
| Dearborn | 1,131 | 41.2 | 16.9 | 41.9 |
| Decatur | 650 | 38.6 | 18.2 | 43.2 |
| Decatur Co | 810 | 36.3 | 17.0 | 46.7 |
| Dekalb Co | 1,106 | 34.1 | 24.0 | 42.0 |
| Dubois Co | 1,017 | 38.0 | 15.9 | 46.1 |
| E Chicago | 2,350 | 35.0 | 19.6 | 45.4 |
| Eaton | 66 | * | * | * |
| Elkhart | 5,055 | 33.8 | 20.1 | 46.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

| Comparison of Age Distribution | | | | |
|---------------------------------------|--|------------------------|-------------------------|-------------------------|
| Clinic | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Elwood | 314 | 39.2 | 17.8 | 43.0 |
| Fayette Co | 750 | 34.8 | 22.0 | 43.2 |
| Floyd Co | 1,709 | 37.4 | 21.3 | 41.3 |
| Forest Man | 2,498 | 26.7 | 27.7 | 45.7 |
| Fountain | 414 | 36.5 | 18.4 | 45.2 |
| Franklin C | 367 | 35.1 | 23.7 | 41.1 |
| Fulton Co | 586 | 32.3 | 21.5 | 46.2 |
| Georgetown | 4,550 | 27.2 | 25.9 | 46.8 |
| Gibson Co | 687 | 44.1 | 19.8 | 36.1 |
| Glenn Pk | 2,031 | 36.8 | 18.5 | 44.7 |
| Goshen | 2,581 | 33.4 | 19.8 | 46.8 |
| Grant Co | 2,285 | 36.1 | 17.8 | 46.1 |
| Grant St | 1,467 | 40.3 | 17.7 | 42.0 |
| Grassy Crk | 3,219 | 28.0 | 26.6 | 45.4 |
| Greene Co | 679 | 34.3 | 19.7 | 45.9 |
| Hamilton | 2,732 | 38.9 | 18.4 | 42.7 |
| Hammond | 2,893 | 33.8 | 18.7 | 47.4 |
| Hancock Co | 1,001 | 42.0 | 20.3 | 37.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

| Comparison of Age Distribution | | | | |
|---------------------------------------|--|------------------------|-------------------------|-------------------------|
| Clinic | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Hanna | 4,593 | 33.2 | 23.4 | 43.4 |
| Harrison | 898 | 38.2 | 17.3 | 44.5 |
| Hendricks | 1,447 | 38.5 | 21.1 | 40.4 |
| Henry Co | 1,286 | 34.8 | 19.8 | 45.4 |
| Hessville | 1,411 | 40.2 | 16.6 | 43.2 |
| Hispanic C | 557 | 24.2 | 24.8 | 51.0 |
| Howard Co | 2,898 | 36.7 | 18.5 | 44.8 |
| Huntington | 875 | 37.8 | 20.0 | 42.2 |
| Jackson Co | 1,427 | 36.0 | 17.3 | 46.7 |
| Jasonville | 31 | * | * | * |
| Jasper Co | 838 | 38.2 | 20.5 | 41.3 |
| Jay Co | 588 | 37.4 | 16.7 | 45.9 |
| Jefferson | 864 | 38.9 | 18.1 | 43.1 |
| Jennings | 1,155 | 33.0 | 18.6 | 48.4 |
| Johnson Co | 2,558 | 42.8 | 17.1 | 40.0 |
| Kosciusko | 1,727 | 35.5 | 19.9 | 44.6 |
| Lagrange | 610 | 33.9 | 17.0 | 49.0 |
| Lake Station | 1,765 | 38.9 | 18.9 | 42.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

| Comparison of Age Distribution | | | | |
|---------------------------------------|--|------------------------|-------------------------|-------------------------|
| Clinic | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Laporte | 1,617 | 37.7 | 17.8 | 44.5 |
| Main St | 2,818 | 41.5 | 18.5 | 40.0 |
| Marshall | 1,329 | 38.8 | 17.0 | 44.2 |
| Martin Co | 249 | 38.2 | 16.5 | 45.4 |
| Memorial | 501 | 100.0 | 0.0 | 0.0 |
| Merrillville | 4 | * | * | * |
| Methodist | 795 | 98.2 | 1.6 | 0.1 |
| Miami Co | 915 | 35.8 | 16.8 | 47.3 |
| Mich City | 1,631 | 40.1 | 17.1 | 42.8 |
| Moms/Kids | 359 | 43.2 | 12.5 | 44.3 |
| Monroe Co | 2,512 | 39.0 | 18.4 | 42.6 |
| Montgomery | 1,064 | 37.0 | 20.0 | 43.0 |
| Morgan Co | 1,450 | 44.7 | 14.8 | 40.5 |
| N Arlingto | 2,811 | 28.7 | 26.4 | 44.9 |
| N Liberty | 66 | * | * | * |
| N Manchest | 283 | 30.0 | 14.8 | 55.1 |
| Newton Co | 237 | 38.4 | 14.3 | 47.3 |
| Northwest | 2,165 | 23.6 | 27.8 | 48.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

| Comparison of Age Distribution | | | | |
|---------------------------------------|--|------------------------|-------------------------|-------------------------|
| Clinic | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Ohio Co | 38 | * | * | * |
| Orange Co | 669 | 36.9 | 15.8 | 47.2 |
| Owen Co | 489 | 33.1 | 21.3 | 45.6 |
| Parke Co | 304 | 36.8 | 18.8 | 44.4 |
| Perry Co | 434 | 47.7 | 15.2 | 37.1 |
| Pike Co | 264 | 45.1 | 15.5 | 39.4 |
| Portage | 1,342 | 42.9 | 17.3 | 39.8 |
| Posey Co | 390 | 44.6 | 19.0 | 36.4 |
| Pulaski Co | 309 | 39.2 | 17.8 | 43.0 |
| Purdue | 486 | 35.6 | 23.5 | 40.9 |
| Putnam Co | 881 | 34.6 | 20.5 | 44.8 |
| Randolph | 698 | 35.8 | 20.8 | 43.4 |
| Richmond | 2,091 | 35.6 | 21.0 | 43.4 |
| Ripley Co | 765 | 35.0 | 20.7 | 44.3 |
| Rush Co | 333 | 36.9 | 19.5 | 43.5 |
| SB Ireland Rd | 2,486 | 30.9 | 24.1 | 45.0 |
| SB Lafayette | 3,848 | 27.7 | 23.2 | 49.1 |
| Scott Co | 981 | 33.7 | 19.2 | 47.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

| Comparison of Age Distribution | | | | |
|---------------------------------------|--|------------------------|-------------------------|-------------------------|
| Clinic | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Shelby Co | 1,151 | 41.4 | 18.9 | 39.6 |
| Shelters | 35 | * | * | * |
| SJ Reg Ctr | 144 | 100.0 | 0.0 | 0.0 |
| So Calhoun | 9,729 | 32.8 | 20.0 | 47.3 |
| Spencer Co | 374 | 38.5 | 17.9 | 43.6 |
| St Francis | 71 | * | * | * |
| St V-FLC | 463 | 98.9 | 0.6 | 0.4 |
| Starke Co | 774 | 34.1 | 18.1 | 47.8 |
| Steuben Co | 1,246 | 31.0 | 18.5 | 50.5 |
| Sullivan | 507 | 46.2 | 18.5 | 35.3 |
| Switz""Land | 179 | 33.0 | 18.4 | 48.6 |
| Tippecanoe | 4,252 | 35.7 | 19.8 | 44.5 |
| Tipton Co | 260 | 35.4 | 16.9 | 47.7 |
| Union Co | 190 | 34.2 | 21.6 | 44.2 |
| United Fai | 1,559 | 32.5 | 22.1 | 45.4 |
| Valpo | 1,364 | 40.0 | 18.7 | 41.3 |
| Vigo | 2,661 | 40.5 | 20.4 | 39.0 |
| Vincennes | 809 | 31.9 | 23.9 | 44.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

| Comparison of Age Distribution | | | | |
|---------------------------------------|--|------------------------|-------------------------|-------------------------|
| Clinic | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| W 21st Ave | 1,524 | 35.4 | 19.6 | 45.1 |
| Wabash | 639 | 36.6 | 17.2 | 46.2 |
| Warren Co | 278 | 34.5 | 18.7 | 46.8 |
| Warrick Co | 956 | 41.8 | 18.6 | 39.5 |
| Washington | 702 | 34.3 | 18.8 | 46.9 |
| Wells Co | 567 | 37.4 | 18.5 | 44.1 |
| Westside | 2,198 | 22.0 | 28.0 | 50.0 |
| White Co | 831 | 35.9 | 18.2 | 46.0 |
| Whitley Co | 746 | 33.6 | 18.0 | 48.4 |
| Wishard | 892 | 96.2 | 3.1 | 0.7 |
| Women""s | 3 | * | * | * |
| Unknown Clinics | 5 | * | * | * |
| Indiana | 171,189 | 36.6 | 19.9 | 43.5 |
| Nation (Prior Year) | 8,672,965 | 33.7 | 22.1 | 44.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | (8) | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Action Ctr | 50 | * * | * * | 127 | 3.1 (3) | 2.4 (72) | 4.7 (6) | 45 | * * | * * | 74 | * * |
| Albion | 285 | 8.1 (43) | 5.6 (29) | 1,082 | 8.0(108) | 2.6 (85) | 11.8 (90) | 506 | 14.6 (21) | 13.8 (43) | 727 | 19.3(102) |
| Anderson | 814 | 8.7 (51) | 6.0 (43) | 2,863 | 8.8(118) | 2.4 (72) | 10.1 (44) | 1,116 | 16.1 (51) | 14.1 (46) | 1,934 | 30.0(118) |
| Ball Mem | 3 | * * | * * | 2 | * * | * * | * * | 0 | * * | * * | 0 | * * |
| Bartholome | 502 | 8.8 (54) | 5.6 (29) | 1,733 | 6.8 (76) | 1.6 (30) | 10.0 (41) | 733 | 16.2 (54) | 14.2 (49) | 1,132 | 9.4 (33) |
| Bedford | 263 | 10.6 (79) | 5.7 (34) | 1,067 | 6.8 (76) | 1.3 (20) | 11.1 (68) | 446 | 16.1 (51) | 12.6 (31) | 712 | 9.7 (37) |
| Benton Co | 45 | * * | * * | 233 | 4.7 (13) | 0.0 (1) | 12.4(100) | 125 | 20.0(105) | 20.0(112) | 169 | 8.3 (24) |
| Berne | 22 | * * | * * | 147 | 8.2(112) | 2.7 (88) | 10.9 (62) | 74 | * * | * * | 113 | 17.7 (92) |
| Bicknell | 24 | * * | * * | 99 | * * | * * | * * | 49 | * * | * * | 71 | * * |
| Blackburn | 408 | 11.0 (85) | 4.4 (11) | 1,391 | 6.9 (83) | 2.8 (93) | 10.1 (44) | 580 | 12.1 (6) | 11.2 (19) | 873 | 25.7(116) |
| Blackford | 96 | * * | * * | 410 | 6.3 (54) | 3.4(103) | 11.2 (72) | 179 | 10.6 (3) | 15.6 (71) | 267 | 11.2 (49) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|------------------------------------|--------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Boone Co | 180 | 6.1 (12) | 7.2 (71) | 718 | 7.0 (89) | 5.2(120) | 13.6(119) | 320 | 19.1(101) | 18.8(102) | 478 | 5.0 (6) |
| Brazil | 204 | 6.4 (15) | 4.9 (13) | 837 | 7.9(107) | 1.1 (11) | 12.4(100) | 371 | 16.2 (54) | 17.3 (92) | 571 | 14.0 (70) |
| Brown Co | 60 | * * | * * | 268 | 5.2 (22) | 0.4 (4) | 9.3 (27) | 128 | 14.1 (17) | 14.1 (46) | 181 | 2.8 (1) |
| Cambridge | 29 | * * | * * | 141 | 5.7 (34) | 2.1 (53) | 9.9 (40) | 72 | * * | * * | 100 | 10.0 (41) |
| Carroll Co | 80 | * * | * * | 339 | 6.5 (62) | 1.5 (24) | 11.2 (72) | 173 | 17.3 (78) | 14.5 (54) | 240 | 18.3 (97) |
| Cass Co | 349 | 6.3 (14) | 6.6 (57) | 1,520 | 4.7 (13) | 3.3 (99) | 12.2 (94) | 720 | 15.4 (35) | 16.7 (87) | 1,072 | 10.2 (43) |
| Citizens | 695 | 7.1 (21) | 7.2 (71) | 2,204 | 7.0 (89) | 4.5(117) | 9.3 (27) | 878 | 12.6 (7) | 12.5 (30) | 1,357 | 28.9(117) |
| Civic Ctr | 1,076 | 10.8 (83) | 5.2 (19) | 3,727 | 8.0(108) | 2.2 (56) | 10.1 (44) | 1,386 | 18.8 (97) | 14.8 (59) | 2,428 | 7.8 (18) |
| Clark Co | 682 | 7.9 (34) | 6.0 (43) | 2,867 | 6.2 (51) | 1.5 (24) | 12.3 (97) | 1,271 | 17.9 (85) | 16.5 (85) | 1,998 | 11.9 (52) |
| Clay City | 3 | * * | * * | 35 | * * | * * | * * | 23 | * * | * * | 29 | * * |
| Clinton | 84 | * * | * * | 366 | 5.7 (34) | 2.2 (56) | 12.0 (92) | 159 | 17.0 (72) | 18.9(104) | 262 | 17.9 (93) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|------------------------------------|--------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Clinton Co | 259 | 6.9 (18) | 8.1 (87) | 1,188 | 7.2 (95) | 1.6 (30) | 13.0(109) | 569 | 19.0(100) | 16.5 (85) | 847 | 12.5 (58) |
| Comm East | 219 | 8.7 (51) | 3.7 (4) | 231 | 6.1 (46) | 17.7(125) | 2.6 (3) | 2 | * * | * * | 14 | * * |
| Cottage Gr | 555 | 11.4 (89) | 7.4 (77) | 2,717 | 8.4(114) | 2.9 (96) | 12.6(102) | 1,314 | 15.4 (35) | 15.3 (65) | 1,868 | 9.8 (39) |
| Crawford | 74 | * * | * * | 287 | 6.6 (69) | 0.3 (3) | 9.8 (36) | 136 | 18.4 (92) | 14.7 (57) | 195 | 8.7 (28) |
| Crown Pt | 524 | 6.1 (12) | 7.1 (69) | 1,914 | 6.0 (42) | 0.8 (6) | 9.4 (31) | 753 | 14.7 (26) | 12.2 (28) | 1,186 | 6.8 (12) |
| Daviess Co | 206 | 7.8 (33) | 2.9 (3) | 802 | 6.7 (72) | 3.9(111) | 12.1 (93) | 383 | 15.7 (41) | 19.8(111) | 536 | 17.2 (91) |
| Dearborn | 308 | 10.4 (78) | 8.4 (93) | 1,117 | 6.5 (62) | 1.3 (20) | 10.0 (41) | 463 | 16.8 (68) | 13.6 (42) | 764 | 11.6 (51) |
| Decatur | 164 | 9.1 (62) | 6.7 (61) | 642 | 8.7(116) | 2.3 (64) | 10.7 (56) | 281 | 16.7 (64) | 11.4 (21) | 423 | 23.2(113) |
| Decatur Co | 193 | 12.4 (97) | 6.2 (49) | 795 | 6.8 (76) | 1.6 (30) | 12.7(104) | 374 | 16.3 (58) | 17.9 (95) | 566 | 8.5 (26) |
| Dekalb Co | 272 | 8.5 (49) | 6.6 (57) | 1,086 | 5.5 (28) | 2.4 (72) | 11.7 (86) | 460 | 17.0 (72) | 17.2 (89) | 757 | 18.1 (95) |
| Dubois Co | 242 | 4.5 (4) | 5.8 (36) | 992 | 5.4 (26) | 2.3 (64) | 10.3 (52) | 455 | 15.8 (46) | 14.5 (54) | 677 | 8.7 (28) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------------|--------------|----------|-----------|------------------------------|---------------------|-----------------------|--------|-----------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under-weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| E Chicago | 521 | 12.1 (95) | 5.8 (36) | 2,304 | 5.7 (34) | 1.6 (30) | 13.0(109) | 1,056 | 15.7 (41) | 16.4 (82) | 1,579 | 16.6 (88) |
| Eaton | 7 | * * | * * | 66 | * * | * * | * * | 38 | * * | * * | 54 | * * |
| Elkhart | 1,207 | 8.8 (54) | 7.5 (81) | 4,943 | 5.6 (31) | 1.8 (42) | 10.9 (62) | 2,298 | 16.4 (59) | 16.0 (76) | 3,480 | 7.4 (14) |
| Elwood | 83 | * * | * * | 308 | 9.7(123) | 1.9 (44) | 11.4 (77) | 137 | 19.7(104) | 15.3 (65) | 210 | 14.8 (76) |
| Fayette Co | 181 | 7.7 (26) | 8.3 (92) | 740 | 7.7(103) | 2.7 (88) | 11.1 (68) | 319 | 13.5 (14) | 14.7 (57) | 496 | 18.3 (97) |
| Floyd Co | 431 | 9.5 (68) | 6.3 (51) | 1,644 | 7.4 (98) | 2.1 (53) | 12.7(104) | 696 | 20.8(109) | 17.2 (89) | 1,133 | 13.1 (63) |
| Forest Man | 530 | 10.0 (74) | 6.0 (43) | 2,442 | 6.6 (69) | 4.2(114) | 8.9 (21) | 1,120 | 12.9 (10) | 10.6 (12) | 1,598 | 16.3 (86) |
| Fountain | 100 | 12.0 (93) | 6.0 (43) | 406 | 6.9 (83) | 1.2 (16) | 7.6 (11) | 181 | 18.8 (97) | 12.7 (34) | 283 | 13.1 (63) |
| Franklin C | 89 | * * | * * | 362 | 6.9 (83) | 1.1 (11) | 11.9 (91) | 149 | 22.1(113) | 19.5(110) | 240 | 21.7(108) |
| Fulton Co | 115 | 4.3 (3) | 6.1 (47) | 575 | 3.3 (4) | 3.5(106) | 12.3 (97) | 266 | 14.7 (26) | 16.2 (78) | 429 | 14.2 (71) |
| Georgetown | 951 | 9.4 (67) | 7.0 (68) | 4,466 | 4.7 (13) | 3.8(110) | 11.3 (75) | 2,102 | 15.8 (46) | 14.3 (52) | 3,092 | 17.9 (93) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | (8) | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Gibson Co | 187 | 7.0 (20) | 5.3 (22) | 670 | 6.7 (72) | 2.5 (80) | 12.8(108) | 251 | 17.1 (75) | 20.3(113) | 437 | 14.6 (74) |
| Glenn Pk | 464 | 9.7 (72) | 5.2 (19) | 1,978 | 6.5 (62) | 2.6 (85) | 8.8 (20) | 893 | 14.3 (19) | 11.1 (17) | 1,430 | 21.7(108) |
| Goshen | 562 | 6.6 (17) | 9.8 (98) | 2,524 | 5.1 (20) | 1.0 (10) | 11.2 (72) | 1,189 | 17.9 (85) | 15.7 (72) | 1,764 | 4.8 (4) |
| Grant Co | 528 | 10.2 (76) | 5.5 (26) | 2,225 | 6.7 (72) | 2.4 (72) | 11.4 (77) | 1,038 | 16.0 (50) | 14.0 (45) | 1,539 | 19.4(103) |
| Grant St | 401 | 13.0(101) | 5.0 (16) | 1,428 | 10.6(126) | 2.0 (46) | 11.0 (65) | 610 | 14.8 (28) | 11.3 (20) | 979 | 18.1 (95) |
| Grassy Crk | 717 | 9.3 (66) | 3.9 (5) | 3,153 | 6.8 (76) | 3.5(106) | 11.1 (68) | 1,454 | 15.7 (41) | 13.5 (40) | 2,063 | 15.4 (80) |
| Greene Co | 165 | 9.1 (62) | 5.5 (26) | 672 | 6.1 (46) | 1.6 (30) | 13.1(113) | 312 | 22.8(115) | 18.9(104) | 448 | 8.9 (31) |
| Hamilton | 645 | 9.1 (62) | 6.5 (56) | 2,683 | 6.2 (51) | 2.4 (72) | 7.7 (13) | 1,154 | 14.6 (21) | 9.4 (7) | 1,822 | 15.7 (82) |
| Hammond | 603 | 9.6 (70) | 5.6 (29) | 2,837 | 5.0 (19) | 2.7 (88) | 10.1 (44) | 1,342 | 16.5 (60) | 12.1 (27) | 2,013 | 15.9 (84) |
| Hancock Co | 275 | 6.9 (18) | 8.7 (97) | 982 | 9.2(122) | 1.7 (37) | 13.0(109) | 373 | 15.3 (34) | 15.8 (74) | 641 | 12.9 (62) |
| Hanna | 1,089 | 7.7 (26) | 6.9 (64) | 4,512 | 7.4 (98) | 2.3 (64) | 12.2 (94) | 1,960 | 16.7 (64) | 15.3 (65) | 3,098 | 15.0 (77) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | (8) | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Harrison | 235 | 7.2 (22) | 6.8 (62) | 868 | 6.3 (54) | 2.4 (72) | 11.4 (77) | 388 | 16.5 (60) | 17.5 (93) | 591 | 3.9 (2) |
| Hendricks | 434 | 9.0 (60) | 5.8 (36) | 1,409 | 7.4 (98) | 4.0(113) | 9.3 (27) | 578 | 16.8 (68) | 12.3 (29) | 844 | 21.0(107) |
| Henry Co | 289 | 7.6 (25) | 7.3 (74) | 1,269 | 6.0 (42) | 3.5(106) | 10.2 (49) | 579 | 20.2(106) | 15.2 (64) | 912 | 11.0 (47) |
| Hessville | 344 | 6.4 (15) | 8.4 (93) | 1,382 | 5.4 (26) | 2.7 (88) | 9.8 (36) | 601 | 13.1 (11) | 12.0 (24) | 930 | 4.9 (5) |
| Hispanic C | 102 | 4.9 (6) | 7.8 (84) | 541 | 2.6 (2) | 1.5 (24) | 14.2(123) | 276 | 18.8 (97) | 19.2(108) | 399 | 12.8 (61) |
| Howard Co | 651 | 8.0 (40) | 4.9 (13) | 2,810 | 6.5 (62) | 2.3 (64) | 11.7 (86) | 1,267 | 16.7 (64) | 15.7 (72) | 2,041 | 21.8(110) |
| Huntington | 215 | 7.9 (34) | 5.1 (18) | 870 | 7.1 (93) | 2.4 (72) | 8.6 (18) | 363 | 15.4 (35) | 10.2 (9) | 585 | 8.7 (28) |
| Jackson Co | 328 | 8.8 (54) | 8.2 (89) | 1,409 | 6.5 (62) | 0.9 (9) | 11.6 (84) | 652 | 19.3(102) | 17.0 (88) | 982 | 5.3 (9) |
| Jasonville | 6 | * * | * * | 30 | * * | * * | * * | 13 | * * | * * | 23 | * * |
| Jasper Co | 203 | 5.9 (11) | 9.9 (99) | 810 | 6.3 (54) | 2.3 (64) | 13.0(109) | 345 | 18.0 (88) | 15.9 (75) | 555 | 18.7 (99) |
| Jay Co | 146 | 10.3 (77) | 2.7 (2) | 581 | 6.9 (83) | 1.2 (16) | 11.4 (77) | 271 | 16.2 (54) | 15.5 (69) | 391 | 11.5 (50) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | (8) | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Jefferson | 204 | 12.3 (96) | 7.4 (77) | 849 | 7.4 (98) | 1.2 (16) | 13.4(117) | 353 | 21.0(110) | 21.2(115) | 596 | 8.2 (23) |
| Jennings | 262 | 9.5 (68) | 6.9 (64) | 1,137 | 7.7(103) | 3.3 (99) | 13.6(119) | 545 | 17.6 (80) | 18.0 (96) | 802 | 16.6 (88) |
| Johnson Co | 708 | 8.3 (48) | 7.9 (85) | 2,484 | 5.6 (31) | 2.7 (88) | 6.8 (10) | 1,016 | 14.6 (21) | 10.3 (10) | 1,633 | 12.6 (60) |
| Kosciusko | 415 | 7.7 (26) | 6.3 (51) | 1,698 | 5.8 (38) | 1.2 (16) | 12.6(102) | 758 | 18.3 (90) | 18.2 (99) | 1,189 | 7.3 (13) |
| Lagrange | 130 | 11.5 (90) | 6.9 (64) | 596 | 5.2 (22) | 2.2 (56) | 11.4 (77) | 293 | 17.4 (79) | 16.0 (76) | 401 | 6.0 (11) |
| Lake Station | 426 | 7.7 (26) | 6.8 (62) | 1,716 | 5.5 (28) | 1.6 (30) | 9.0 (24) | 731 | 16.8 (68) | 9.8 (8) | 1,180 | 12.2 (55) |
| Laporte | 366 | 5.2 (7) | 6.3 (51) | 1,570 | 5.9 (41) | 2.2 (56) | 12.7(104) | 709 | 18.1 (89) | 14.4 (53) | 1,109 | 11.0 (47) |
| Main St | 806 | 10.7 (80) | 4.2 (7) | 2,760 | 7.0 (89) | 5.0(119) | 10.6 (55) | 1,102 | 16.6 (62) | 15.4 (68) | 1,796 | 22.7(112) |
| Marshall | 354 | 4.2 (2) | 7.6 (82) | 1,300 | 7.2 (95) | 1.1 (11) | 13.1(113) | 581 | 19.4(103) | 16.2 (78) | 874 | 7.7 (17) |
| Martin Co | 61 | * * | * * | 245 | 5.7 (34) | 0.4 (4) | 12.7(104) | 110 | 12.7 (9) | 16.4 (82) | 152 | 5.9 (10) |
| Memorial | 481 | 12.7 (99) | 6.4 (54) | 468 | 10.3(125) | 10.5(122) | 5.6 (9) | 0 | * * | * * | 30 | * * |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | (8) | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Merrillville | 2 | * * | * * | 3 | * * | * * | * * | 2 | * * | * * | 2 | * * |
| Methodist | 754 | 10.7 (80) | 5.4 (24) | 752 | 7.0 (89) | 14.8(124) | 3.6 (4) | 1 | * * | * * | 32 | * * |
| Miami Co | 199 | 9.0 (60) | 5.5 (26) | 897 | 7.1 (93) | 1.6 (30) | 9.0 (24) | 432 | 14.6 (21) | 11.8 (23) | 620 | 11.9 (52) |
| Mich City | 410 | 12.9(100) | 4.9 (13) | 1,590 | 6.3 (54) | 3.9(111) | 9.8 (36) | 691 | 15.5 (38) | 12.9 (36) | 1,030 | 18.7 (99) |
| Moms/Kids | 121 | 9.1 (62) | 4.1 (6) | 353 | 6.2 (51) | 2.3 (64) | 10.8 (58) | 157 | 9.6 (2) | 11.5 (22) | 219 | 12.3 (56) |
| Monroe Co | 588 | 8.8 (54) | 10.0(100) | 2,462 | 7.3 (97) | 1.7 (37) | 10.4 (54) | 1,060 | 18.6 (93) | 14.6 (56) | 1,691 | 13.7 (69) |
| Montgomery | 271 | 7.7 (26) | 11.1(102) | 1,049 | 6.7 (72) | 3.1 (98) | 9.7 (35) | 452 | 17.9 (85) | 14.8 (59) | 723 | 13.6 (68) |
| Morgan Co | 403 | 8.7 (51) | 8.4 (93) | 1,402 | 6.8 (76) | 1.9 (44) | 10.7 (56) | 577 | 18.7 (95) | 18.0 (96) | 929 | 13.3 (66) |
| N Arlingto | 686 | 9.6 (70) | 5.2 (19) | 2,755 | 5.8 (38) | 4.6(118) | 8.9 (21) | 1,239 | 14.9 (30) | 10.6 (12) | 1,811 | 22.1(111) |
| N Liberty | 16 | * * | * * | 65 | * * | * * | * * | 28 | * * | * * | 41 | * * |
| N Manchest | 53 | * * | * * | 274 | 8.0(108) | 1.5 (24) | 8.0 (14) | 153 | 17.6 (80) | 7.8 (2) | 199 | 8.0 (21) |

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | (8) | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Newton Co | 57 | * * | * * | 231 | 4.3 (7) | 7.4(121) | 13.9(121) | 108 | 15.7 (41) | 12.0 (24) | 146 | 4.1 (3) |
| Northwest | 372 | 8.1 (43) | 8.1 (87) | 2,120 | 4.4 (9) | 2.6 (85) | 12.2 (94) | 1,031 | 15.9 (49) | 13.4 (38) | 1,566 | 12.4 (57) |
| Ohio Co | 7 | * * | * * | 37 | * * | * * | * * | 21 | * * | * * | 27 | * * |
| Orange Co | 149 | 8.1 (43) | 1.3 (1) | 653 | 5.8 (38) | 2.5 (80) | 9.0 (24) | 310 | 14.8 (28) | 14.8 (59) | 454 | 10.1 (42) |
| Owen Co | 107 | 5.6 (8) | 8.4 (93) | 478 | 6.5 (62) | 1.7 (37) | 13.2(115) | 222 | 13.5 (14) | 18.5(101) | 340 | 7.4 (14) |
| Parke Co | 74 | * * | * * | 301 | 6.0 (42) | 3.3 (99) | 10.0 (41) | 134 | 13.4 (12) | 13.4 (38) | 216 | 7.4 (14) |
| Perry Co | 124 | 14.5 (103) | 5.6 (29) | 422 | 9.0(119) | 4.3(116) | 10.2 (49) | 162 | 11.1 (4) | 9.3 (6) | 293 | 34.1(119) |
| Pike Co | 66 | * * | * * | 256 | 7.8(106) | 2.0 (46) | 10.9 (62) | 100 | 17.0 (72) | 19.0(107) | 166 | 7.8 (18) |
| Portage | 375 | 7.7 (26) | 7.2 (71) | 1,310 | 8.2(112) | 2.0 (46) | 9.8 (36) | 527 | 16.1 (51) | 12.0 (24) | 885 | 12.0 (54) |
| Posey Co | 104 | 7.7 (26) | 7.7 (83) | 382 | 4.7 (13) | 1.8 (42) | 8.4 (17) | 140 | 14.3 (19) | 7.9 (3) | 243 | 14.4 (73) |
| Pulaski Co | 73 | * * | * * | 299 | 4.3 (7) | 2.0 (46) | 14.0(122) | 135 | 20.7(108) | 12.6 (31) | 208 | 12.5 (58) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|------------------------------------|--------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Purdue | 121 | 2.5 (1) | 6.6 (57) | 475 | 1.7 (1) | 3.6(109) | 4.2 (5) | 201 | 13.4 (12) | 5.5 (1) | 315 | 9.8 (39) |
| Putnam Co | 213 | 8.9 (58) | 6.1 (47) | 869 | 6.1 (46) | 2.8 (93) | 12.3 (97) | 388 | 18.6 (93) | 16.2 (78) | 592 | 8.3 (24) |
| Randolph | 161 | 5.6 (8) | 6.2 (49) | 695 | 6.8 (76) | 1.7 (37) | 9.6 (34) | 306 | 13.7 (16) | 13.1 (37) | 475 | 9.5 (34) |
| Richmond | 516 | 7.9 (34) | 7.9 (85) | 2,060 | 6.4 (60) | 2.0 (46) | 11.1 (68) | 904 | 18.7 (95) | 13.5 (40) | 1,358 | 19.0(101) |
| Ripley Co | 169 | 10.7 (80) | 5.9 (40) | 755 | 4.4 (9) | 1.7 (37) | 10.1 (44) | 344 | 16.6 (62) | 14.8 (59) | 548 | 8.0 (21) |
| Rush Co | 86 | * * | * * | 331 | 6.9 (83) | 4.2(114) | 5.4 (7) | 144 | 14.6 (21) | 8.3 (5) | 221 | 13.1 (63) |
| SB Ireland Rd | 490 | 5.7 (10) | 10.4(101) | 2,453 | 4.7 (13) | 2.2 (56) | 9.5 (32) | 1,119 | 15.5 (38) | 10.6 (12) | 1,690 | 15.2 (78) |
| SB Lafayette | 722 | 11.1 (86) | 7.1 (69) | 3,779 | 5.3 (25) | 2.4 (72) | 11.5 (82) | 1,863 | 15.7 (41) | 14.2 (49) | 2,597 | 13.3 (66) |
| Scott Co | 223 | 10.8 (83) | 5.8 (36) | 963 | 6.1 (46) | 3.0 (97) | 11.7 (86) | 445 | 15.1 (32) | 18.0 (96) | 664 | 10.8 (46) |
| Shelby Co | 307 | 7.2 (22) | 4.2 (7) | 1,120 | 8.7(116) | 0.8 (6) | 13.5(118) | 450 | 17.6 (80) | 17.6 (94) | 755 | 14.2 (71) |
| Shelters | 3 | * * | * * | 35 | * * | * * | * * | 21 | * * | * * | 28 | * * |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------------|--------------|-----------|------------------------------|--------|---------------------|-----------------------|--------|------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under-weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| SJ Reg Ctr | 135 | 13.3 (102) | 5.9 (40) | 133 | 9.8(124) | 0.8 (6) | 2.3 (2) | 0 | * * | * * | 11 | * * |
| So Calhoun | 2,267 | 10.0 (74) | 4.5 (12) | 9,593 | 6.4 (60) | 2.5 (80) | 11.7 (86) | 4,552 | 16.7 (64) | 13.8 (43) | 6,839 | 23.4 (114) |
| Spencer Co | 93 | * * | * * | 361 | 9.1(121) | 1.4 (22) | 16.1(126) | 162 | 22.2(114) | 21.0(114) | 253 | 9.5 (34) |
| St Francis | 63 | * * | * * | 69 | * * | * * | * * | 1 | * * | * * | 7 | * * |
| St V-FLC | 437 | 8.9 (58) | 5.9 (40) | 445 | 6.3 (54) | 19.6(126) | 2.0 (1) | 2 | * * | * * | 18 | * * |
| Starke Co | 163 | 8.0 (40) | 7.4 (77) | 748 | 5.6 (31) | 1.1 (11) | 14.4(124) | 361 | 15.8 (46) | 18.8(102) | 570 | 15.3 (79) |
| Steuben Co | 250 | 8.0 (40) | 11.2(103) | 1,220 | 4.6 (12) | 2.2 (56) | 9.3 (27) | 626 | 17.1 (75) | 12.8 (35) | 900 | 10.6 (44) |
| Sullivan | 152 | 7.2 (22) | 5.3 (22) | 502 | 9.0(119) | 1.4 (22) | 13.3(116) | 180 | 20.6(107) | 18.9(104) | 330 | 10.6 (44) |
| Switz""Land | 32 | * * | * * | 176 | 4.5 (11) | 2.3 (64) | 10.2 (49) | 85 | * * | * * | 133 | 15.8 (83) |
| Tippecanoe | 1,021 | 7.9 (34) | 7.3 (74) | 4,189 | 5.2 (22) | 2.2 (56) | 11.3 (75) | 1,875 | 17.7 (83) | 14.1 (46) | 2,878 | 14.7 (75) |
| Tipton Co | 56 | * * | * * | 253 | 5.5 (28) | 2.0 (46) | 10.3 (52) | 122 | 8.2 (1) | 14.8 (59) | 179 | 7.8 (18) |

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Union Co | 44 | * * | * * | 187 | 3.7 (5) | 1.1 (11) | 8.6 (18) | 86 | * * | * * | 123 | 20.3 (106) |
| United Fai | 319 | 9.7 (72) | 5.0 (16) | 1,538 | 6.0 (42) | 2.0 (46) | 11.6 (84) | 699 | 15.0 (31) | 14.2 (49) | 1,117 | 16.7 (90) |
| Valpo | 353 | 7.9 (34) | 8.2 (89) | 1,331 | 6.6 (69) | 2.5 (80) | 11.0 (65) | 556 | 12.6 (7) | 12.6 (31) | 894 | 15.5 (81) |
| Vigo | 753 | 8.5 (49) | 6.6 (57) | 2,620 | 6.9 (83) | 1.5 (24) | 10.8 (58) | 1,029 | 18.3 (90) | 16.4 (82) | 1,724 | 9.6 (36) |
| Vincennes | 216 | 11.1 (86) | 4.2 (7) | 791 | 7.6(102) | 3.4(103) | 11.0 (65) | 355 | 15.5 (38) | 15.5 (69) | 473 | 5.1 (8) |
| W 21st Ave | 333 | 12.6 (98) | 4.2 (7) | 1,472 | 7.7(103) | 3.4(103) | 9.5 (32) | 689 | 11.8 (5) | 10.9 (16) | 1,038 | 24.2(115) |
| Wabash | 145 | 4.8 (5) | 6.9 (64) | 624 | 4.8 (18) | 2.1 (53) | 8.0 (14) | 290 | 16.2 (54) | 10.3 (10) | 418 | 8.6 (27) |
| Warren Co | 64 | * * | * * | 277 | 5.1 (20) | 2.2 (56) | 10.8 (58) | 129 | 17.8 (84) | 16.3 (81) | 186 | 9.7 (37) |
| Warrick Co | 233 | 11.6 (91) | 7.3 (74) | 931 | 8.5(115) | 2.8 (93) | 8.9 (21) | 370 | 14.1 (17) | 11.1 (17) | 623 | 15.9 (84) |
| Washington | 146 | 8.2 (47) | 8.2 (89) | 679 | 6.5 (62) | 1.5 (24) | 10.8 (58) | 320 | 21.9(112) | 17.2 (89) | 480 | 5.0 (6) |
| Wells Co | 143 | 11.2 (88) | 5.6 (29) | 558 | 6.8 (76) | 0.2 (2) | 8.2 (16) | 243 | 21.0(110) | 10.7 (15) | 385 | 9.1 (32) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|------------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|------------------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | (8) | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Westside | 358 | 8.1 (43) | 6.4 (54) | 2,140 | 4.1 (6) | 2.3 (64) | 15.2(125) | 1,077 | 16.9 (71) | 19.4(109) | 1,604 | 19.9(104) |
| White Co | 189 | 7.9 (34) | 7.4 (77) | 819 | 6.1 (46) | 3.3 (99) | 7.6 (11) | 377 | 15.1 (32) | 8.2 (4) | 567 | 20.1(105) |
| Whitley Co | 167 | 12.0 (93) | 5.4 (24) | 730 | 8.1(111) | 2.5 (80) | 11.5 (82) | 349 | 17.2 (77) | 18.3(100) | 498 | 16.5 (87) |
| Wishard | 812 | 11.6 (91) | 5.7 (34) | 852 | 6.3 (54) | 11.7(123) | 5.4 (7) | 6 | * * | * * | 65 | * * |
| Women""s | 2 | * * | * * | 3 | * * | * * | * * | 1 | * * | * * | 1 | * * |
| Unknown Clinics | 2 | * * | * * | 5 | * * | * * | * * | 2 | * * | * * | 3 | * * |
| Indiana | 42,957 | 8.9 | 6.4 | 167,541 | 6.4 | 2.6 | 10.8 | 73,424 | 16.4 | 14.3 | 112,865 | 14.8 |
| Nation (Prior Year) | 1,851,546 | 9.0 | 6.3 | 8,057,124 | 6.3 | 3.6 | 12.4 | 3,572,939 | 16.1 | 14.4 | 5,391,027 | 14.6 |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|---|-------------------|-------------------------|--------|--------------------------------------|--------|---------------------------------------|-----------------------------|-----------|----------------------|-----------|-------|-----------|-------|------------|
| Clinic | Breastfeeding (6) | | | Exclusive Breastfeeding (7) | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | | | |
| Action Ctr | 50 | * * | 11 | * * | 16 | * * | 9 | * * | 11 | * * | 45 | * * | 126 | 38.1 (60) |
| Albion | 286 | 72.0 (32) | 129 | 24.8 (10) | 184 | 13.0 (13) | 95 | * * | 129 | 19.4 (2) | 528 | 63.1 (97) | 1,110 | 32.3 (47) |
| Anderson | 822 | 59.4 (84) | 539 | 18.6 (36) | 494 | 10.5 (25) | 373 | 19.6 (11) | 539 | 10.9 (18) | 1,173 | 63.2 (96) | 2,766 | 42.7 (76) |
| Ball Mem | 3 | * * | 0 | * * | 0 | * * | 0 | * * | 0 | * * | 0 | * * | 3 | * * |
| Bartholome | 502 | 68.5 (51) | 319 | 17.9 (38) | 276 | 10.1 (32) | 273 | 12.8 (38) | 319 | 8.2 (39) | 763 | 86.8 (11) | 1,732 | 48.3 (93) |
| Bedford | 263 | 67.3 (56) | 219 | 10.0 (81) | 193 | 3.6 (82) | 164 | 12.2 (42) | 219 | 6.4 (54) | 460 | 81.7 (23) | 1,013 | 44.2 (81) |
| Benton Co | 45 | * * | 30 | * * | 31 | * * | 22 | * * | 30 | * * | 132 | 69.7 (81) | 230 | 45.2 (83) |
| Berne | 22 | * * | 31 | * * | 33 | * * | 24 | * * | 31 | * * | 76 | * * | 145 | 35.2 (50) |
| Bicknell | 24 | * * | 12 | * * | 19 | * * | 7 | * * | 12 | * * | 51 | * * | 98 | * * |
| Blackburn | 409 | 39.6(103) | 155 | 19.4 (32) | 247 | 4.9 (79) | 130 | 9.2 (64) | 155 | 3.2 (82) | 208 | 63.0 (98) | 1,416 | 24.9 (36) |
| Blackford | 96 | * * | 61 | * * | 76 | * * | 58 | * * | 61 | * * | 184 | 75.5 (48) | 391 | 52.7 (106) |
| Boone Co | 180 | 55.6 (92) | 102 | 16.7 (41) | 113 | 6.2 (68) | 68 | * * | 102 | 13.7 (5) | 335 | 74.9 (51) | 717 | 48.7 (95) |
| Brazil | 204 | 64.7 (63) | 151 | 13.2 (65) | 143 | 4.9 (79) | 141 | 11.3 (51) | 151 | 6.0 (58) | 392 | 80.6 (28) | 817 | 53.9 (110) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|-----------------------------|--------------------------------------|--------|--|---------------------------------------|---|--------|--|---------------------------------------|--|-----------------------------|---------------------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Crown Pt | 525 | 83.8 (4) | 377 | 21.5 (23) | 322 | 14.3 (10) | 290 | 15.5 (27) | 377 | 9.8 (26) | 780 | 72.8 (68) | 1,822 | 33.7 (49) |
| Daviess Co | 206 | 58.7 (87) | 97 | * * | 124 | 7.3 (54) | 71 | * * | 97 | * * | 409 | 68.7 (83) | 803 | 40.1 (65) |
| Dearborn | 311 | 63.7 (66) | 199 | 13.6 (63) | 179 | 7.3 (54) | 163 | 14.1 (32) | 199 | 8.5 (37) | 485 | 77.7 (33) | 1,077 | 57.6 (122) |
| Decatur | 164 | 81.1 (6) | 102 | 23.5 (13) | 109 | 7.3 (54) | 85 | * * | 102 | 8.8 (36) | 288 | 58.0(106) | 623 | 40.3 (66) |
| Decatur Co | 193 | 70.5 (41) | 163 | 14.1 (58) | 131 | 6.9 (59) | 138 | 12.3 (41) | 163 | 11.0 (15) | 386 | 76.7 (42) | 779 | 55.1 (118) |
| Dekalb Co | 273 | 86.4 (3) | 178 | 19.7 (30) | 225 | 8.4 (44) | 129 | 20.9 (6) | 178 | 11.8 (11) | 483 | 74.9 (51) | 1,096 | 49.2 (98) |
| Dubois Co | 242 | 77.3 (13) | 226 | 23.5 (13) | 173 | 13.9 (12) | 177 | 15.8 (26) | 226 | 9.7 (28) | 472 | 75.0 (50) | 967 | 37.3 (55) |
| E Chicago | 525 | 62.9 (73) | 459 | 15.0 (52) | 378 | 11.1 (20) | 362 | 4.7 (75) | 459 | 3.1 (83) | 1,091 | 65.2 (90) | 2,237 | 11.4 (14) |
| Eaton | 7 | * * | 8 | * * | 12 | * * | 7 | * * | 8 | * * | 41 | * * | 65 | * * |
| Elkhart | 1,214 | 72.7 (28) | 801 | 24.0 (12) | 838 | 11.1 (20) | 588 | 13.9 (33) | 801 | 8.2 (39) | 2,418 | 67.0 (87) | 4,870 | 8.8 (7) |
| Elwood | 83 | * * | 56 | * * | 51 | * * | 40 | * * | 56 | * * | 142 | 70.4 (78) | 300 | 57.7 (123) |
| Fayette Co | 181 | 57.5 (90) | 120 | 14.2 (57) | 146 | 6.2 (68) | 76 | * * | 120 | 4.2 (71) | 333 | 77.5 (36) | 725 | 53.7 (109) |
| Floyd Co | 434 | 64.1 (65) | 228 | 18.9 (33) | 292 | 10.3 (27) | 188 | 12.2 (42) | 228 | 7.5 (46) | 739 | 76.3 (43) | 1,651 | 44.8 (82) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|-----------------------------|--------------------------------------|--------|--|---------------------------------------|---|--------|--|---------------------------------------|--|-----------------------------|---------------------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Forest Man | 532 | 60.9 (79) | 288 | 17.7 (40) | 496 | 5.0 (78) | 202 | 9.9 (62) | 288 | 3.5 (78) | 698 | 22.1(114) | 1,495 | 9.9 (9) |
| Fountain | 100 | 69.0 (47) | 70 | * * | 65 | * * | 68 | * * | 70 | * * | 195 | 72.8 (68) | 397 | 54.9 (116) |
| Franklin C | 89 | * * | 61 | * * | 61 | * * | 43 | * * | 61 | * * | 159 | 86.2 (12) | 351 | 54.7 (115) |
| Fulton Co | 115 | 73.9 (24) | 141 | 14.9 (53) | 116 | 7.8 (50) | 89 | * * | 141 | 11.3 (14) | 276 | 79.7 (30) | 570 | 41.9 (71) |
| Georgetown | 954 | 71.8 (35) | 551 | 33.0 (2) | 889 | 12.3 (16) | 405 | 12.1 (44) | 551 | 5.4 (65) | 2,166 | 55.5(107) | 4,505 | 15.4 (18) |
| Gibson Co | 190 | 51.6 (97) | 167 | 10.8 (78) | 103 | 6.8 (62) | 134 | 9.7 (63) | 167 | 4.2 (71) | 259 | 73.0 (65) | 643 | 50.7 (100) |
| Glenn Pk | 465 | 74.0 (23) | 447 | 14.1 (58) | 337 | 6.2 (68) | 345 | 8.7 (67) | 447 | 3.8 (75) | 933 | 73.7 (61) | 1,929 | 14.3 (16) |
| Goshen | 566 | 79.9 (8) | 434 | 27.6 (8) | 421 | 15.0 (7) | 321 | 18.1 (17) | 434 | 12.4 (9) | 1,251 | 90.6 (4) | 2,467 | 4.5 (1) |
| Grant Co | 530 | 48.7(100) | 434 | 11.3 (75) | 403 | 6.5 (64) | 325 | 5.2 (74) | 434 | 4.1 (73) | 1,079 | 75.9 (47) | 2,199 | 16.2 (19) |
| Grant St | 402 | 49.8 (99) | 338 | 7.7 (84) | 235 | 3.0 (85) | 259 | 3.1 (76) | 338 | 2.1 (87) | 634 | 41.0(113) | 1,391 | 28.6 (43) |
| Grassy Crk | 720 | 63.1 (69) | 363 | 22.0 (18) | 638 | 8.0 (46) | 273 | 9.2 (64) | 363 | 4.4 (70) | 1,277 | 70.7 (76) | 2,965 | 17.6 (24) |
| Greene Co | 165 | 63.0 (71) | 145 | 7.6 (85) | 112 | 3.6 (82) | 118 | 8.5 (68) | 145 | 4.1 (73) | 322 | 92.5 (2) | 655 | 40.5 (67) |
| Hamilton | 647 | 77.1 (14) | 553 | 27.7 (7) | 451 | 15.7 (6) | 442 | 21.3 (4) | 553 | 14.8 (4) | 1,199 | 87.1 (10) | 2,579 | 16.8 (21) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|-----------------------------|--------------------------------------|--------|--|---------------------------------------|---|--------|--|---------------------------------------|--|-----------------------------|-------------------------|--------|-------------------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Hammond | 603 | 71.3 (39) | 592 | 15.7 (46) | 502 | 8.8 (36) | 421 | 8.3 (69) | 592 | 5.2 (66) | 1,409 | 62.2(101) | 2,765 | 21.3 (29) |
| Hancock Co | 276 | 76.4 (16) | 172 | 15.7 (46) | 184 | 10.3 (27) | 135 | 25.9 (1) | 172 | 11.6 (13) | 394 | 73.1 (64) | 951 | 11.3 (13) |
| Hanna | 1,106 | 71.5 (37) | 671 | 30.4 (3) | 857 | 17.0 (5) | 517 | 13.7 (34) | 671 | 11.0 (15) | 1,119 | 68.5 (84) | 4,255 | 27.8 (41) |
| Harrison | 235 | 73.2 (26) | 178 | 11.8 (74) | 138 | 8.7 (40) | 144 | 16.7 (20) | 178 | 8.4 (38) | 415 | 89.6 (6) | 856 | 36.2 (51) |
| Hendricks | 436 | 72.0 (32) | 169 | 21.9 (20) | 235 | 10.6 (23) | 158 | 22.8 (3) | 169 | 11.8 (11) | 596 | 77.7 (33) | 1,414 | 36.4 (52) |
| Henry Co | 290 | 69.0 (47) | 220 | 12.7 (72) | 232 | 6.5 (64) | 161 | 14.3 (31) | 220 | 9.1 (33) | 606 | 60.2(103) | 1,232 | 52.9 (107) |
| Hessville | 346 | 64.5 (64) | 345 | 14.5 (55) | 270 | 7.4 (53) | 269 | 5.6 (73) | 345 | 2.6 (85) | 629 | 59.9(104) | 1,351 | 17.8 (25) |
| Hispanic C | 102 | 88.2 (2) | 61 | * * | 97 | * * | 50 | * * | 61 | * * | 290 | 58.6(105) | 554 | 9.9 (9) |
| Howard Co | 654 | 50.6 (98) | 601 | 14.0 (60) | 554 | 6.3 (66) | 444 | 11.5 (48) | 601 | 7.8 (43) | 1,332 | 74.7 (55) | 2,780 | 36.8 (53) |
| Huntington | 216 | 68.1 (54) | 139 | 15.8 (45) | 157 | 7.6 (52) | 108 | 17.6 (18) | 139 | 10.1 (24) | 385 | 74.8 (53) | 843 | 55.3 (119) |
| Jackson Co | 331 | 70.1 (43) | 234 | 16.7 (41) | 221 | 6.3 (66) | 179 | 16.2 (25) | 234 | 9.4 (32) | 689 | 76.3 (43) | 1,405 | 42.7 (76) |
| Jasonville | 6 | * * | 6 | * * | 7 | * * | 5 | * * | 6 | * * | 15 | * * | 31 | * * |
| Jasper Co | 203 | 60.6 (81) | 174 | 15.5 (48) | 139 | 12.9 (14) | 135 | 18.5 (14) | 174 | 12.1 (10) | 364 | 47.5(110) | 807 | 42.8 (78) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|----------------------------|--------|---|------------------------------------|--|--------|---|------------------------------------|-------------|-----------------------------|-------------|-------|-----------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | |
| Jay Co | 146 | 63.0 (71) | 89 | * * | 84 | * * | 84 | * * | 88 | * * | 280 | 53.2(108) | 561 | 46.3 (86) |
| Jefferson | 208 | 69.7 (45) | 145 | 13.1 (67) | 142 | 10.6 (23) | 122 | 14.8 (29) | 145 | 7.6 (45) | 382 | 74.6 (56) | 825 | 37.8 (57) |
| Jennings | 262 | 66.4 (57) | 168 | 14.3 (56) | 164 | 7.9 (48) | 126 | 18.3 (16) | 168 | 9.5 (30) | 576 | 76.0 (46) | 1,117 | 50.1 (99) |
| Johnson Co | 712 | 70.5 (41) | 605 | 16.5 (43) | 430 | 10.2 (29) | 474 | 11.0 (56) | 605 | 6.0 (58) | 1,046 | 74.2 (58) | 2,437 | 28.4 (42) |
| Kosciusko | 416 | 74.5 (22) | 251 | 21.9 (20) | 290 | 7.9 (48) | 195 | 18.5 (14) | 251 | 10.0 (25) | 810 | 71.0 (73) | 1,675 | 26.1 (40) |
| Lagrange | 130 | 73.1 (27) | 123 | 17.9 (38) | 93 | * * | 96 | * * | 123 | 9.8 (26) | 305 | 83.0 (17) | 583 | 42.5 (74) |
| Lake Station | 430 | 68.4 (52) | 418 | 14.6 (54) | 310 | 8.4 (44) | 309 | 11.7 (47) | 418 | 7.2 (48) | 771 | 68.0 (86) | 1,671 | 39.4 (64) |
| Laporte | 366 | 73.5 (25) | 363 | 21.8 (22) | 240 | 17.5 (4) | 270 | 11.9 (46) | 363 | 5.5 (63) | 745 | 44.6(111) | 1,526 | 42.9 (79) |
| Main St | 807 | 59.2 (85) | 444 | 15.5 (48) | 414 | 8.9 (35) | 366 | 12.6 (39) | 444 | 4.5 (69) | 1,163 | 66.9 (88) | 2,685 | 16.6 (20) |
| Marshall | 355 | 76.9 (15) | 262 | 21.0 (25) | 197 | 9.1 (34) | 216 | 16.7 (20) | 262 | 12.6 (8) | 612 | 73.4 (62) | 1,280 | 9.1 (8) |
| Martin Co | 61 | * * | 48 | * * | 34 | * * | 37 | * * | 48 | * * | 116 | 87.9 (9) | 239 | 22.2 (32) |
| Memorial | 483 | 77.6 (12) | 41 | * * | 4 | * * | 79 | * * | 41 | * * | 0 | * * | 491 | 6.5 (3) |
| Merrillville | 2 | * * | 0 | * * | 0 | * * | 0 | * * | 0 | * * | 2 | * * | 4 | * * |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|----------------------------|--------|---|------------------------------------|--|--------|---|------------------------------------|---|-----------------------------|-------------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Methodist | 758 | 51.8 (96) | 36 | * * | 13 | * * | 91 | * * | 36 | * * | 1 | * * | 776 | 38.9 (61) |
| Miami Co | 199 | 59.8 (82) | 181 | 9.9 (82) | 157 | 7.0 (58) | 115 | 16.5 (23) | 181 | 6.1 (57) | 447 | 70.7 (76) | 873 | 46.7 (88) |
| Mich City | 411 | 55.7 (91) | 356 | 11.2 (76) | 247 | 4.9 (79) | 269 | 6.3 (72) | 356 | 2.8 (84) | 697 | 68.1 (85) | 1,550 | 25.2 (39) |
| Moms/Kids | 121 | 71.9 (34) | 83 | * * | 41 | * * | 73 | * * | 83 | * * | 162 | 71.0 (73) | 348 | 22.1 (31) |
| Monroe Co | 589 | 80.6 (7) | 511 | 30.1 (4) | 431 | 18.1 (3) | 390 | 25.1 (2) | 511 | 20.0 (1) | 1,103 | 88.9 (7) | 2,418 | 18.4 (26) |
| Montgomery | 273 | 70.0 (44) | 182 | 15.4 (50) | 191 | 5.8 (73) | 139 | 15.1 (28) | 182 | 7.1 (49) | 481 | 64.0 (94) | 1,033 | 43.7 (80) |
| Morgan Co | 405 | 72.6 (29) | 332 | 16.3 (44) | 203 | 5.9 (71) | 266 | 17.3 (19) | 332 | 9.6 (29) | 607 | 62.9 (99) | 1,340 | 50.8 (101) |
| N Arlingto | 689 | 62.3 (75) | 300 | 21.3 (24) | 546 | 5.9 (71) | 218 | 19.7 (9) | 300 | 7.3 (47) | 273 | 62.3(100) | 1,957 | 40.7 (68) |
| N Liberty | 16 | * * | 5 | * * | 9 | * * | 5 | * * | 5 | * * | 30 | * * | 62 | * * |
| N Manchest | 53 | * * | 40 | * * | 35 | * * | 32 | * * | 40 | * * | 163 | 77.3 (37) | 277 | 17.0 (23) |
| Newton Co | 57 | * * | 48 | * * | 44 | * * | 38 | * * | 48 | * * | 113 | 11.5(115) | 230 | 48.7 (95) |
| Northwest | 376 | 78.5 (10) | 283 | 35.7 (1) | 423 | 24.1 (1) | 212 | 10.8 (57) | 283 | 5.7 (62) | 950 | 77.1 (38) | 2,102 | 8.3 (5) |
| Ohio Co | 7 | * * | 3 | * * | 4 | * * | 3 | * * | 3 | * * | 22 | * * | 36 | * * |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|-----------------------------|----------------------------|--------|---|---------------------------------------|--|--------|---|---------------------------------------|---|-----------------------------|-------------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Orange Co | 149 | 75.2 (21) | 149 | 18.8 (34) | 108 | 10.2 (29) | 111 | 20.7 (7) | 149 | 6.0 (58) | 327 | 71.6 (72) | 634 | 23.7 (35) |
| Owen Co | 107 | 75.7 (18) | 79 | * * | 92 | * * | 51 | * * | 79 | * * | 230 | 77.0 (39) | 473 | 57.1 (121) |
| Parke Co | 74 | * * | 46 | * * | 51 | * * | 36 | * * | 46 | * * | 138 | 81.2 (25) | 297 | 51.9 (104) |
| Perry Co | 124 | 52.4 (95) | 115 | 5.2 (87) | 71 | * * | 117 | 7.7 (70) | 115 | 3.5 (78) | 166 | 65.7 (89) | 399 | 59.1 (126) |
| Pike Co | 68 | * * | 60 | * * | 41 | * * | 58 | * * | 60 | * * | 103 | 74.8 (53) | 241 | 58.5 (125) |
| Portage | 376 | 68.9 (49) | 325 | 12.9 (70) | 208 | 8.7 (40) | 235 | 11.1 (54) | 325 | 6.5 (53) | 553 | 64.7 (92) | 1,264 | 37.8 (57) |
| Posey Co | 105 | 53.3 (93) | 112 | 7.1 (86) | 58 | * * | 83 | * * | 112 | 6.3 (56) | 144 | 72.9 (67) | 364 | 46.4 (87) |
| Pulaski Co | 74 | * * | 67 | * * | 45 | * * | 49 | * * | 67 | * * | 137 | 73.0 (65) | 296 | 48.0 (90) |
| Purdue | 121 | 94.2 (1) | 68 | * * | 95 | * * | 57 | * * | 68 | * * | 203 | 75.4 (49) | 472 | 8.5 (6) |
| Putnam Co | 214 | 65.0 (62) | 137 | 13.1 (67) | 151 | 6.6 (63) | 94 | * * | 137 | 3.6 (76) | 406 | 73.2 (63) | 863 | 56.3 (120) |
| Randolph | 162 | 61.7 (77) | 124 | 24.2 (11) | 125 | 8.8 (36) | 80 | * * | 124 | 12.9 (6) | 311 | 50.2(109) | 666 | 42.6 (75) |
| Richmond | 516 | 61.8 (76) | 327 | 13.5 (64) | 374 | 9.4 (33) | 268 | 10.4 (60) | 327 | 4.6 (68) | 934 | 82.3 (20) | 2,025 | 37.8 (57) |
| Ripley Co | 169 | 58.6 (88) | 119 | 5.0 (88) | 132 | 5.3 (75) | 85 | * * | 119 | 2.5 (86) | 348 | 77.0 (39) | 739 | 54.4 (112) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|-----------------------------|--------------------------------------|--------|--|---------------------------------------|---|--------|--|---------------------------------------|--|-----------------------------|---|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Rush Co | 88 | * * | 52 | * * | 63 | * * | 38 | * * | 52 | * * | 148 | 77.0 (39) | 321 | 48.0 (90) |
| SB Ireland Rd | 492 | 76.4 (16) | 348 | 22.7 (15) | 460 | 12.8 (15) | 262 | 21.0 (5) | 348 | 9.5 (30) | 1,162 | 82.3 (20) | 2,404 | 29.1 (44) |
| SB Lafayette | 724 | 77.8 (11) | 498 | 27.9 (6) | 722 | 14.0 (11) | 392 | 11.5 (48) | 498 | 9.0 (34) | 1,936 | 74.6 (56) | 3,764 | 10.6 (12) |
| Scott Co | 225 | 47.1(101) | 129 | 13.2 (65) | 140 | 5.7 (74) | 104 | 16.3 (24) | 129 | 10.9 (18) | 477 | 76.3 (43) | 951 | 54.2 (111) |
| Shelby Co | 309 | 67.6 (55) | 258 | 14.0 (60) | 189 | 6.9 (59) | 200 | 13.5 (35) | 258 | 7.8 (43) | 475 | 72.8 (68) | 1,093 | 49.1 (97) |
| Shelters | 3 | * * | 2 | * * | 7 | * * | 2 | * * | 2 | * * | 20 | * * | 35 | * * |
| SJ Reg Ctr | 135 | 72.6 (29) | 18 | * * | 0 | * * | 31 | * * | 18 | * * | 0 | * * | 139 | 12.2 (15) |
| So Calhoun | 2,272 | 63.3 (67) | 1,438 | 18.5 (37) | 1,694 | 8.7 (40) | 1,027 | 13.4 (36) | 1,438 | 8.2 (39) | 4,495 | 68.9 (82) | 9,433 | 31.3 (46) |
| Spencer Co | 93 | * * | 74 | * * | 65 | * * | 75 | * * | 74 | * * | 170 | 91.2 (3) | 357 | 54.9 (116) |
| St Francis | 65 | * * | 8 | * * | 2 | * * | 12 | * * | 8 | * * | 1 | * * | 61 | * * |
| St V-FLC | 439 | 65.4 (60) | 28 | * * | 7 | * * | 55 | * * | 28 | * * | 2 | * * | 459 | 22.9 (33) |
| Starke Co | 163 | 69.3 (46) | 141 | 12.8 (71) | 127 | 8.7 (40) | 107 | 11.2 (52) | 141 | 6.4 (54) | 385 | 80.8 (27) | 739 | 51.8 (103) |
| Steuben Co | 253 | 82.6 (5) | 181 | 22.1 (17) | 203 | 11.8 (17) | 132 | 19.7 (9) | 181 | 11.0 (15) | 655 | 78.5 (31) | 1,213 | 48.4 (94) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | |
|--|-----------------------------|--------------------------------------|--------|--|---------------------------------------|---|--------|--|---------------------------------------|--|-----------------------------|---------------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) |
| Sullivan | 152 | 71.7 (36) | 100 | 14.0 (60) | 79 | * * | 76 | * * | 100 | 9.0 (34) | 185 | 54.6 (113) |
| Switz""Land | 34 | * * | 29 | * * | 32 | * * | 25 | * * | 29 | * * | 85 | 58.3 (124) |
| Tippecanoe | 1,024 | 71.0 (40) | 647 | 19.9 (29) | 734 | 11.6 (19) | 485 | 19.8 (8) | 647 | 12.8 (7) | 1,911 | 30.8 (45) |
| Tipton Co | 56 | * * | 48 | * * | 44 | * * | 32 | * * | 48 | * * | 124 | 19.4 (28) |
| Union Co | 44 | * * | 27 | * * | 32 | * * | 14 | * * | 27 | * * | 88 | 52.4 (105) |
| United Fai | 320 | 68.8 (50) | 248 | 20.6 (27) | 306 | 8.8 (36) | 201 | 19.4 (12) | 248 | 10.5 (20) | 694 | 38.9 (61) |
| Valpo | 355 | 75.5 (19) | 294 | 18.7 (35) | 232 | 14.7 (9) | 228 | 14.5 (30) | 294 | 10.5 (20) | 582 | 5.8 (2) |
| Vigo | 764 | 59.6 (83) | 438 | 12.3 (73) | 480 | 5.2 (76) | 319 | 12.5 (40) | 438 | 6.8 (51) | 1,071 | 53.1 (108) |
| Vincennes | 219 | 58.9 (86) | 94 | * * | 135 | 10.4 (26) | 59 | * * | 94 | * * | 372 | 36.8 (53) |
| W 21st Ave | 335 | 57.9 (89) | 301 | 9.3 (83) | 269 | 3.3 (84) | 223 | 2.2 (77) | 301 | 2.0 (88) | 725 | 23.3 (34) |
| Wabash | 146 | 66.4 (57) | 126 | 15.1 (51) | 91 | * * | 103 | 10.7 (58) | 126 | 7.1 (49) | 304 | 16.8 (21) |
| Warren Co | 64 | * * | 41 | * * | 51 | * * | 40 | * * | 41 | * * | 136 | 54.6 (113) |
| Warrick Co | 233 | 63.1 (69) | 222 | 13.1 (67) | 175 | 5.1 (77) | 200 | 10.5 (59) | 222 | 5.9 (61) | 390 | 47.3 (89) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|--------------------------------|----------------|---|------------------------------------|--|----------------|---|------------------------------------|---|-----------------------------|-----------------|------------------|-----------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Washington | 147 | 72.1 (31) | 140 | 10.7 (79) | 104 | 2.9 (86) | 124 | 12.1 (44) | 140 | 3.6 (76) | 346 | 84.4 (13) | 674 | 37.5 (56) |
| Wells Co | 143 | 75.5 (19) | 97 | * * | 102 | 8.8 (36) | 83 | * * | 97 | * * | 258 | 64.0 (94) | 545 | 46.1 (85) |
| Westside | 360 | 68.3 (53) | 242 | 28.1 (5) | 414 | 18.6 (2) | 177 | 10.2 (61) | 242 | 3.3 (81) | 1,118 | 70.8 (75) | 2,049 | 25.0 (37) |
| White Co | 192 | 65.1 (61) | 177 | 22.0 (18) | 136 | 11.8 (17) | 150 | 16.7 (20) | 177 | 10.2 (23) | 394 | 81.0 (26) | 787 | 14.6 (17) |
| Whitley Co | 167 | 79.6 (9) | 111 | 27.0 (9) | 127 | 15.0 (7) | 82 | * * | 111 | 18.9 (3) | 373 | 82.8 (18) | 724 | 41.7 (70) |
| Wishard | 819 | 65.7 (59) | 62 | * * | 30 | * * | 115 | 7.0 (71) | 62 | * * | 6 | * * | 879 | 25.1 (38) |
| Women""s | 2 | * * | 0 | * * | 0 | * * | 0 | * * | 0 | * * | 0 | * * | 2 | * * |
| Unknown Clinics | 2 | * * | 0 | * * | 1 | * * | 1 | * * | 0 | * * | 2 | * * | 5 | * * |
| Indiana | 43,169 | 66.4 | 28,849 | 18.4 | 28,965 | 9.8 | 22,351 | 13.7 | 28,848 | 7.9 | 72,540 | 71.6 | 161,980 | 30.5 |
| Nation (Prior Year) | 1,689,615 | 63.2 | 908,604 | 25.1 | 1,069,942 | 16.9 | 363,039 | 10.7 | 466,279 | 6.1 | 1,200,700 | 79.2 | 4,203,554 | 9.4 |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Action Ctr | 117 | 7.7 (36) | 2.6 (1) | 355 | 2.3 (2) | 5.6(128) | 6.2 (9) | 134 | 14.9 (27) | 11.9 (21) | 217 | 12.4 (58) |
| Albion | 748 | 7.9 (43) | 5.7 (44) | 2,870 | 7.7(113) | 2.7 (90) | 12.4(103) | 1,281 | 15.0 (29) | 14.4 (60) | 1,924 | 16.5 (97) |
| Anderson | 2,483 | 8.5 (65) | 5.8 (46) | 8,637 | 9.3(130) | 2.4 (71) | 11.4 (80) | 3,414 | 15.9 (43) | 14.3 (58) | 5,864 | 24.8(126) |
| Ball Mem | 20 | * * | * * | 27 | * * | * * | * * | 6 | * * | * * | 10 | * * |
| Bartholome | 1,540 | 8.4 (61) | 6.0 (52) | 5,541 | 5.9 (47) | 1.8 (36) | 10.4 (52) | 2,340 | 16.5 (54) | 14.9 (69) | 3,830 | 9.6 (29) |
| Bedford | 865 | 10.1(103) | 5.3 (38) | 3,379 | 7.5(109) | 1.6 (28) | 11.0 (68) | 1,386 | 16.9 (62) | 13.5 (42) | 2,370 | 8.8 (20) |
| Benton Co | 121 | 10.7(112) | 6.6 (68) | 664 | 4.1 (7) | 0.8 (1) | 11.6 (86) | 352 | 20.5(118) | 17.6(108) | 496 | 13.1 (65) |
| Berne | 63 | * * | * * | 375 | 8.3(122) | 3.2(109) | 10.4 (52) | 185 | 21.6(122) | 9.2 (3) | 290 | 18.3(110) |
| Bicknell | 77 | * * | * * | 338 | 8.9(129) | 2.1 (52) | 10.7 (60) | 164 | 17.7 (83) | 15.9 (84) | 238 | 14.7 (80) |
| Blackburn | 1,189 | 11.3(118) | 5.1 (30) | 4,080 | 7.3(103) | 3.6(115) | 10.2 (43) | 1,623 | 13.5 (10) | 12.1 (23) | 2,644 | 28.2(127) |
| Blackford | 280 | 7.5 (31) | 5.4 (39) | 1,214 | 6.7 (73) | 3.0(101) | 10.4 (52) | 549 | 12.9 (7) | 13.7 (51) | 868 | 10.9 (43) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|------------------------------------|--------|---------------------------|----------------------|-----------------------------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | | Anemia Low Hb/Hct (8) | |
| | Low | High | | Short Stature | Under- weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Boone Co | 562 | 8.5 (65) | 5.9 (48) | 2,214 | 7.1 (98) | 4.1(122) | 11.5 (82) | 951 | 15.1 (30) | 15.2 (77) | 1,503 | 10.4 (37) |
| Brazil | 601 | 5.2 (5) | 7.5 (97) | 2,688 | 6.8 (81) | 1.1 (6) | 13.7(127) | 1,281 | 18.6 (98) | 17.9(112) | 1,882 | 12.2 (56) |
| Brown Co | 192 | 6.8 (17) | 10.4(127) | 888 | 5.2 (24) | 1.1 (6) | 10.4 (52) | 409 | 14.9 (27) | 15.9 (84) | 636 | 2.0 (1) |
| Cambridge | 100 | 4.0 (2) | 8.0(106) | 482 | 6.2 (55) | 2.3 (68) | 13.3(121) | 243 | 21.4(121) | 20.2(121) | 356 | 12.6 (60) |
| Carroll Co | 235 | 9.4 (87) | 8.9(121) | 1,107 | 5.8 (45) | 1.4 (17) | 11.7 (90) | 552 | 18.7 (99) | 16.5 (92) | 833 | 14.9 (83) |
| Cass Co | 1,043 | 7.8 (41) | 6.6 (68) | 4,809 | 5.1 (19) | 2.7 (90) | 12.7(113) | 2,379 | 16.6 (56) | 16.8 (96) | 3,572 | 11.6 (51) |
| Citizens | 2,121 | 8.8 (72) | 6.1 (56) | 6,492 | 7.0 (90) | 4.6(125) | 8.7 (15) | 2,524 | 14.2 (15) | 11.3 (16) | 3,958 | 30.4(128) |
| Civic Ctr | 2,905 | 10.8(113) | 4.9 (21) | 10,185 | 7.4(108) | 2.0 (47) | 10.0 (37) | 3,997 | 17.8 (86) | 14.3 (58) | 6,911 | 9.2 (25) |
| Clark Co | 2,082 | 9.0 (76) | 5.6 (41) | 8,449 | 7.3(103) | 1.6 (28) | 12.5(107) | 3,568 | 17.5 (75) | 16.7 (95) | 5,944 | 15.6 (88) |
| Clay City | 29 | * * | * * | 173 | 5.2 (24) | 1.2 (10) | 9.8 (34) | 93 | * * | * * | 134 | 10.4 (37) |
| Clinton | 286 | 10.1(103) | 5.9 (48) | 1,191 | 7.7(113) | 1.9 (41) | 11.1 (71) | 517 | 17.6 (79) | 17.2(102) | 867 | 16.4 (95) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Clinton Co | 838 | 6.7 (15) | 9.3(124) | 3,885 | 6.7 (73) | 1.1 (6) | 14.0(129) | 1,865 | 18.7 (99) | 17.6(108) | 2,867 | 12.8 (61) |
| Comm East | 676 | 10.2(107) | 4.4 (13) | 706 | 6.8 (81) | 22.4(136) | 2.3 (2) | 7 | * * | * * | 29 | * * |
| Cottage Gr | 1,737 | 10.0 (99) | 7.1 (87) | 8,371 | 7.7(113) | 2.5 (79) | 13.2(120) | 3,943 | 16.2 (49) | 14.6 (64) | 5,852 | 9.8 (35) |
| Crawford | 201 | 7.0 (21) | 5.0 (25) | 847 | 7.9(118) | 1.5 (22) | 9.8 (34) | 380 | 18.2 (91) | 14.5 (63) | 599 | 11.0 (44) |
| Crown Pt | 1,632 | 7.3 (25) | 7.5 (97) | 5,860 | 6.6 (71) | 1.5 (22) | 8.9 (16) | 2,351 | 13.7 (13) | 10.1 (6) | 3,834 | 9.5 (28) |
| Daviess Co | 559 | 10.6(110) | 2.7 (2) | 2,405 | 7.0 (90) | 2.7 (90) | 14.3(131) | 1,146 | 17.5 (75) | 22.0(124) | 1,682 | 19.7(116) |
| Dearborn | 888 | 7.7 (36) | 8.4(114) | 3,538 | 5.7 (43) | 1.4 (17) | 10.3 (48) | 1,512 | 17.6 (79) | 14.2 (57) | 2,510 | 11.0 (44) |
| Decatur | 497 | 10.1(103) | 6.4 (65) | 1,969 | 8.2(121) | 2.3 (68) | 10.3 (48) | 855 | 15.7 (36) | 11.8 (19) | 1,372 | 24.3(124) |
| Decatur Co | 552 | 8.9 (73) | 5.4 (39) | 2,451 | 5.5 (36) | 1.5 (22) | 12.6(110) | 1,158 | 19.3(105) | 17.6(108) | 1,808 | 6.7 (9) |
| Dekalb Co | 887 | 7.7 (36) | 7.8(103) | 3,103 | 6.5 (65) | 2.2 (62) | 12.4(103) | 1,321 | 21.0(119) | 17.3(103) | 2,039 | 13.6 (68) |
| Dubois Co | 736 | 6.7 (15) | 6.7 (70) | 3,014 | 5.6 (38) | 2.2 (62) | 10.2 (43) | 1,310 | 15.8 (39) | 15.1 (72) | 2,181 | 9.1 (24) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------------|--------------|-----------|------------------------------|--------|---------------------|----------------|-----------------------|------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | | Anemia Low Hb/Hct (8) | |
| | Low | High | | Short Stature | Under-weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| E Chicago | 1,714 | 11.0 (115) | 5.7 (44) | 7,351 | 6.3 (59) | 2.1 (52) | 12.7 (113) | 3,359 | 17.1 (65) | 15.1 (72) | 5,245 | 14.2 (75) |
| Eaton | 39 | * * | * * | 218 | 11.0 (134) | 5.0 (126) | 15.1 (134) | 108 | 14.8 (26) | 15.7 (82) | 170 | 17.1 (101) |
| Elkhart | 3,691 | 8.4 (61) | 7.0 (83) | 15,793 | 5.4 (32) | 1.5 (22) | 11.7 (90) | 7,357 | 17.8 (86) | 16.1 (86) | 11,425 | 7.7 (13) |
| Elwood | 275 | 7.3 (25) | 3.6 (4) | 1,044 | 10.2 (133) | 1.7 (33) | 12.1 (98) | 441 | 19.3 (105) | 16.8 (96) | 729 | 16.6 (98) |
| Fayette Co | 633 | 7.9 (43) | 7.1 (87) | 2,438 | 7.5 (109) | 2.0 (47) | 10.2 (43) | 1,053 | 15.3 (31) | 13.4 (39) | 1,643 | 18.4 (111) |
| Floyd Co | 1,256 | 10.1 (103) | 5.0 (25) | 5,072 | 8.4 (125) | 1.8 (36) | 13.9 (128) | 2,156 | 19.6 (110) | 18.2 (116) | 3,488 | 12.4 (58) |
| Forest Man | 1,719 | 11.9 (124) | 5.1 (30) | 7,713 | 6.2 (55) | 4.3 (123) | 9.5 (30) | 3,434 | 13.1 (8) | 10.1 (6) | 5,231 | 15.7 (89) |
| Fountain | 325 | 8.3 (57) | 7.1 (87) | 1,349 | 5.6 (38) | 1.3 (13) | 10.0 (37) | 604 | 18.4 (95) | 15.6 (80) | 949 | 11.5 (50) |
| Franklin C | 294 | 6.1 (8) | 7.1 (87) | 1,126 | 7.0 (90) | 1.8 (36) | 12.1 (98) | 486 | 20.0 (114) | 18.5 (117) | 766 | 21.5 (120) |
| Fulton Co | 457 | 8.1 (50) | 5.0 (25) | 1,971 | 4.3 (8) | 3.2 (109) | 12.1 (98) | 877 | 15.7 (36) | 17.3 (103) | 1,423 | 15.9 (92) |
| Georgetown | 3,033 | 9.1 (80) | 7.0 (83) | 13,832 | 5.2 (24) | 3.4 (113) | 12.6 (110) | 6,356 | 17.1 (65) | 15.1 (72) | 9,590 | 17.3 (103) |

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | (8) | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Gibson Co | 549 | 7.1 (23) | 3.8 (6) | 2,166 | 7.0 (90) | 1.8 (36) | 11.8 (94) | 895 | 16.2 (49) | 17.4(107) | 1,480 | 13.9 (71) |
| Glenn Pk | 1,494 | 10.0 (99) | 5.1 (30) | 6,271 | 6.3 (59) | 2.5 (79) | 9.4 (25) | 2,825 | 14.4 (17) | 11.0 (13) | 4,715 | 23.4(122) |
| Goshen | 1,851 | 7.3 (25) | 9.0(122) | 8,104 | 5.1 (19) | 1.2 (10) | 11.5 (82) | 3,740 | 17.3 (71) | 16.3 (89) | 5,864 | 4.4 (4) |
| Grant Co | 1,677 | 10.2(107) | 5.2 (35) | 6,950 | 7.3(103) | 2.7 (90) | 12.4(103) | 3,172 | 15.8 (39) | 15.5 (79) | 4,967 | 22.5(121) |
| Grant St | 1,158 | 13.4(126) | 4.4 (13) | 4,414 | 9.3(130) | 2.1 (52) | 10.1 (40) | 1,889 | 12.6 (5) | 10.3 (10) | 3,180 | 17.4(105) |
| Grassy Crk | 2,400 | 9.8 (94) | 4.5 (15) | 10,285 | 6.8 (81) | 3.9(120) | 11.4 (80) | 4,647 | 16.0 (45) | 13.2 (35) | 6,906 | 17.5(106) |
| Greene Co | 498 | 7.6 (33) | 6.2 (60) | 2,108 | 7.2(102) | 1.6 (28) | 13.3(121) | 945 | 19.6(110) | 18.6(118) | 1,511 | 8.5 (19) |
| Hamilton | 1,902 | 9.0 (76) | 6.8 (74) | 8,061 | 5.9 (47) | 2.7 (90) | 8.2 (11) | 3,471 | 14.0 (14) | 10.1 (6) | 5,701 | 14.0 (72) |
| Hammond | 2,100 | 9.8 (94) | 5.2 (35) | 9,382 | 5.3 (29) | 2.5 (79) | 10.2 (43) | 4,265 | 15.6 (33) | 12.8 (33) | 6,731 | 17.2(102) |
| Hancock Co | 795 | 6.5 (13) | 7.7(101) | 3,000 | 8.7(128) | 1.4 (17) | 11.8 (94) | 1,176 | 16.4 (53) | 13.7 (51) | 2,052 | 12.2 (56) |
| Hanna | 3,129 | 8.1 (50) | 6.5 (67) | 12,476 | 7.7(113) | 2.4 (71) | 11.7 (90) | 5,219 | 17.2 (67) | 14.7 (67) | 8,492 | 15.8 (90) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|------------------------------------|--------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Harrison | 677 | 9.7 (90) | 7.2 (92) | 2,747 | 7.7(113) | 1.9 (41) | 11.2 (77) | 1,245 | 17.2 (67) | 16.6 (94) | 1,941 | 9.0 (22) |
| Hendricks | 1,321 | 9.0 (76) | 7.0 (83) | 4,420 | 6.5 (65) | 3.0(101) | 9.6 (31) | 1,726 | 17.2 (67) | 12.3 (27) | 2,762 | 18.4(111) |
| Henry Co | 958 | 9.0 (76) | 7.3 (95) | 3,999 | 5.7 (43) | 3.3(112) | 9.2 (23) | 1,805 | 17.5 (75) | 13.2 (35) | 2,925 | 11.2 (48) |
| Hessville | 1,068 | 8.6 (69) | 7.2 (92) | 4,287 | 5.8 (45) | 2.6 (85) | 11.0 (68) | 1,870 | 14.6 (23) | 13.6 (48) | 3,019 | 4.3 (3) |
| Hispanic C | 295 | 4.4 (3) | 7.5 (97) | 1,637 | 3.5 (4) | 1.3 (13) | 14.6(132) | 861 | 18.9(103) | 19.3(120) | 1,215 | 12.0 (54) |
| Howard Co | 2,015 | 8.4 (61) | 5.6 (41) | 8,577 | 7.1 (98) | 2.2 (62) | 12.1 (98) | 3,870 | 18.1 (88) | 15.1 (72) | 6,308 | 24.0(123) |
| Huntington | 673 | 7.9 (43) | 4.6 (16) | 2,797 | 6.6 (71) | 2.6 (85) | 9.8 (34) | 1,188 | 14.6 (23) | 12.2 (25) | 1,998 | 9.7 (34) |
| IN0108 Closed | 75 | * * | * * | 415 | 4.3 (8) | 3.1(106) | 13.0(117) | 212 | 23.1(124) | 15.1 (72) | 274 | 15.3 (85) |
| IN0904 Closed | 476 | 9.7 (90) | 4.0 (7) | 1,874 | 5.6 (38) | 1.4 (17) | 9.0 (20) | 645 | 17.2 (67) | 13.5 (42) | 1,269 | 6.2 (8) |
| IN1907 Closed | 0 | * * | * * | 50 | * * | * * | * * | 40 | * * | * * | 40 | * * |
| Jackson Co | 988 | 6.4 (10) | 6.7 (70) | 4,227 | 5.6 (38) | 1.1 (6) | 12.0 (97) | 1,891 | 20.0(114) | 18.0(114) | 3,015 | 7.0 (10) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | (8) | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Jasonville | 22 | * * | * * | 116 | 9.5(132) | 2.6 (85) | 11.2 (77) | 52 | * * | * * | 81 | * * |
| Jasper Co | 629 | 7.9 (43) | 7.9(105) | 2,691 | 5.4 (32) | 3.2(109) | 11.6 (86) | 1,215 | 16.9 (62) | 14.7 (67) | 1,969 | 17.6(108) |
| Jay Co | 423 | 8.7 (70) | 4.0 (7) | 1,687 | 6.5 (65) | 1.5 (22) | 11.1 (71) | 707 | 17.4 (73) | 17.1(101) | 1,179 | 16.4 (95) |
| Jefferson | 681 | 11.5(121) | 8.2(110) | 2,687 | 7.1 (98) | 1.6 (28) | 13.4(123) | 1,107 | 21.0(119) | 21.3(123) | 1,863 | 9.3 (27) |
| Jennings | 789 | 7.6 (33) | 7.7(101) | 3,589 | 7.6(112) | 3.1(106) | 12.2(102) | 1,748 | 17.0 (64) | 14.9 (69) | 2,642 | 18.8(113) |
| Johnson Co | 2,088 | 7.7 (36) | 7.4 (96) | 7,759 | 5.3 (29) | 2.6 (85) | 7.9 (10) | 3,205 | 15.7 (36) | 11.5 (17) | 5,457 | 11.1 (46) |
| Kosciusko | 1,193 | 8.5 (65) | 6.3 (63) | 4,880 | 6.5 (65) | 1.3 (13) | 12.8(115) | 2,166 | 19.3(105) | 17.9(112) | 3,435 | 8.4 (17) |
| Lagrange | 392 | 9.7 (90) | 5.9 (48) | 1,895 | 6.2 (55) | 1.5 (22) | 11.1 (71) | 923 | 19.6(110) | 16.5 (92) | 1,351 | 8.8 (20) |
| Lake Station | 1,362 | 7.5 (31) | 5.9 (48) | 5,468 | 5.4 (32) | 1.9 (41) | 10.1 (40) | 2,408 | 15.3 (31) | 12.3 (27) | 3,874 | 11.1 (46) |
| Laporte | 1,176 | 8.3 (57) | 6.2 (60) | 5,079 | 6.8 (81) | 2.1 (52) | 13.1(119) | 2,275 | 18.7 (99) | 13.9 (53) | 3,631 | 9.0 (22) |
| Main St | 2,419 | 10.6(110) | 4.3 (11) | 8,575 | 6.5 (65) | 6.0(129) | 10.2 (43) | 3,434 | 15.9 (43) | 14.4 (60) | 5,835 | 19.6(115) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|------------------------------------|--------|---------------------------|-----------------------------|--------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Marshall | 1,004 | 6.4 (10) | 8.0 (106) | 4,083 | 6.9 (89) | 1.0 (4) | 14.1 (130) | 1,804 | 20.0 (114) | 16.9 (98) | 2,924 | 7.1 (11) |
| Martin Co | 173 | 9.2 (84) | 7.5 (97) | 772 | 5.1 (19) | 0.8 (1) | 10.8 (62) | 333 | 14.7 (25) | 13.5 (42) | 547 | 4.4 (4) |
| Memorial | 1,337 | 11.6 (122) | 6.8 (74) | 1,334 | 8.3 (122) | 9.0 (131) | 3.7 (5) | 0 | * * | * * | 75 | * * |
| Merrillville | 5 | * * | * * | 8 | * * | * * | * * | 4 | * * | * * | 4 | * * |
| Methodist | 2,242 | 10.5 (109) | 6.4 (65) | 2,275 | 7.9 (118) | 13.9 (133) | 3.5 (4) | 4 | * * | * * | 74 | * * |
| Miami Co | 644 | 8.5 (65) | 8.2 (110) | 2,887 | 6.0 (53) | 1.9 (41) | 9.4 (25) | 1,389 | 14.4 (17) | 11.6 (18) | 2,085 | 11.8 (52) |
| Mich City | 1,229 | 12.2 (125) | 4.3 (11) | 4,811 | 6.3 (59) | 3.1 (106) | 11.1 (71) | 2,057 | 16.7 (57) | 13.6 (48) | 3,264 | 17.3 (103) |
| Moms/Kids | 228 | 6.6 (14) | 6.1 (56) | 990 | 4.9 (14) | 2.1 (52) | 11.3 (79) | 486 | 13.4 (9) | 13.4 (39) | 705 | 15.5 (87) |
| Monroe Co | 1,814 | 8.1 (50) | 8.7 (118) | 7,663 | 6.7 (73) | 1.8 (36) | 10.7 (60) | 3,392 | 17.7 (83) | 13.9 (53) | 5,383 | 13.3 (66) |
| Montgomery | 812 | 9.1 (80) | 8.0 (106) | 3,251 | 6.4 (63) | 2.4 (71) | 10.6 (58) | 1,433 | 18.5 (97) | 16.1 (86) | 2,306 | 12.8 (61) |
| Morgan Co | 1,206 | 8.1 (50) | 6.9 (80) | 4,462 | 7.0 (90) | 1.7 (33) | 11.6 (86) | 1,816 | 19.4 (108) | 16.1 (86) | 3,103 | 17.0 (100) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------------|--------------|----------|------------------------------|--------|---------------------|-----------------------|--------|-----------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under-weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| N Arlingto | 1,978 | 11.3 (118) | 5.2 (35) | 8,293 | 5.9 (47) | 3.8(118) | 10.1 (40) | 3,712 | 14.5 (20) | 12.2 (25) | 5,673 | 21.0(119) |
| N Liberty | 35 | * * | * * | 186 | 3.8 (5) | 2.2 (62) | 8.6 (13) | 91 | * * | * * | 131 | 9.2 (25) |
| N Manchest | 179 | 9.5 (88) | 5.6 (41) | 908 | 6.8 (81) | 1.3 (13) | 10.0 (37) | 482 | 16.8 (59) | 10.6 (12) | 691 | 5.5 (7) |
| Newton Co | 177 | 6.2 (9) | 6.8 (74) | 759 | 6.2 (55) | 4.5(124) | 13.6(126) | 339 | 13.6 (12) | 12.1 (23) | 557 | 14.2 (75) |
| Northwest | 1,305 | 8.1 (50) | 6.8 (74) | 6,901 | 4.8 (11) | 2.4 (71) | 12.9(116) | 3,285 | 17.6 (79) | 15.0 (71) | 4,981 | 13.6 (68) |
| Ohio Co | 20 | * * | * * | 148 | 2.0 (1) | 2.7 (90) | 16.2(136) | 91 | * * | * * | 115 | 10.4 (37) |
| Orange Co | 448 | 9.6 (89) | 4.7 (18) | 2,021 | 7.0 (90) | 2.4 (71) | 9.6 (31) | 988 | 16.0 (45) | 13.3 (38) | 1,469 | 8.2 (15) |
| Owen Co | 329 | 7.3 (25) | 8.5(115) | 1,480 | 5.9 (47) | 2.5 (79) | 12.6(110) | 672 | 15.8 (39) | 17.7(111) | 1,079 | 9.6 (29) |
| Parke Co | 235 | 8.9 (73) | 3.4 (3) | 955 | 6.7 (73) | 2.0 (47) | 10.4 (52) | 411 | 16.1 (47) | 12.4 (29) | 710 | 9.6 (29) |
| Perry Co | 365 | 11.2(117) | 4.9 (21) | 1,308 | 13.1(136) | 3.7(117) | 15.4(135) | 534 | 12.7 (6) | 9.9 (5) | 914 | 30.7(129) |
| Pike Co | 213 | 11.7(123) | 7.0 (83) | 785 | 11.2(135) | 2.2 (62) | 12.5(107) | 293 | 18.8(102) | 20.8(122) | 519 | 4.8 (6) |

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|-------------|------------------------------------|---------------------------|----------------------|-----------------------------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | | Anemia Low Hb/Hct (8) | |
| | Low | High | | Short Stature | Under- weight | Obese | | ≥ 2 Yrs Overweight and Obese | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Portage | 1,102 | 6.4 (10) | 8.3 (112) | 4,180 | 6.7 (73) | 2.0 (47) | 9.4 (25) | 1,692 | 16.5 (54) | 11.0 (13) | 2,931 | 10.6 (40) |
| Posey Co | 305 | 8.9 (73) | 4.9 (21) | 1,134 | 5.9 (47) | 2.6 (85) | 8.2 (11) | 429 | 13.5 (10) | 10.5 (11) | 763 | 10.6 (40) |
| Pulaski Co | 247 | 6.9 (19) | 6.1 (56) | 1,090 | 5.0 (17) | 2.2 (62) | 11.8 (94) | 501 | 16.8 (59) | 12.6 (31) | 803 | 11.2 (48) |
| Purdue | 385 | 5.7 (6) | 8.3 (112) | 1,465 | 2.3 (2) | 4.0 (121) | 5.3 (8) | 601 | 12.1 (3) | 7.0 (1) | 995 | 9.6 (29) |
| Putnam Co | 692 | 8.1 (50) | 8.8 (119) | 2,808 | 5.9 (47) | 3.0 (101) | 12.4 (103) | 1,237 | 20.2 (117) | 16.9 (98) | 1,934 | 8.4 (17) |
| Randolph | 547 | 9.1 (80) | 5.1 (30) | 2,115 | 6.8 (81) | 2.1 (52) | 9.4 (25) | 851 | 14.5 (20) | 12.7 (32) | 1,460 | 14.0 (72) |
| Richmond | 1,587 | 8.3 (57) | 6.3 (63) | 6,247 | 6.7 (73) | 2.0 (47) | 10.9 (65) | 2,650 | 17.4 (73) | 13.5 (42) | 4,256 | 16.8 (99) |
| Ripley Co | 552 | 9.2 (84) | 5.8 (46) | 2,416 | 4.9 (14) | 1.9 (41) | 10.9 (65) | 1,064 | 16.8 (59) | 15.2 (77) | 1,746 | 13.7 (70) |
| Rush Co | 275 | 8.0 (48) | 6.9 (80) | 1,086 | 5.5 (36) | 3.5 (114) | 9.1 (21) | 472 | 16.1 (47) | 14.0 (55) | 744 | 12.8 (61) |
| SB Ireland Rd | 1,721 | 7.9 (43) | 8.1 (109) | 8,118 | 5.0 (17) | 2.9 (98) | 9.1 (21) | 3,676 | 12.0 (2) | 8.7 (2) | 5,650 | 15.3 (85) |
| SB Lafayette | 2,013 | 9.9 (96) | 6.7 (70) | 11,584 | 4.9 (14) | 2.1 (52) | 11.1 (71) | 5,903 | 16.3 (52) | 12.9 (34) | 8,486 | 14.4 (79) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|------------------------------------|--------|---------------------------|----------------------|-----------------------------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | | Anemia Low Hb/Hct (8) | |
| | Low | High | | Short Stature | Under- weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Scott Co | 656 | 9.9 (96) | 4.1 (9) | 2,906 | 6.0 (53) | 3.0(101) | 11.5 (82) | 1,364 | 15.6 (33) | 16.3 (89) | 2,059 | 13.0 (64) |
| Shelby Co | 897 | 7.0 (21) | 6.2 (60) | 3,394 | 7.0 (90) | 1.0 (4) | 13.4(123) | 1,399 | 16.7 (57) | 17.3(103) | 2,334 | 14.1 (74) |
| Shelters | 15 | * * | * * | 146 | 6.8 (81) | 5.5(127) | 10.3 (48) | 85 | * * | * * | 114 | 15.8 (90) |
| SJ Reg Ctr | 489 | 8.4 (61) | 6.7 (70) | 490 | 6.5 (65) | 6.5(130) | 4.7 (6) | 1 | * * | * * | 31 | * * |
| So Calhoun | 6,876 | 9.7 (90) | 4.8 (20) | 29,351 | 6.8 (81) | 2.4 (71) | 11.7 (90) | 13,792 | 16.2 (49) | 13.6 (48) | 21,207 | 20.3(118) |
| Spencer Co | 270 | 7.8 (41) | 4.1 (9) | 1,104 | 7.5(109) | 0.9 (3) | 13.4(123) | 493 | 19.7(113) | 18.9(119) | 812 | 8.1 (14) |
| St Francis | 204 | 5.9 (7) | 7.8(103) | 211 | 8.5(126) | 16.6(134) | 1.4 (1) | 1 | * * | * * | 8 | * * |
| St V-FLC | 1,292 | 9.1 (80) | 5.0 (25) | 1,329 | 5.4 (32) | 18.6(135) | 2.6 (3) | 7 | * * | * * | 45 | * * |
| Starke Co | 534 | 7.3 (25) | 9.4(125) | 2,427 | 5.1 (19) | 1.2 (10) | 13.0(117) | 1,161 | 18.3 (93) | 16.4 (91) | 1,895 | 15.0 (84) |
| Steuben Co | 751 | 8.1 (50) | 8.8(119) | 3,847 | 4.4 (10) | 2.9 (98) | 10.6 (58) | 2,007 | 17.3 (71) | 14.6 (64) | 2,859 | 10.2 (36) |
| Sullivan | 435 | 7.1 (23) | 6.0 (52) | 1,571 | 8.3(122) | 1.7 (33) | 12.5(107) | 640 | 19.5(109) | 16.9 (98) | 1,084 | 12.0 (54) |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------------|--------------|----------|------------------------------|--------|---------------------|-----------------------|--------|-----------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under-weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Switz""Land | 121 | 2.5 (1) | 9.1(123) | 561 | 4.8 (11) | 2.9 (98) | 10.5 (57) | 257 | 18.3 (93) | 14.0 (55) | 414 | 11.8 (52) |
| Tippecanoe | 3,199 | 7.6 (33) | 8.5(115) | 13,399 | 5.1 (19) | 2.3 (68) | 11.6 (86) | 6,051 | 17.6 (79) | 14.6 (64) | 9,508 | 14.2 (75) |
| Tipton Co | 172 | 9.3 (86) | 4.7 (18) | 797 | 5.3 (29) | 3.0(101) | 9.2 (23) | 395 | 12.4 (4) | 13.2 (35) | 598 | 7.5 (12) |
| Union Co | 132 | 8.3 (57) | 9.8(126) | 586 | 3.9 (6) | 1.4 (17) | 9.4 (25) | 279 | 21.9(123) | 11.8 (19) | 415 | 17.6(108) |
| United Fai | 1,155 | 8.7 (70) | 6.0 (52) | 4,770 | 6.3 (59) | 2.5 (79) | 10.8 (62) | 2,067 | 17.5 (75) | 13.5 (42) | 3,390 | 16.0 (93) |
| Valpo | 1,030 | 6.9 (19) | 8.6(117) | 4,219 | 6.4 (63) | 2.4 (71) | 10.8 (62) | 1,826 | 14.5 (20) | 13.4 (39) | 2,968 | 14.2 (75) |
| Vigo | 2,247 | 7.7 (36) | 7.1 (87) | 7,937 | 6.7 (73) | 1.9 (41) | 10.9 (65) | 3,110 | 17.7 (83) | 15.8 (83) | 5,427 | 10.7 (42) |
| Vincennes | 672 | 10.0 (99) | 4.6 (16) | 2,446 | 6.7 (73) | 3.8(118) | 10.3 (48) | 1,091 | 15.8 (39) | 14.4 (60) | 1,519 | 3.9 (2) |
| W 21st Ave | 1,174 | 14.7(127) | 3.6 (4) | 4,900 | 7.0 (90) | 3.6(115) | 8.9 (16) | 2,243 | 11.1 (1) | 9.6 (4) | 3,537 | 24.6(125) |
| Wabash | 428 | 6.8 (17) | 6.1 (56) | 1,934 | 5.6 (38) | 2.1 (52) | 8.6 (13) | 893 | 14.4 (17) | 11.2 (15) | 1,356 | 8.3 (16) |
| Warren Co | 175 | 5.1 (4) | 6.9 (80) | 794 | 5.2 (24) | 2.5 (79) | 9.6 (31) | 386 | 18.1 (88) | 13.5 (42) | 557 | 13.5 (67) |

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|------------------|-------------|------------------------------------|----------------|---------------------------|-----------------------------|----------------|-------------|
| Clinic | Birthweight (5) | | | Height and Weight (3,4) | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature | Under- weight | Obese | ≥ 2 Yrs Overweight and Obese | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % (Rank) | % (Rank) | % (Rank) | Number | % Overweight (Rank) | % Obese (Rank) | Number | % (Rank) |
| Warrick Co | 740 | 9.9 (96) | 7.2 (92) | 2,862 | 8.6(127) | 2.8 (97) | 11.1 (71) | 1,174 | 14.3 (16) | 12.4 (29) | 1,973 | 14.7 (80) |
| Washington | 470 | 10.0 (99) | 4.9 (21) | 2,202 | 7.3(103) | 2.1 (52) | 11.0 (68) | 1,022 | 19.2(104) | 15.6 (80) | 1,604 | 9.6 (29) |
| Wells Co | 422 | 10.9(114) | 5.0 (25) | 1,733 | 7.1 (98) | 1.6 (28) | 8.9 (16) | 764 | 18.1 (88) | 11.9 (21) | 1,248 | 14.7 (80) |
| Westside | 1,261 | 8.0 (48) | 6.8 (74) | 7,146 | 4.8 (11) | 2.1 (52) | 14.6(132) | 3,394 | 18.2 (91) | 18.1(115) | 5,215 | 18.9(114) |
| White Co | 603 | 7.3 (25) | 6.8 (74) | 2,529 | 5.2 (24) | 2.4 (71) | 8.9 (16) | 1,143 | 15.6 (33) | 10.1 (6) | 1,832 | 17.5(106) |
| Whitley Co | 565 | 11.0(115) | 5.1 (30) | 2,439 | 7.9(118) | 2.7 (90) | 11.5 (82) | 1,115 | 18.4 (95) | 17.3(103) | 1,755 | 16.3 (94) |
| Wishard | 2,534 | 11.3(118) | 6.0 (52) | 2,607 | 7.3(103) | 10.5(132) | 5.2 (7) | 10 | * * | * * | 119 | 20.2(117) |
| Women""s | 2 | * * | * * | 4 | * * | * * | * * | 1 | * * | * * | 2 | * * |
| Unknown Clinics | 2 | * * | * * | 5 | * * | * * | * * | 2 | * * | * * | 3 | * * |
| Indiana | 132,498 | 9.0 | 6.3 | 522,056 | 6.4 | 2.6 | 11.1 | 227,729 | 16.6 | 14.3 | 361,426 | 14.6 |

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|----------------------------|--------|---|------------------------------------|--|--------|---|------------------------------------|---|-----------------------------|-------------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Action Ctr | 130 | 59.2 (89) | 69 | * * | 70 | * * | 68 | * * | 68 | * * | 129 | 56.6(117) | 220 | 27.7 (45) |
| Albion | 863 | 70.8 (27) | 572 | 21.7 (26) | 630 | 9.7 (36) | 554 | 17.7 (14) | 568 | 12.3 (9) | 1,355 | 67.8 (97) | 1,657 | 31.3 (52) |
| Anderson | 2,683 | 57.5 (96) | 1,848 | 18.3 (40) | 1,673 | 10.6 (27) | 1,738 | 14.5 (36) | 1,836 | 10.0 (23) | 3,626 | 67.7 (98) | 5,191 | 44.1 (82) |
| Ball Mem | 23 | * * | 11 | * * | 9 | * * | 11 | * * | 11 | * * | 8 | * * | 29 | * * |
| Bartholome | 1,717 | 67.0 (49) | 1,228 | 16.7 (58) | 1,130 | 7.6 (73) | 1,184 | 12.8 (53) | 1,223 | 8.7 (37) | 2,487 | 85.0 (11) | 3,387 | 47.3 (95) |
| Bedford | 930 | 65.2 (58) | 733 | 11.3 (105) | 677 | 5.9 (100) | 692 | 10.8 (73) | 732 | 6.1 (78) | 1,475 | 79.3 (30) | 1,865 | 46.0 (89) |
| Benton Co | 135 | 59.3 (88) | 109 | 12.8 (95) | 114 | 9.6 (37) | 102 | 19.6 (8) | 108 | 5.6 (82) | 376 | 68.1 (95) | 347 | 44.7 (85) |
| Berne | 91 | * * | 84 | * * | 85 | * * | 81 | * * | 83 | * * | 200 | 68.5 (91) | 213 | 35.2 (59) |
| Bicknell | 86 | * * | 62 | * * | 71 | * * | 56 | * * | 62 | * * | 173 | 75.7 (51) | 203 | 51.2 (108) |
| Blackburn | 1,359 | 47.4(125) | 778 | 16.2 (64) | 873 | 6.5 (87) | 770 | 7.8 (106) | 765 | 4.4(107) | 988 | 61.3(113) | 2,474 | 18.1 (25) |
| Blackford | 300 | 70.0 (35) | 236 | 15.7 (70) | 234 | 6.4 (89) | 239 | 16.3 (19) | 236 | 11.0 (13) | 585 | 74.7 (58) | 639 | 50.7 (104) |
| Boone Co | 645 | 57.4 (97) | 453 | 19.9 (34) | 462 | 9.3 (40) | 439 | 13.4 (50) | 449 | 10.0 (23) | 1,009 | 73.5 (68) | 1,316 | 46.8 (92) |
| Brazil | 656 | 60.5 (78) | 518 | 15.4 (75) | 509 | 6.5 (87) | 506 | 10.9 (72) | 516 | 7.8 (50) | 1,370 | 75.3 (55) | 1,490 | 52.2 (115) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|----------------------------|--------|---|------------------------------------|--|--------|---|------------------------------------|---|-----------------------------|-------------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Brown Co | 221 | 78.7 (6) | 172 | 32.6 (5) | 175 | 18.9 (2) | 163 | 27.6 (3) | 172 | 8.7 (37) | 439 | 82.9 (16) | 484 | 47.7 (96) |
| Cambridge | 113 | 63.7 (64) | 87 | * * | 93 | * * | 80 | * * | 85 | * * | 255 | 83.1 (15) | 266 | 48.1 (97) |
| Carroll Co | 256 | 70.3 (31) | 214 | 20.1 (32) | 209 | 9.6 (37) | 202 | 15.8 (21) | 213 | 8.5 (40) | 580 | 87.2 (6) | 586 | 19.1 (27) |
| Cass Co | 1,132 | 59.5 (86) | 942 | 16.1 (65) | 879 | 7.8 (69) | 901 | 7.7 (108) | 940 | 4.1 (110) | 2,562 | 63.7 (108) | 2,578 | 19.5 (28) |
| Citizens | 2,261 | 53.0 (111) | 1,283 | 18.1 (42) | 1,322 | 9.2 (42) | 1,271 | 10.8 (73) | 1,273 | 6.4 (73) | 2,653 | 67.5 (99) | 4,062 | 32.2 (54) |
| Civic Ctr | 3,391 | 55.4 (105) | 2,561 | 11.1 (109) | 2,061 | 6.2 (94) | 2,439 | 10.6 (77) | 2,555 | 6.6 (70) | 4,269 | 71.4 (80) | 6,142 | 10.2 (6) |
| Clark Co | 2,379 | 66.1 (54) | 1,795 | 21.1 (30) | 1,746 | 11.4 (22) | 1,679 | 15.6 (23) | 1,779 | 10.3 (19) | 3,840 | 73.4 (70) | 4,820 | 39.4 (69) |
| Clay City | 33 | * * | 31 | * * | 33 | * * | 30 | * * | 31 | * * | 102 | 76.5 (46) | 86 | * * |
| Clinton | 301 | 52.5 (115) | 232 | 12.9 (93) | 240 | 5.0 (111) | 219 | 11.0 (70) | 232 | 7.8 (50) | 551 | 71.3 (81) | 653 | 52.1 (114) |
| Clinton Co | 916 | 71.4 (23) | 796 | 16.8 (55) | 731 | 9.2 (42) | 749 | 8.7 (97) | 792 | 5.2 (89) | 2,013 | 66.1 (105) | 2,130 | 14.0 (12) |
| Comm East | 539 | 43.6 (127) | 156 | 10.9 (112) | 142 | 2.8 (122) | 179 | 8.4 (101) | 156 | 2.6 (121) | 7 | * * | 543 | 40.1 (72) |
| Cottage Gr | 2,102 | 57.2 (98) | 1,555 | 17.6 (49) | 1,701 | 7.8 (69) | 1,478 | 8.5 (99) | 1,546 | 6.4 (73) | 2,508 | 86.4 (8) | 4,248 | 40.2 (73) |
| Crawford | 221 | 64.7 (60) | 191 | 17.8 (45) | 180 | 11.1 (24) | 180 | 17.8 (12) | 190 | 10.5 (15) | 409 | 80.2 (27) | 481 | 54.1 (121) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|-------------------------|--------|--------------------------------------|------------------------------------|---------------------------------------|--------|--------------------------------------|------------------------------------|--------------------------------------|-----------------------------|-----------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Crown Pt | 1,814 | 82.1 (3) | 1,275 | 23.7 (17) | 1,098 | 13.8 (16) | 1,195 | 15.5 (26) | 1,260 | 11.0 (13) | 2,482 | 77.4 (39) | 3,454 | 33.3 (56) |
| Daviess Co | 628 | 56.7(101) | 438 | 12.1 (100) | 466 | 5.8 (102) | 400 | 5.0 (119) | 436 | 4.6(104) | 1,239 | 69.8 (87) | 1,368 | 36.3 (61) |
| Dearborn | 995 | 59.9 (83) | 754 | 12.5 (96) | 715 | 5.5 (104) | 717 | 12.6 (56) | 751 | 7.6 (54) | 1,600 | 81.6 (21) | 2,055 | 57.2 (129) |
| Decatur | 533 | 77.9 (8) | 384 | 21.6 (27) | 368 | 9.0 (47) | 376 | 15.7 (22) | 380 | 10.5 (15) | 917 | 67.0(100) | 1,095 | 38.2 (64) |
| Decatur Co | 597 | 64.3 (63) | 502 | 13.3 (89) | 457 | 5.5 (104) | 485 | 11.8 (63) | 497 | 7.8 (50) | 1,238 | 78.8 (32) | 1,347 | 56.9 (128) |
| Dekalb Co | 985 | 78.6 (7) | 669 | 17.6 (49) | 657 | 8.2 (58) | 659 | 16.4 (17) | 663 | 9.7 (30) | 1,407 | 76.1 (49) | 1,796 | 52.2 (115) |
| Dubois Co | 817 | 74.3 (13) | 702 | 23.5 (18) | 620 | 11.8 (19) | 674 | 14.4 (38) | 700 | 8.3 (43) | 1,405 | 76.9 (44) | 1,657 | 37.6 (63) |
| E Chicago | 1,896 | 61.1 (75) | 1,531 | 17.7 (47) | 1,426 | 10.1 (33) | 1,435 | 4.3 (121) | 1,518 | 2.6(121) | 3,575 | 61.8(112) | 4,129 | 12.8 (11) |
| Eaton | 42 | * * | 44 | * * | 47 | * * | 37 | * * | 43 | * * | 115 | 77.4 (39) | 109 | 14.7 (13) |
| Elkhart | 3,991 | 70.8 (27) | 3,014 | 23.9 (16) | 3,025 | 10.8 (26) | 2,825 | 11.0 (70) | 2,983 | 7.5 (56) | 7,861 | 71.3 (81) | 8,694 | 10.2 (6) |
| Elwood | 299 | 46.5(126) | 218 | 11.0 (111) | 204 | 5.4 (107) | 207 | 6.3 (117) | 218 | 5.0 (93) | 465 | 77.4 (39) | 611 | 57.3 (130) |
| Fayette Co | 685 | 56.9 (99) | 475 | 13.5 (87) | 499 | 6.6 (86) | 455 | 9.0 (93) | 475 | 4.0(111) | 1,120 | 77.1 (42) | 1,417 | 52.9 (120) |
| Floyd Co | 1,449 | 64.9 (59) | 1,035 | 19.1 (38) | 1,018 | 8.7 (51) | 1,001 | 12.9 (52) | 1,024 | 7.8 (50) | 2,288 | 73.5 (68) | 2,959 | 46.3 (91) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|-------------------------|--------|--------------------------------------|------------------------------------|---------------------------------------|--------|--------------------------------------|------------------------------------|-----------|-----------------------------|-----------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | |
| Forest Man | 2,037 | 56.3(103) | 1,415 | 16.3 (62) | 1,628 | 6.3 (92) | 1,326 | 8.3 (102) | 1,413 | 3.9(114) | 2,198 | 33.1(124) | 3,374 | 16.7 (18) |
| Fountain | 363 | 62.8 (69) | 273 | 15.0 (77) | 267 | 8.6 (53) | 272 | 7.7 (108) | 272 | 5.1 (90) | 656 | 72.3 (77) | 782 | 50.8 (106) |
| Franklin C | 323 | 60.1 (80) | 224 | 11.6 (103) | 220 | 8.2 (58) | 205 | 11.2 (69) | 223 | 4.9 (96) | 525 | 86.1 (9) | 672 | 55.5 (124) |
| Fulton Co | 503 | 66.2 (53) | 424 | 14.6 (79) | 409 | 6.4 (89) | 392 | 13.5 (48) | 421 | 8.1 (44) | 922 | 76.6 (45) | 1,118 | 27.6 (43) |
| Georgetown | 3,646 | 71.4 (23) | 2,532 | 31.0 (6) | 2,883 | 14.6 (12) | 2,382 | 8.9 (95) | 2,499 | 4.4(107) | 6,740 | 63.0(111) | 7,993 | 16.9 (20) |
| Gibson Co | 632 | 51.1(120) | 501 | 11.2 (108) | 410 | 5.6 (103) | 475 | 10.7 (75) | 501 | 6.8 (67) | 937 | 73.6 (67) | 1,299 | 48.5 (98) |
| Glenn Pk | 1,654 | 72.2 (20) | 1,359 | 15.9 (69) | 1,223 | 7.0 (78) | 1,292 | 8.2 (103) | 1,355 | 3.6(116) | 3,021 | 70.8 (85) | 3,566 | 15.5 (14) |
| Goshen | 2,021 | 79.0 (4) | 1,573 | 30.9 (7) | 1,572 | 15.4 (8) | 1,464 | 17.8 (12) | 1,562 | 10.5 (15) | 4,057 | 81.1 (23) | 4,448 | 5.8 (1) |
| Grant Co | 1,816 | 52.3(116) | 1,469 | 10.6 (113) | 1,391 | 5.2 (110) | 1,384 | 8.5 (99) | 1,462 | 5.5 (84) | 3,417 | 65.7(107) | 3,804 | 26.6 (42) |
| Grant St | 1,256 | 51.2(119) | 990 | 8.7 (120) | 864 | 4.3 (118) | 918 | 2.7 (122) | 989 | 1.9(123) | 2,008 | 43.2(121) | 2,563 | 26.5 (41) |
| Grassy Crk | 2,830 | 62.1 (73) | 1,877 | 20.9 (31) | 2,158 | 8.9 (48) | 1,807 | 7.8 (106) | 1,860 | 4.7(101) | 4,376 | 66.6(102) | 5,802 | 20.9 (29) |
| Greene Co | 529 | 58.2 (95) | 440 | 7.3 (122) | 420 | 4.5 (117) | 419 | 9.1 (92) | 440 | 4.8 (99) | 997 | 94.2 (2) | 1,176 | 39.0 (68) |
| Hamilton | 2,255 | 74.8 (12) | 1,821 | 27.4 (12) | 1,658 | 14.2 (14) | 1,744 | 20.7 (6) | 1,807 | 13.6 (5) | 3,670 | 84.7 (14) | 4,677 | 21.4 (31) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|-------------------------|--------|--------------------------------------|------------------------------------|---------------------------------------|--------|--------------------------------------|------------------------------------|-----------|-----------------------------|-----------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | |
| Hammond | 2,365 | 71.2 (25) | 1,988 | 16.1 (65) | 1,878 | 9.1 (46) | 1,895 | 7.2 (111) | 1,980 | 4.0(111) | 4,552 | 66.9(101) | 5,244 | 22.0 (32) |
| Hancock Co | 896 | 70.6 (30) | 616 | 21.4 (28) | 622 | 10.1 (33) | 607 | 20.8 (5) | 612 | 14.2 (4) | 1,269 | 73.8 (66) | 1,799 | 16.5 (16) |
| Hanna | 3,742 | 68.7 (39) | 2,694 | 27.6 (11) | 2,745 | 16.4 (6) | 2,545 | 14.8 (32) | 2,649 | 10.5 (15) | 3,770 | 68.3 (93) | 7,130 | 27.7 (45) |
| Harrison | 746 | 70.2 (33) | 598 | 13.7 (86) | 552 | 6.7 (83) | 560 | 16.3 (19) | 598 | 8.9 (35) | 1,326 | 82.3 (18) | 1,578 | 44.0 (81) |
| Hendricks | 1,493 | 70.1 (34) | 864 | 22.2 (24) | 876 | 10.3 (31) | 854 | 19.0 (9) | 856 | 12.9 (8) | 1,835 | 80.5 (25) | 2,798 | 38.8 (66) |
| Henry Co | 1,031 | 66.9 (51) | 823 | 16.3 (62) | 817 | 8.2 (58) | 771 | 14.5 (36) | 819 | 9.9 (25) | 1,923 | 66.6(102) | 2,174 | 51.5 (111) |
| Hessville | 1,191 | 63.4 (66) | 947 | 14.0 (84) | 855 | 7.4 (74) | 907 | 6.5 (114) | 945 | 3.9(114) | 2,013 | 66.6(102) | 2,445 | 16.6 (17) |
| Hispanic C | 367 | 86.1 (2) | 303 | 38.3 (2) | 326 | 16.9 (5) | 258 | 5.0 (119) | 300 | 3.3(117) | 904 | 55.9(118) | 888 | 9.8 (5) |
| Howard Co | 2,231 | 53.6(110) | 1,932 | 11.9 (101) | 1,792 | 6.2 (94) | 1,771 | 11.3 (68) | 1,928 | 7.3 (58) | 4,152 | 74.3 (62) | 4,704 | 35.9 (60) |
| Huntington | 747 | 64.7 (60) | 572 | 14.0 (84) | 559 | 8.1 (63) | 543 | 14.0 (42) | 571 | 9.5 (31) | 1,273 | 75.0 (56) | 1,569 | 49.8 (102) |
| IN0108 Closed | 38 | * * | 29 | * * | 56 | * * | 22 | * * | 29 | * * | 230 | 73.9 (65) | 281 | 16.7 (18) |
| IN0904 Closed | 386 | 52.8(112) | 346 | 9.8 (117) | 413 | 5.3 (108) | 291 | 7.9 (104) | 344 | 4.9 (96) | 702 | 78.1 (37) | 1,103 | 16.1 (15) |
| IN1907 Closed | 0 | * * | 4 | * * | 6 | * * | 1 | * * | 4 | * * | 40 | * * | 30 | * * |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|-------------------------|--------|--------------------------------------|------------------------------------|---------------------------------------|--------|--------------------------------------|------------------------------------|-----------|-----------------------------|-----------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | |
| Jackson Co | 1,093 | 67.6 (42) | 867 | 14.6 (79) | 840 | 7.0 (78) | 823 | 11.7 (64) | 865 | 7.3 (58) | 2,034 | 78.2 (36) | 2,291 | 42.4 (78) |
| Jasonville | 23 | * * | 22 | * * | 24 | * * | 19 | * * | 22 | * * | 56 | * * | 67 | * * |
| Jasper Co | 700 | 60.4 (79) | 582 | 17.9 (43) | 540 | 9.6 (37) | 549 | 18.4 (10) | 579 | 11.9 (10) | 1,305 | 53.4(120) | 1,544 | 46.8 (92) |
| Jay Co | 476 | 65.5 (56) | 356 | 17.7 (47) | 329 | 8.2 (58) | 338 | 13.9 (43) | 352 | 9.1 (34) | 756 | 59.0(116) | 968 | 44.8 (86) |
| Jefferson | 760 | 66.3 (52) | 540 | 16.7 (58) | 505 | 10.9 (25) | 536 | 14.9 (31) | 535 | 9.5 (31) | 1,202 | 76.5 (46) | 1,543 | 28.6 (48) |
| Jennings | 848 | 61.0 (76) | 666 | 13.2 (91) | 655 | 6.0 (98) | 602 | 11.6 (65) | 665 | 8.0 (46) | 1,877 | 78.3 (35) | 1,923 | 50.0 (103) |
| Johnson Co | 2,276 | 69.7 (36) | 1,826 | 19.2 (37) | 1,539 | 10.0 (35) | 1,723 | 12.4 (57) | 1,816 | 6.6 (70) | 3,362 | 76.1 (49) | 4,581 | 31.3 (52) |
| Kosciusko | 1,340 | 70.3 (31) | 1,017 | 23.5 (18) | 1,017 | 10.6 (27) | 963 | 15.5 (26) | 1,010 | 8.1 (44) | 2,316 | 72.5 (75) | 2,753 | 33.3 (56) |
| Lagrange | 449 | 72.4 (18) | 378 | 21.4 (28) | 331 | 14.5 (13) | 356 | 19.7 (7) | 376 | 11.7 (11) | 973 | 84.8 (13) | 1,077 | 42.5 (79) |
| Lake Station | 1,490 | 67.0 (49) | 1,232 | 15.5 (73) | 1,081 | 8.0 (66) | 1,157 | 8.6 (98) | 1,229 | 5.9 (79) | 2,581 | 67.9 (96) | 3,061 | 39.5 (70) |
| Laporte | 1,344 | 67.3 (47) | 1,109 | 23.3 (20) | 952 | 16.3 (7) | 1,014 | 12.4 (57) | 1,095 | 8.0 (46) | 2,436 | 38.8(123) | 2,875 | 44.5 (83) |
| Main St | 2,536 | 60.0 (82) | 1,684 | 16.0 (68) | 1,605 | 8.5 (54) | 1,671 | 11.4 (67) | 1,675 | 5.4 (87) | 3,690 | 72.6 (74) | 4,863 | 23.9 (34) |
| Marshall | 1,108 | 71.6 (22) | 884 | 18.3 (40) | 804 | 9.2 (42) | 850 | 14.4 (38) | 880 | 9.8 (27) | 1,930 | 75.0 (56) | 2,356 | 8.3 (3) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|-------------------------|--------|--------------------------------------|------------------------------------|---------------------------------------|--------|--------------------------------------|------------------------------------|--------------------------------------|-----------------------------|-----------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Martin Co | 190 | 53.7(109) | 163 | 11.7 (102) | 149 | 6.7 (83) | 160 | 10.6 (77) | 163 | 6.7 (69) | 358 | 90.5 (3) | 417 | 33.6 (58) |
| Memorial | 1,003 | 72.3 (19) | 356 | 27.2 (13) | 276 | 14.1 (15) | 395 | 10.1 (81) | 355 | 6.8 (67) | 0 | * * | 1,012 | 11.5 (10) |
| Merrillville | 6 | * * | 1 | * * | 1 | * * | 1 | * * | 1 | * * | 4 | * * | 9 | * * |
| Methodist | 1,761 | 49.3(124) | 541 | 16.8 (55) | 469 | 9.2 (42) | 618 | 7.0 (113) | 534 | 4.5(106) | 3 | * * | 1,764 | 37.2 (62) |
| Miami Co | 684 | 59.6 (85) | 590 | 12.9 (93) | 571 | 4.7 (114) | 545 | 13.6 (45) | 589 | 7.6 (54) | 1,463 | 72.5 (75) | 1,566 | 46.9 (94) |
| Mich City | 1,361 | 52.7(113) | 1,061 | 15.6 (71) | 902 | 8.0 (66) | 998 | 5.3 (118) | 1,055 | 2.8(120) | 1,872 | 68.2 (94) | 2,734 | 24.1 (35) |
| Moms/Kids | 254 | 74.0 (15) | 199 | 16.1 (65) | 158 | 7.0 (78) | 181 | 7.2 (111) | 199 | 5.0 (93) | 524 | 55.3(119) | 581 | 17.6 (24) |
| Monroe Co | 2,060 | 77.8 (9) | 1,660 | 29.5 (8) | 1,517 | 18.5 (3) | 1,574 | 24.7 (4) | 1,637 | 17.5 (2) | 3,580 | 86.6 (7) | 4,327 | 17.0 (23) |
| Montgomery | 909 | 66.0 (55) | 685 | 14.2 (83) | 669 | 4.9 (112) | 665 | 9.9 (82) | 681 | 5.6 (82) | 1,531 | 63.3(110) | 1,870 | 46.0 (89) |
| Morgan Co | 1,332 | 67.6 (42) | 997 | 15.0 (77) | 835 | 6.3 (92) | 946 | 14.2 (41) | 994 | 8.4 (42) | 1,935 | 66.0(106) | 2,652 | 56.0 (126) |
| N Arlingto | 2,257 | 58.3 (93) | 1,505 | 17.3 (51) | 1,739 | 8.2 (58) | 1,404 | 9.7 (85) | 1,487 | 6.5 (72) | 1,085 | 63.5(109) | 4,371 | 28.5 (47) |
| N Liberty | 54 | * * | 33 | * * | 31 | * * | 34 | * * | 33 | * * | 98 | * * | 115 | 10.4 (8) |
| N Manchest | 181 | 69.1 (38) | 159 | 18.9 (39) | 156 | 6.4 (89) | 147 | 15.6 (23) | 158 | 10.1 (22) | 515 | 73.2 (72) | 451 | 23.7 (33) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|-------------------|-------------------------|--------|--------------------------------------|-----------------------------|---------------------------------------|--------|--------------------------------------|-----------------------------|--------------------------------------|----------------------|-----------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Newton Co | 201 | 58.7 (91) | 169 | 17.2 (53) | 163 | 8.0 (66) | 147 | 13.6 (45) | 169 | 11.2 (12) | 372 | 29.0(125) | 447 | 55.7 (125) |
| Northwest | 1,621 | 76.4 (10) | 1,293 | 33.4 (4) | 1,438 | 17.5 (4) | 1,207 | 10.5 (80) | 1,269 | 7.0 (64) | 3,221 | 75.6 (53) | 3,790 | 9.2 (4) |
| Ohio Co | 23 | * * | 22 | * * | 22 | * * | 19 | * * | 22 | * * | 91 | * * | 71 | * * |
| Orange Co | 481 | 70.7 (29) | 415 | 16.9 (54) | 360 | 7.2 (76) | 391 | 15.1 (30) | 413 | 5.1 (90) | 1,053 | 71.3 (81) | 1,097 | 26.1 (40) |
| Owen Co | 374 | 67.6 (42) | 299 | 16.4 (61) | 292 | 10.6 (27) | 277 | 13.7 (44) | 297 | 4.7(101) | 714 | 78.4 (34) | 823 | 52.5 (118) |
| Parke Co | 258 | 58.5 (92) | 199 | 7.5 (121) | 190 | 5.3 (108) | 188 | 9.0 (93) | 198 | 4.0(111) | 437 | 74.4 (59) | 549 | 54.1 (121) |
| Perry Co | 397 | 49.6(123) | 307 | 7.2 (123) | 235 | 3.0 (121) | 324 | 6.5 (114) | 306 | 3.3(117) | 576 | 73.4 (70) | 800 | 60.5 (132) |
| Pike Co | 233 | 54.5(106) | 174 | 11.5 (104) | 148 | 6.1 (97) | 180 | 9.4 (89) | 171 | 2.9(119) | 310 | 71.3 (81) | 446 | 60.5 (132) |
| Portage | 1,198 | 67.4 (46) | 937 | 15.2 (76) | 797 | 9.3 (40) | 892 | 11.5 (66) | 934 | 7.9 (49) | 1,806 | 60.6(114) | 2,439 | 40.3 (74) |
| Posey Co | 355 | 52.7(113) | 285 | 9.1 (119) | 220 | 5.9 (100) | 270 | 9.6 (86) | 282 | 6.4 (73) | 460 | 74.1 (63) | 669 | 49.0 (99) |
| Pulaski Co | 266 | 59.4 (87) | 235 | 10.2 (115) | 210 | 6.2 (94) | 211 | 14.7 (33) | 235 | 7.2 (60) | 531 | 74.4 (59) | 609 | 40.7 (76) |
| Purdue | 451 | 93.8 (1) | 309 | 67.6 (1) | 328 | 47.6 (1) | 277 | 49.1 (1) | 297 | 44.8 (1) | 630 | 79.5 (28) | 885 | 7.1 (2) |
| Putnam Co | 749 | 62.6 (70) | 550 | 12.4 (98) | 574 | 6.8 (81) | 522 | 12.3 (59) | 547 | 4.9 (96) | 1,299 | 74.4 (59) | 1,604 | 54.6 (123) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|-------------------------|--------|--------------------------------------|------------------------------------|---------------------------------------|--------|--------------------------------------|------------------------------------|----------|-----------------------------|-----------|--------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | |
| Randolph | 616 | 59.9 (83) | 450 | 19.3 (36) | 435 | 8.5 (54) | 424 | 15.6 (23) | 448 | 9.8 (27) | 895 | 59.6(115) | 1,199 | 40.6 (75) |
| Richmond | 1,754 | 59.1 (90) | 1,309 | 15.6 (71) | 1,318 | 8.9 (48) | 1,262 | 9.9 (82) | 1,299 | 5.7 (81) | 2,829 | 81.6 (21) | 3,499 | 40.8 (77) |
| Ripley Co | 605 | 56.0(104) | 480 | 9.8 (117) | 481 | 6.0 (98) | 458 | 7.6 (110) | 479 | 4.8 (99) | 1,124 | 79.0 (31) | 1,316 | 56.8 (127) |
| Rush Co | 298 | 54.0(107) | 218 | 13.3 (89) | 225 | 4.0 (120) | 199 | 12.1 (61) | 216 | 4.6(104) | 505 | 80.4 (26) | 622 | 49.7 (101) |
| SB Ireland Rd | 2,106 | 72.7 (16) | 1,550 | 23.0 (22) | 1,664 | 11.2 (23) | 1,470 | 16.4 (17) | 1,539 | 9.8 (27) | 3,921 | 80.9 (24) | 4,727 | 25.2 (39) |
| SB Lafayette | 2,624 | 74.3 (13) | 2,016 | 28.5 (10) | 2,246 | 15.2 (9) | 1,888 | 14.4 (38) | 1,990 | 8.8 (36) | 6,281 | 73.0 (73) | 6,416 | 11.3 (9) |
| Scott Co | 740 | 51.9(117) | 547 | 11.3 (105) | 538 | 4.8 (113) | 528 | 9.5 (87) | 544 | 7.2 (60) | 1,444 | 77.1 (42) | 1,618 | 52.8 (119) |
| Shelby Co | 1,009 | 63.4 (66) | 765 | 16.5 (60) | 658 | 8.1 (63) | 735 | 13.5 (48) | 761 | 8.5 (40) | 1,489 | 68.8 (90) | 1,970 | 49.5 (100) |
| Shelters | 22 | * * | 21 | * * | 22 | * * | 17 | * * | 20 | * * | 83 | * * | 101 | 38.6 (65) |
| SJ Reg Ctr | 349 | 68.2 (41) | 122 | 35.2 (3) | 90 | * * | 136 | 15.4 (28) | 122 | 13.1 (6) | 1 | * * | 350 | 18.3 (26) |
| So Calhoun | 7,430 | 60.1 (80) | 5,581 | 17.8 (45) | 5,796 | 8.7 (51) | 5,249 | 10.6 (77) | 5,535 | 7.2 (60) | 14,003 | 72.3 (77) | 15,962 | 31.2 (51) |
| Spencer Co | 315 | 51.4(118) | 257 | 14.4 (81) | 237 | 6.8 (81) | 253 | 9.5 (87) | 255 | 5.5 (84) | 539 | 85.0 (11) | 672 | 52.2 (115) |
| St Francis | 155 | 62.6 (70) | 47 | * * | 32 | * * | 55 | * * | 47 | * * | 1 | * * | 149 | 43.0 (80) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|-------------------------|--------|--------------------------------------|------------------------------------|---------------------------------------|--------|--------------------------------------|------------------------------------|--------------------------------------|-----------------------------|-----------|-------|------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| St V-FLC | 1,030 | 67.5 (45) | 315 | 23.2 (21) | 274 | 10.2 (32) | 362 | 9.4 (89) | 314 | 5.4 (87) | 7 | * * | 1,044 | 20.9 (29) |
| Starke Co | 577 | 65.5 (56) | 488 | 16.8 (55) | 481 | 8.3 (56) | 451 | 14.6 (35) | 483 | 9.9 (25) | 1,258 | 77.8 (38) | 1,302 | 51.2 (108) |
| Steuben Co | 835 | 78.8 (5) | 688 | 20.1 (32) | 701 | 8.3 (56) | 635 | 16.7 (16) | 684 | 9.5 (31) | 2,131 | 79.5 (28) | 2,085 | 51.0 (107) |
| Sullivan | 485 | 68.7 (39) | 321 | 10.0 (116) | 274 | 4.7 (114) | 307 | 13.0 (51) | 321 | 6.2 (77) | 676 | 68.5 (91) | 940 | 51.7 (112) |
| Switz""Land | 140 | 50.7(121) | 114 | 10.5 (114) | 106 | 10.4 (30) | 109 | 12.8 (53) | 112 | 7.1 (63) | 267 | 85.8 (10) | 310 | 60.3 (131) |
| Tippecanoe | 3,500 | 72.0 (21) | 2,661 | 22.3 (23) | 2,658 | 12.4 (17) | 2,487 | 18.1 (11) | 2,645 | 13.1 (6) | 6,384 | 74.0 (64) | 7,548 | 31.0 (50) |
| Tipton Co | 191 | 62.3 (72) | 149 | 13.4 (88) | 151 | 7.3 (75) | 143 | 14.7 (33) | 148 | 7.4 (57) | 415 | 81.7 (19) | 449 | 28.7 (49) |
| Union Co | 156 | 56.4(102) | 112 | 17.9 (43) | 114 | 8.8 (50) | 99 | * * | 112 | 8.0 (46) | 294 | 87.4 (5) | 335 | 51.3 (110) |
| United Fai | 1,327 | 64.7 (60) | 1,046 | 17.3 (51) | 1,041 | 7.7 (72) | 990 | 15.3 (29) | 1,042 | 10.2 (21) | 2,128 | 78.5 (33) | 2,724 | 38.9 (67) |
| Valpo | 1,195 | 72.7 (16) | 930 | 22.0 (25) | 842 | 12.1 (18) | 880 | 17.5 (15) | 926 | 10.3 (19) | 1,949 | 89.5 (4) | 2,474 | 16.9 (20) |
| Vigo | 2,441 | 58.3 (93) | 1,693 | 11.1 (109) | 1,609 | 5.5 (104) | 1,623 | 9.9 (82) | 1,690 | 5.9 (79) | 3,305 | 69.5 (88) | 4,689 | 50.7 (104) |
| Vincennes | 730 | 50.3(122) | 431 | 12.5 (96) | 490 | 6.7 (83) | 423 | 9.2 (91) | 431 | 5.1 (90) | 1,156 | 95.1 (1) | 1,491 | 32.2 (54) |
| W 21st Ave | 1,244 | 53.9(108) | 1,048 | 6.2 (124) | 964 | 2.3 (123) | 972 | 2.1 (123) | 1,047 | 1.8(124) | 2,390 | 42.4(122) | 2,725 | 27.6 (43) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2009 - 2011 Pediatric Nutrition Surveillance (1)
Indiana

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|-------------------------|----------------|--------------------------------------|------------------------------------|---------------------------------------|----------------|--------------------------------------|------------------------------------|------------|-----------------------------|-------------|----------------|-------------|
| Clinic | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | |
| Wabash | 466 | 62.0 (74) | 403 | 12.4 (98) | 377 | 4.2 (119) | 362 | 8.8 (96) | 403 | 6.9 (65) | 952 | 70.4 (86) | 1,046 | 24.2 (36) |
| Warren Co | 204 | 60.8 (77) | 150 | 11.3 (105) | 153 | 4.6 (116) | 150 | 10.7 (75) | 149 | 4.7(101) | 405 | 71.6 (79) | 447 | 51.7 (112) |
| Warrick Co | 826 | 56.8(100) | 668 | 13.2 (91) | 555 | 7.2 (76) | 665 | 12.8 (53) | 667 | 6.3 (76) | 1,257 | 76.5 (46) | 1,649 | 45.7 (88) |
| Washington | 540 | 69.6 (37) | 463 | 14.3 (82) | 433 | 8.1 (63) | 450 | 12.2 (60) | 460 | 5.0 (93) | 1,108 | 75.7 (51) | 1,194 | 39.7 (71) |
| Wells Co | 465 | 71.2 (25) | 368 | 15.5 (73) | 357 | 7.8 (69) | 354 | 13.6 (45) | 368 | 8.7 (37) | 812 | 69.1 (89) | 961 | 45.3 (87) |
| Westside | 1,542 | 63.7 (64) | 1,304 | 26.5 (14) | 1,499 | 14.9 (11) | 1,159 | 7.9 (104) | 1,285 | 5.5 (84) | 3,457 | 75.6 (53) | 3,867 | 24.5 (37) |
| White Co | 659 | 67.2 (48) | 557 | 19.9 (34) | 488 | 11.7 (20) | 528 | 12.1 (61) | 554 | 6.9 (65) | 1,232 | 82.8 (17) | 1,346 | 16.9 (20) |
| Whitley Co | 621 | 75.4 (11) | 468 | 25.9 (15) | 473 | 11.6 (21) | 456 | 28.3 (2) | 466 | 17.2 (3) | 1,198 | 81.7 (19) | 1,401 | 44.5 (83) |
| Wishard | 1,986 | 63.2 (68) | 677 | 29.1 (9) | 573 | 15.0 (10) | 747 | 6.4 (116) | 669 | 4.3(109) | 10 | * * | 2,006 | 24.6 (38) |
| Women""s | 2 | * * | 0 | * * | 0 | * * | 0 | * * | 0 | * * | 0 | * * | 3 | * * |
| Unknown Clinics | 5 | * * | 3 | * * | 2 | * * | 4 | * * | 3 | * * | 2 | * * | 7 | * * |
| Indiana | 145,604 | 64.6 | 107,098 | 18.8 | 104,278 | 9.7 | 101,785 | 12.2 | 106,367 | 7.6 | 232,088 | 72.0 | 296,462 | 31.1 |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

