FIRE PREVENTION AND BUILDING SAFETY COMMISSION

Nonrule Policy Replaces 2020 Indiana Residential Code (<u>675 IAC 14-4.4</u>) Table R301.2(1) and Figure R301.2(2) sign Category Classification of Monroe County posted at 20200311-IP-67520

Seismic Design Category Classification of Monroe County posted at 20200311-IR-675200087NRA

Purpose

This policy resolves a conflict between differing seismic design category classifications for Monroe County found in Table R301.2(1) and Figure R301.2(2) of the 2020 Indiana Residential Code.

Background

The 2020 Indiana Residential Code, which went into effect on December 26, 2019, incorporates and amends the first printing of the 2018 International Residential Code for One- and Two-Family Dwellings. See <u>675 IAC 14-4.4</u>. Table R301.2(1) and Figure R301.2(2) of the 2020 Indiana Residential Code both provide the Seismic Design Category Classifications for all 92 counties in Indiana and are intended to mirror each other, however, these two items provide conflicting classifications for Monroe County.

Table R301.2(1) of the 2020 Indiana Residential Code, which was amended from its original form in the 2018 International Residential Code, places Monroe County in Seismic Design Category C. See <u>675 IAC 14-4.4-5</u> which is attached to this document as Exhibit A. Figure R301.2(2) of the 2020 Indiana Residential Code, which is unamended for the 2018 International Residential Code, places Monroe County in Seismic Design Category B. A copy of Figure R301.2(2) is attached as Exhibit B. The purpose of listing the specific Seismic Design Categories in Table R301.2(1) is to reproduce the visual classifications provided for in Figure R301.2(2) in a more easily discernible written format. However, as explained above, when Table R301.2(1) was transcribed, Monroe County was mistakenly placed in Seismic Design Category **C**. In order to resolve this conflict, the Fire Prevention and Building Safety Commission adopts the below interpretation.

Interpretation

Figure R301.2(2) of the 2020 Indiana Residential Code controls the appropriate Seismic Design Category classification of Monroe County, not Table R301.2(1). Therefore, Monroe County is classified in Seismic Design Category B.



SOLID MASONRY to read as follows:

SOLE PLATE. The bottom horizontal member of a framed wall or partition that receives and transfers loads to the floor assembly, wall, or foundation below.

(12) Delete the definition of TOWNHOUSE and substitute to read as follows: TOWNHOUSE. Townhouse has the meaning ascribed thereto in IC 22-12-1-5(c).

(Fire Prevention and Building Safety Commission; 6751AC 14-4.4-3; filed Nov 26, 2019, 11:43 a.m.: 20191225-IR-675190330FRA)

675 IAC 14-4.4-4 Section R301.2.1.4; exposure category

Authority: IC 22-13-2-2; IC 22-13-2-2.5; IC 22-13-2-13 Affected: IC 22-12; IC 22-13; IC 22-14; IC 22-15; IC 36-7

Sec. 4. Change the fourth sentence in the text of SECTION R301.2.1.4 to read as follows:

For a site where multiple detached one and two family dwellings, townhouses or other structures are to be constructed as part of a subclivision or master-planned community, or are otherwise designated as a developed area by the authority having jurisdiction, the exposure category for an individual structure shall be based on the site conditions that will exist at the time when all adjacent structures on the site have been constructed, provided that their construction in that section of the subdivision or master-planned community is expected to begin within 2 years of the start of construction for the structure for which the exposure category is determined.

(Fire Prevention and Building Safety Commission; 675 LAC 14-4.4-4; filed Nov 26, 2019, 11:43 a.m.: 20191225-IR-675190330FRA)

675 IAC 14-4.4-5 Table R301.2(1); climatic and geographical design criteria

Authority: IC 22-13-2-2; IC 22-13-2-2.5; IC 22-13-2-13 Affected: IC 22-12; IC 22-13; IC 22-14; IC 22-15; IC 36-7

Sec. 5. Delete TABLE R301.2(1) and the corresponding footnotes and substitute to read as follows:

							ER301.2(1)					
				C1/	MATIC A	-	RAPHIC DE	SIGN CRITE	RIA			
No.	County	Wind Speed, (MPH)	Seismie Design Calegory,	Ground Storw (PSF)	Found- ation,	Winter Design Temp (°F)	Decay	Termite	Weathering	Ice Shield Underbyment Required	Air Freezing Index	Mean Anneal Temp (°F)
01	Adams	115	Λ	20	36	Ъ	Slight to Moderate	Moderate to Heavy	Severe	Yes	s1500	50.9*
02	Allen	115	A	20	36	Ъ.	Slight to Moderate	Moderate to Heavy	Seven	Yes	2000	49.9*
63	Bartholomery	115	В	20	24	8.	Slight to Moderate	Moderate to Heavy	Seven	No	<1500	53.1°
04	Benton.	115	Λ	20	36	Ъ	Slight to Moderate	Moderate to Heavy	Severe	Yes	2000	49.1*
05	Blackford	115	Α	20	30	2'	Slight to Moderate	Moderate to Heavy	Seven	No	≤1500	51.4*
06	Boone	115	B	20	30	22	Slight to Moderate	Moderate to Heavy	Severe	No	<1500	52.3°
07	Brown	115	В	20	24	9"	Slight to Moderate	Moderate to Heavy	Severe	No	s1500	53.1*
08	Carroll	115	A	20	36	1,	Slight to Moderate	Moderate to Heavy	Seven	Yes	s1500	51.7*
09	Casa	115	A	20	36	1.	Slight to Moderate	Moderate to Heavy	Severe	Yes	2000	50.3°
10	Clark	115	В	20	24	9°	Slight to Moderate	Moderate to Heavy	Severe	No	s1500	54.7*
11	Clay	115	В	20	24	9°	Slight to Moderate	Moderate to Heavy	Seven	No	s1500	52.1*
12	Clinten	115	A	20	30	22	Slight to	Moderate	Severe	No	<1500	50.7°

Indiana Administrative Code

							Moderate	to Heavy				
13	Carwford	115	В	20	24	9°	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	54.7
14	Daviess	115	с	20	24	9°	Slight to Moderate	Moderate to Heavy	Seven	No	≤1500	56.1
15	Dearborn.	115	Α	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	<1500	50.5
16	Decatur	115	В	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	52.4
17	DeKalb	115	Α	30	36	1,	Slight to Moderate	Moderate to Heavy	Seven	Yes	≤1500	50.0
18	Debrware	115	Α	20	30	20	Slight to Moderate	Moderate to Heavy	Severe	No	<1500	50.8
19	Dabois	115	с	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	53.9
20	Elkhart	115	Α	30	36	1.	Slight to Moderate	Moderate to Heavy	Seven	Yes	≤1500	50.5
21	Fayette	115	Α	20	30	20	Slight to Moderate	Moderate to Heavy	Severe	No	<1500	51.50
22	Floyd	115	В	20	24	99	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	\$4.7
23	Fountain	115	в	20	30	22	Slight to Moderate	Moderate to Heavy	Seven	No	2000	51.2
24	Franklin	115	A	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	<1500	51.8
15	Fulton.	115	Λ	30	36	I.	Slight to Moderate	Moderate to Heavy	Severe	Yes	2000	49.3
26	Gibson	115	с	20	24	92	Slight to Moderate	Moderate to Heavy	Seven	Ne	≤1500	55.2
27	Grant	115	A	20	30	20	Slight to Moderate	Moderate to Heavy	Severe	No	<1500	50.3
28	Greene	115	с	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	52.9
29	Hamilton.	115	Α	20	30	22	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	51.5
30	Hanzoek	115	A	20	30	29	Slight to Moderate	Moderate to Heavy	Severe	No	«1500	51.6
31	Harrison.	115	В	20	24	9*	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	54.7
32	Benáricks	115	в	20	30	22	Slight to Moderate	Moderate to Heavy	Seven	No	≤1500	52.3
33	Henry	115	A	20	30	29	Slight to Moderate	Moderate to Heavy	Severe	No	<1500	49.9
34	Howard	115	Λ	20	30	2*	Slight to Moderate	Moderate to Heavy	Severe	No	2000	49.6
35	Huntington	115	Α	20	36	1,	Slight to Moderate	Moderate to Heavy	Seven	Yes	<1500	50.4
36	Jackson	115	в	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	«1500	\$2.5
37	Jasper	115	Α	30	36	1.	Slight to Moderate	Moderate to Beavy	Severe	Yes	2000	49.6
38	Jay	115	в	20	30	22	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	-9.7
39	Jefferson	115	в	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	«1500	\$4.7
40	Jennings	115	В	20	24	9*	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	54.3
41	Johnson	115	в	20	30	22	Slight to	Moderate	Severe	No	<1500	52.0

Indiana Administrative Code

							Moderate	to Heavy				
42	Knox	115	с	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	53,A
43	Koscitako	115	Α	30	36	1,	Slight to Moderate	Moderate to Heavy	Seven	Yes	2000	-8.0
44	LaGrange	115	A	30	36	10	Slight to Moderate	Moderate to Heavy	Severe	Yex	<1500	47.9
45	Lake	115	Α	30	36	l.	Slight to Moderate	Moderate to Heavy	Severe	Yes	2000	49.0
66	LaPorte	115	Α	30	36	1,	Slight to Moderate	Moderate to Heavy	Seven	Yes	2000	-9.7
47	Lawrence	115	в	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	<1500	52.6
48	Maćison.	115	Α	20	30	2*	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	50.8
49	Marion	115	в	20	30	22	Slight to Moderate	Moderate to Heavy	Seven	No	≤1500	51.8
50	Marshall	115	A	30	36	I.o.	Slight to Moderate	Moderate to Heavy	Severe	Yes	2000	50.0
51	Martin	115	с	20	24	90	Slight to Moderate	Modente to Heavy	Severe	No	≤1500	54.2
52	Miami	115	A	20	36	1,	Slight to Moderate	Moderate to Heavy	Seven	Yes	2000	-8.4
53	Monroe	115	C	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	«1500	53.1
54	Montgomery	115	В	20	30	25	Slight to Moderate	Modente to Beavy	Severe	No	s1500	50.1
55	Morgan.	115	В	20	30	22	Slight to Moderate	Moderate to Heavy	Seven	No	≤1500	51.5
56	Newton.	115	A	30	36	I.o.	Slight to Moderate	Moderate to Heavy	Severe	Yes	2000	50.2
\$7	Noble	115	Λ	30	36	I.	Slight to Moderate	Moderate to Heavy	Severe	Yes	≤1500	49.0
58	Ohio	115	Α	20	24	92	Slight to Moderate	Moderate to Heavy	Seven	No	≤1500	53.0
59	Orange	115	В	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	£1500	53.0
60	Owen	115	в	20	24	9*	Slight to Moderate	Moderate to Beavy	Severe	No	≤1500	50.1
61	Parke	115	в	20	30	22	Slight to Moderate	Moderate to Heavy	Seven	No	<1500	53.9
62	Perry	115	с	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	<1500	55.8
63	Pike	115	С	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	54.8
64	Porter	115	Α	30	36	1,	Slight to Moderate	Moderate to Heavy	Seven	Yes	2000	-9.6
65	Posey	115	с	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	<1500	55,4
66	Palaski	115	Α	30	36	1.	Slight to Moderate	Moderate to Heavy	Severe	Yes	2000	49.7
67	Putnen	115	в	20	30	22	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	52.6
68	Randolph	115	в	20	30	29	Slight to Moderate	Moderate to Heavy	Severe	No	«1500	49.9
69	Ripley	115	Λ	20	24	9*	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	54.5
70	Rush	115	A	20	30	22	Slight to	Moderate	Severe	No	<1500	51.2

Indiana Administrative Code

							Moderate	to Heavy				
71	St. Joseph	115	Α	30	36	l,	Slight to Moderate	Moderate to Heavy	Severe	Yes	≤1500	49.1
12	Scott	115	в	20	24	99	Slight to Moderate	Moderate to Heavy	Seven	No	<1500	53.9
73	Shelby	115	в	20	30	20	Slight to Moderate	Moderate to Heavy	Severe	No	«1500	52.6
74	Spercer	115	с	20	24	9°	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	56.2
15	Starke	115	Α	30	36	1,	Slight to Moderate	Moderate to Heavy	Severe	Yes	2000	-0.7
16	Steuben	115	Α	30	36	1.0	Slight to Moderate	Moderate to Heavy	Severe	Yex	2000	47.3
77	Sullivan	115	с	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	s1500	52.7
78	Switzerland	115	Α	20	24	90	Slight to Moderate	Moderate to Heavy	Seven	No	≤1500	55.7
79	Tippenette	115	Α	20	30	29	Slight to Moderate	Moderate to Heavy	Severe	No	2000	50.9
80	Tipton	115	Λ	20	30	2*	Slight to Moderate	Moderate to Heavy	Severe	No	2000	49.2
81	Union	115	Α	20	30	22	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	51.5
\$2	Vanderburgh	115	с	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	<1500	\$7.0
83	Vermillion	115	В	20	30	2*	Slight to Moderate	Moderate to Heavy	Severe	No	s1500	50.8
\$4	Vigo	115	в	20	24	90	Slight to Moderate	Moderate to Heavy	Seven	No	≤1500	53.1
\$5	Waboah	115	А	20	36	1º	Slight to Moderate	Moderate to Heavy	Severe	Yes	2000	49.0
86	Warren	115	В	20	30	2*	Slight to Moderate	Moderate to Heavy	Severe	No	2000	51.0
87	Warrick	115	с	20	24	90	Slight to Moderate	Moderate to Heavy	Seren	No	≤1500	56.2
\$8	Washington	115	в	20	24	90	Slight to Moderate	Moderate to Heavy	Severe	No	«1500	54.9
89	Wayne	115	Λ	20	30	2*	Slight to Moderate	Moderate to Heavy	Severe	No	≤1500	49.9
90	Wells	115	A	20	36	1.0	Slight to Moderate	Moderate to Heavy	Seven	Yes	≤1500	-9.9
91	White	115	A	20	36	l.o	Slight to Moderate	Moderate to Heavy	Severe	Yex	2000	50.3
92	Whitley	115	٨	20	36	1.	Slight to Moderate	Moderate to Heavy	Severe	Yes	≤1500	45.8
, W	ind exposure sha	I be deters	nited on a	site-specific	basis in a	contianos	with SECTIO	ON R301.2.1.4.				
. 54	ismic design cat	egory shall	be assigned	d according	to this TA	BLE or S	ECTION 830	1.2.2.1.1.				
b. Se c. Fe		egory shall rinimum d	be assigne lepth, in inc	d according has, from th	to this TA se finish gr	BLE or S ade to the	ECTION R30 bottom of the	1.2.2.1.1. footing.				_

ii. The grain of masonry units shall be determined from ASTM C34, C55, C62, C73, C90, C129, C145, C216, or C652. (Fire Prevention and Building Safety Commission; 675 IAC 14-4.4-5; filed Nov 26, 2019, 11:43 a.m.: 20191225-IR-675190330FRA)

675 IAC 14-4.4-6 Section R301.2.2.1; determination of seismic design category

Authority: IC 22-13-2-2; IC 22-13-2-2.5; IC 22-13-2-13

Affected: IC 22-12; IC 22-13; IC 22-14; IC 22-15; IC 36-7

Sec. 6. Change the text of SECTION R301.2.2.1 to read as follows: Buildings shall be assigned a seismic design category in accordance with TABLE R301.2(1).

Indiana Administrative Code

BUILDING PLANNING




FIGURE R301.2(2)—continued SEISMIC DESIGN CATEGORIES

2018 INTERNATIONAL RESIDENTIAL CODE®

39

Copyright © 2017 ICC. ALL INTERTIBUIES FOR Accessed by Douglas Boyle on May 6, 2018 121 Joint 701 present in Lawren Agreement with ICC. No forther organization on disadisation and annual. ANY UNAUTHORIZED REPRODUCTION OR DISTRIBUTION IN A VIOLATION OF THE REDREAL COPYRIGHT ACT AND THE DESIVE AGREEMENT, AND SUBJECT TO CIVIL AND CRIMINAL HISTALTIES TO FREED NDFR.

Posted: 03/25/2020 by Legislative Services Agency

INTERNATIONAL CODE COUNCIL®

Indiana Register

An <u>html</u> version of this document.