

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25257
- Stream : East Fork White River
- Applicant : RTC Communications Inc
Wayne Sparks
102 North Main Street
Montgomery, IN 47558
- Description : A 48" diameter fiber optic line will be placed beneath East Fork White River to provide telecommunication service. The line will be placed by the directional boring method. It will have 4' of cover beneath the streambed. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on April 13, 2009 and May 26, 2009.
- Location : Under EF White River, beginning approximately 200' downstream of East Fork White River and Indian Creek confluence
near Shoals, Mitcheltree Township, Martin County
NE $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 5, T 3N, R 3W, Shoals Quadrangle
Quad Code: 3808667
UTM Coordinates: Downstream 4286384 North, 520645 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25261
- Stream : West Fork Blue River
- Applicant : *Indiana Department of Transportation
Rick Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216
- Description : The proposed bridge carrying State Route 60 over West Fork Blue River will be constructed on a new alignment to complement the proposed roadway and provide a new crossing over the river. The new structure will be a 3-span Prestressed Concrete Bulb-T bridge with span lengths of 103', 110' and 103'. The structure will have an outs-to-out length of 318'.0" and a clear roadway width of 47'.4". The spill through integral end bents will have 2:1 sideslopes armored with 24" of Revetment Riprap. The solid-stem piers will extend to footings to rock. The abutments and piers will be skewed 0 degrees to align with the streamflow. (INDOT Structure No. 60-88-8632). Details of the project are contained in information and plans received at the Division of Water on April 17, 2009.
- Location : Approximatley 3,000 linear feet upstream of the Monon Railroad stream river crossing
- The W.F. Blue River on proposed SR 60, the Salem Bypass, beginning 2968 feet north of the junction of Old SR 160 & proposed SR 60 east of Salem & extending northward approximately 0.07 miles.
near Salem, Washington Township, Washington County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 15, T 12N, R 4E, Salem Quadrangle
Quad Code: 3808651
UTM Coordinates: Downstream 4273992 North, 581057 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25263

Stream : Jim Run

Applicant : Patrick Dwyer
Jim Dwyer
PO Box 171
Metamora, IN 47030-0171

Description : A 9' diameter by 20' long metal culvert bridge has been constructed. The culvert has been encased in concrete with wing walls. Details of the project are contained in information and plans received at the Division of Water on April 20, 2009.

Location : 18193 Duck Creek Road; approximately 40' upstream of the confluence with Duck Creek and 60 ' west of the Duck Creek Road crossing over Duck Creek near Laurel, Laurel Township, Franklin County
NW¼, SW¼, NW¼, Section 19, T 12N, R 13E, Metamora Quadrangle
Quad Code: 3908542
UTM Coordinates: Downstream 4371630 North, 661000 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25264
- Stream : St. Joseph River
- Applicant : City of Fort Wayne
Dawn Ritchie, Greenway Manager
One Main Street, Room 740
Fort Wayne, IN 46802-1804
- Description : As part of the City of Fort Wayne's Rivergreenway Trail project, a 2060' long by 10' wide paved pedestrian trail (approximately 497' is in the floodway) will be constructed adjacent to the St. Joseph River. In addition to the trail, a 79' long by 10' wide wooden boardwalk will be constructed across an Unnamed Tributary to the St. Joseph River. Details of the project are contained in information and plans received at the Division of Water on April 20, 2009 and May 26, 2009.
- Location : Beginning approximately 500' west and 700' north of the St. Joe Road and the St. Joseph Center Road intersection extending approximately 1400' north-northeast to 659' east
DOWNSTREAM: near Fort Wayne, St. Joseph Township, Allen County
T 31N, R 13E, Children of M.C. De Rome Reserve, Cedarville Quadrangle
Quad Code: 4108521
UTM Coordinates: Downstream 4555692 North, 659187 East
UPSTREAM: Allen County

UTM Coordinates: Upstream 4556086 North, 659596 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25284
- Stream : Ohio River
- Applicant : Indiana Department of Natural Resources
Larry Wayland
IGC South
402 West Washington Street, Room W299
Indianapolis, IN 46204-2739
- Description : A concrete boat ramp will be constructed along 275' of the applicant's frontage on the Ohio River to provide additional access to the Ohio River. The ramp will extend approximately 197' from the shoreline and will be constructed adjacent to and downstream from the existing ramp at a 55 degree angle. Additionally, a circular staging area will be constructed of concrete adjacent to the existing staging area. The circle will have a 45' radius and will be constructed at grade. Details of the project are contained in information and plans received at the Division of Water on April 30, 2009.
- Location : Located at the Falls of the Ohio State Park adjacent to the existing boat ramp facility, beginning approximately 200' south and approximately 2500' west of the Harrison Avenue and Park Avenue intersection
near Clarksville, Jeffersonville Township, Clark County
Clark Military Grant, New Albany, IN-KY Quadrangle
Quad Code: 3808537
UTM Coordinates: Downstream 4238409 North, 606857 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25311

Stream : West Fork White River

Applicant : Hamilton County Highway Department
Matt Knight
1700 South 10th Street
Noblesville, IN 46060-3835

Description : The existing bridge carrying Cumberland Road over the river will be rehabilitated. This project involves reconstructing the existing bridge deck, replacing the existing bridge rail, and cleaning the bearings. There will be no work in the channel. Details of the project are contained in information and plans received at the Division of Water on May 14, 2009.

Location : Located approximately 500' north of the Allisonville Road and Cumberland Road near Noblesville, Noblesville Township, Hamilton County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 19, T 19N, R 5E, Riverwood Quadrangle
Quad Code: 4008518
UTM Coordinates: Downstream 4436420 North, 585626 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-25314

Stream : Unnamed Tributary White River

Applicant : *Indiana Department of Transportation
Laura Hilden
100 North Senate Avenue
Room N642
Indianapolis, IN 46204-2216

Description : The existing 8' by 46' corrugated metal pipe will be replaced with a 60' long reinforced concrete box culvert with a span of 18' by 6'. Also, riprap will be placed over geotextile fabric along both sides of the proposed structure. Details of the project are contained in information and plans received at the Division of Water on May 14, 2009 and May 26, 2009.

Location : At the State Road 56 crossing
near Petersburg, Madison Township, Pike County
NE $\frac{1}{4}$, SE $\frac{1}{4}$, SE $\frac{1}{4}$, Section 20, T 1N, R 8W, Petersburg Quadrangle
Quad Code: 3808743
UTM Coordinates: Downstream 4261126 North, 472573 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25317
- Stream : Burnett Creek
- Applicant : Tippecanoe County Highway Department
Opal Kuhl
20 North 3rd Street
Lafayette, IN 47901-1205
- Description : The existing County Bridge BR 165 carrying Burnetts Road over the stream will be replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a 4-span concrete bridge with span lengths of 180'. The structure will have an out-to-out length of 45' and a clear roadway width of 26'. The abutments and piers will be skewed 0 degrees to align with the streamflow. The new approach roads will not be elevated above the existing approaches. The existing structure (will be/was) completely removed. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on May 15, 2009.
- Location : Burnett Creek at Burnett's Road. Approximately 300 feet west of the intersection with North 9th St Road
near Lafayette, Tippecanoe Township, Tippecanoe County
NW¼, NW¼, NW¼, Section 33, T 24N, R 4W, Lafayette East Quadrangle
Quad Code: 4008647
UTM Coordinates: Downstream 4482098 North, 511328 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25319
- Stream : Cheeney Creek
- Applicant : Hamilton County Highway Department
Faraz Khan
1700 South 10th Street
Noblesville, IN 46060-3835
- Description : A bridge rehab is proposed. The structure that carries 106th Street over Cheeney Creek will be rehabbed and widened. The structure will be widened by 3'-8" to provide a 24' clear roadway width. The existing roadway will be widened by 2'-6" extending 50' east and 50' west of the structure. The proposed project will not involve tree clearing south of 106th Street and will not involve construction or the placement of fill below the ordinary high water mark of Cheeney Creek. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on May 18, 2009.
- Location : Hamilton Co structure #1200, located on 106th St over Cheeney Creek approximately 1100 feet east of Hague Road near Fishers, Delaware Township, Hamilton County NE¼, NW¼, NW¼, Section 12, T 17N, R 4E, Fishers Quadrangle Quad Code: 3908681 UTM Coordinates: Downstream 4421729 North, 582974 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25328
- Stream : Main Beaver Dam Ditch
- Applicant : City of Crown Point
William J Meeks
1313 East North Street
Crown Point, IN 46307-3473
- Description : The City of Crown Point proposes to construct a pedestrian/bike trail as part of a proposed network that will link two existing facilities, the Erie-Lackawana Trail and the Veterans Memorial Trail. This proposed network will be an accessible system connecting all parts of the city to the developing regional network surrounding the city, as well as within the city limits including all city parks, schools, and major commercial and historical/cultural areas. The proposed trail will also provide safety for citizens wishing to utilize the trail for recreation and transportation. The new trail will be approximately 8,000' (0.51 mile). The trail will consist of two 5' lanes with 2' stone shoulders. Details of the project are contained in the original CIF permit for this project FW-24312. The project has not changed in scope from the original information reviewed by the DNR. Details of the project are contained in information received electronically at the Division of Water on May 28, 2009 and in plans and information received at the Division of Water on
- Location : The trail will begin at the end of the Erie-Lackawana Trail (93rd Avenue) and continue south to Summit Street in Crown Point, Indiana. The project will include the construction of a structure carrying the proposed trail over Main Beaver Dam Ditch. The project is located within Sections 5 and 6, Township 34 North, Range 8 West; Sections 31 and 32, Township 35 North, and Range 8 West, all in Center Township on the USGS Crown Point and St. John, Indiana Quadrangles, Lake County, Indiana.
near Crown Point, Center Township, Lake County
St. John Quadrangle
Quad Code: 4108744
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21295

Lake : Lake Wawasee

Applicant : Steve Pesso
11943 North Forest Drive
Syracuse, IN 46567

Description : Geotextile fabric and riprap will be hand placed on the bank across 60' of the applicant's lake frontage approximately 12" to 18" thick to help prevent further erosion. Details of the project are contained in information received electronically at the Division of Water on May 27, 2009 and in plans and information received at the Division of Water on

Location : 11943 North Forest Drive
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21296

Lake : Jimmerson Lake

Applicant : Mary & Todd Briscoe
160 Lane 205-B
Jimmerson Lake
Angola, IN 46703-9485

Description : A new underwater beach will be constructed in front of the property of the applicant on Jimmerson Lake to provide a swimming area. The beach will consist of a 5" to 6" thick layer of 7/64" clean, washed pea gravel placed directly on the lakebed. The beach will begin approximately 20' east of the western property line and will extend easterly across 45' of the 85' frontage. It will have a maximum lakeward projection of 30' or a depth of 4' below the legal level of the lake. A new seawall will be constructed along the frontage of the applicant on Jimmerson Lake to deter shoreline erosion. The wall will be composed of 10" to 15" diameter glacial stone and will be approximately 85' long. Its lakeward face will be at the average normal shoreline of the lake. We would like to place an 85' x 4' concrete walkway built above the water line behind the glacial stone seawall. Details of the project are contained in information received electronically at the Division of Water on May 27, 2009 and in plans and information received at the Division of Water on

Location : On the northern shore of 160 Lane 250-B. The glacial stone seawall and concrete sidewalk will extend approximately 85' from the western edge to the eastern edge of the property
near Angola, Jamestown Township, Steuben County
Section 31, T 38N, R 13W

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21298

Lake : Lake Wawasee

Applicant : Sybil H Huber
11901 Covington Road
Fort Wayne, IN 46814-9720

Description : An existing boat well will be cleaned out within the property of the applicant on a channel to Lake Wawasee. The existing, 20' wide well extends 26' landward of the average normal shoreline of the channel. Approximately 3' in depth of accumulated sediment and debris from the bottom will be removed to restore the original 3' depth of the well. The excavated material will be placed on the property of the applicant, graded and stabilized with a lawn seed mixture. Additionally, the concrete seawall around the boatwell will be refaced and portions of the concrete seawall on either side of the boatwell to the property's border will be refaced and portions of existing seawall comprised of wood timbers, etc. will be replaced with new matching concrete seawall to deter shoreline erosion and existing seawall deterioration. The seawall will be approximately 28.5' of channel frontage from the edge of the boatwell west and approximately 26' of channel frontage from the edge of the boatwell east. The walls will consist of concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 30" to 12" from the base to the top of the seawall along the channel and from 24" to 12" from the base to the top of the seawall within the boatwell. Details of the project are contained in information received electronically at the Division of Water on May 28, 2009 and in plans and information received at the Division of Water on

Location : 8607 East Blackpoint Road
near Syracuse, Turkey Creek Township, Kosciusko County
Section 14, T 34N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11