

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water
30 Day Public Notice Report

Application # : FW-25298

Stream : Kankakee River

Applicant : Tom Peeples
1902 East 1000 South
Hamlet, IN 46532-9623

Description : Existing 6' wide by 5' high berms with be reconstructed to measure 12' wide by 4' high and 1000' long. The two berms will be built along the east and west bank. A dragline will be use to excavate the material needed for the berms. Details of the project are contained in information and plans received at the Division of Water on May 1, 2009 and July 22, 2009.

Location : Beginning at the County Road 1000 South stream crossing and continuing downstream approximately 1000'
DOWNSTREAM: near Union Center, Union Township, LaPorte County
SW $\frac{1}{4}$, NE $\frac{1}{4}$, NW $\frac{1}{4}$, Section 26, T 35N, R 2W, Hamlet Quadrangle
Quad Code: 4108645
UTM Coordinates: Downstream 4589800 North, 532099 East
UPSTREAM: NW $\frac{1}{4}$, NE $\frac{1}{4}$, NW $\frac{1}{4}$

UTM Coordinates: Upstream 4590152 North, 532197 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25382
- Stream : Robinson Creek
- Applicant : Fort Wayne Allen County Airport Authority
Sheryl Kelly, CM
3801 West Ferguson Road, Suite 209
Fort Wayne, IN 46809-3194
- Description : Three existing 96" diameter reinforced concrete pipe culverts, measuring approximately 1586' in length, will be extended 81' for a total length of 1667'. The existing security fence that crosses the creek approximately 80' upstream of the culverts will be realigned to cross over the culverts approximately 10' downstream of the inlet. The existing downstream invert elevation is 777.36', NGVD 29, and the proposed upstream invert elevation will be 780.13', NGVD 29. Fill will be placed over the extension. The inlet ends of the culverts will be beveled, and riprap will be placed at the outlet ends to serve as erosion protection. Details of the project are contained in information and plans received at the Division of Water on July 6, 2009.
- Location : Approximately 1000' east and 2700' north of the Smith Road and Pleasant Center Road intersection
near Fort Wayne, Pleasant Township, Allen County
SE $\frac{1}{4}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 17, T 29N, R 12E, Ossian Quadrangle
Quad Code: 4008582
UTM Coordinates: Downstream 4536705 North, 651210 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25386
- Stream : Eagle Creek
- Applicant : Canterbury Manor
Sandy Brady
605 Starkey Road
Zionsville, IN 46077-1762
- Description : Roof runoff will be collected and treated, fencing will be installed to prevent animals from entering the water, and stream and wetland enhancements will be made in order to improve water quality at the site. A rock runoff will be constructed for the roof runoff. Vegetative filtering and drainage manipulation including drain tubing will be used. A wooden structure will be constructed including a weir and timber sidewall; riprap will be used around the wooden structure. Excavation will occur; spoil piles will be used in low areas on site. Reshaping of the banks and bank stabilization will also occur. Details of the project are contained in information and plans received at the Division of Water on July 1, 2009 and July 6, 2009.
- Location : Beginning approximately 1150' northwest of the railroad stream crossing and extending 500' north and 1100' east
near Zionsville, Eagle Township, Boone County
SE¼, Section 2, T 17N, R 2E #319, Zionsville Quadrangle
Quad Code: 3908683
UTM Coordinates: Downstream 4421746 North, 562903 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25387
- Stream : Ohio River
- Applicant : Chris E Wisehart
5051 North Buckcreek Pike
Mooreland, IN 47360-9748
- Description : The replacement of a mobile home from the current residential site is proposed. The new structure will have an above garage with flow through vents and a modular home will be placed on top of the garage. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on July 7, 2009.
- Location : 201 South 5th Street, located approximately 400' south of the intersection of State Road 156 and 5th Street
near Florence, Posey Township, Switzerland County
SE¼, NE¼, NW¼, Section 6, T 2N, R 1W, Florence, IN-KY Quadrangle
Quad Code: 3808478
UTM Coordinates: Downstream 4294760 North, 680320 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25389
- Stream : Clifty Creek
- Applicant : Bartholomew County
Danny Hollander, PE
2452 State Street
Columbus, IN 47201-7348
- Description : The existing bridge carrying County Road 850 East over Clifty Creek will be replaced with a three continuous composite precast concrete bridge with span lengths of 62.0', 74.5', and 62.0'. The spill through abutments will have 2:1 side slopes armored with riprap over geotextile fabric. The abutments and piers will be skewed 10 degrees. The existing structure will be relocated to Anderson Falls County Park. The approach roads will not be elevated above the existing approaches' above existing grade. The new structure will remain on essentially the same alignment. Details of the project are contained in information and plans received at the Division of Water on July 9, 2009.
- Location : At the County Road 850 East crossing over Clifty Creek
near Newbern, Rock Creek Township, Bartholomew County
SW $\frac{1}{4}$, NW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 9, T 9N, R 7E, Elizabethtown Quadrangle
Quad Code: 3908527
UTM Coordinates: Downstream 4343831 North, 607717 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25412
- Stream : Unnamed Tributary
Crooked Creek
- Applicant : Hoosier Southern Railroad
926 South Boundary
Tell City, IN 47586-0423
- Description : The existing steel stringer bridge on timber pile bents carrying the Hoosier Southern Railroad over an unnamed tributary to Crooked Creek will be replaced with a new structure on essentially the same alignment to improve railroad operations. The new structure will be a 2-span double-cell box beam bridge on precast concrete double bent caps with span lengths of 27'-11". The structure will have an out-to-out length of 56' and a railroad width of 15'. The abutments and piers will be perpendicular to the streamflow. The existing structure will be completely removed. The project is partially federally funded. Details of the project are contained in information received electronically at the Division of Water on July 23, 2009 and in plans and information received at the Division of Water on
- Location : At the Hoosier Southern Railroad crossing over an unnamed tributary to Crooked Creek
near Lamar, Huff Township, Spencer County
Section 19, T 5S, R 4W
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25413

Stream : Big Cicero Creek

Applicant : Big Cicero Creek Joint Drainage Board
Jason Henderson
101 East Jefferson Street
Tipton, IN 46072-1940

Description : The purpose of this project is to remove the sandbar along the eastern support to the 296th Street bridge. Removal of the sandbar will restore the channel to its original cross section and will improve the capacity of Big Cicero Creek. Approximately six hundred (600) cubic yards of sand and gravel will be removed from the channel via mechanical excavation. A small piece of equipment will need to access the stream to facilitate the removal, causing some redistribution of material. The excavated material will be loaded into a dump truck and hauled to an upland location for disposal. After completion of the sandbar removal, the disturbed area of creek bank will be finished graded, seeded, and mulched. Details of the project are contained in information received electronically at the Division of Water on July 23, 2009 and in plans and information received at the Division of Water on

Location : An approximately 175 feet long by 35 feet wide sandbar at the 296th Street Bridge over Big Cicero Creek
near Atlanta, Jackson Township, Hamilton County
Section 31, T 21N, R 5E, Arcadia Quadrangle
Quad Code: 4008621

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25414
- Stream : Fall Creek
- Applicant : Fall Creek Regional Waste District
Joe Rowlette
P O Box 59
9378 South 650 West
Pendleton, IN 46064-0059
- Description : A 16" diameter sanitary sewer forcemain will be placed across the channel and along the west (right) bank of Fall Creek to replace the existing forcemain. The length of the forcemain located within the floodway is approximately 1100 linear feet. The directionally drilled line will have 5' of cover beneath the streambed and 5' in the banks. The bore pits will be restored to the predisturbance ground contours following construction. Details of the project are contained in information received electronically at the Division of Water on July 24, 2009 and in plans and information received at the Division of Water on
- Location : Beginning at the intersection of State Road 38 and Fall Creek Drive, south along Fall Creek Drive 1100' to a point on the west side of Fall Creek, and continuing downstream along the west (right) bank for 900'
at Pendleton, Fall Creek Township, Madison County
Section 20, T 18N, R 7E, Ingalls Quadrangle
Quad Code: 3908587
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25415

Stream : East Fork White River

Applicant : Jackson County
Warren Martin
360 South County Road 35 East
Brownstown, IN 47220-9511

Description : The Medora Covered Bridge, built in 1875 by J.J. Daniels, is a Burr-arch truss spanning the East Fork of the White River near Medora, Indiana. Each of its three spans is 145' long. The distance between abutment faces is 430'. For many years the bridge carried State Road 235, but in 1972 the covered bridge was bypassed by a new bridge 80' downstream. The Medora Bridge is the longest covered bridge in the United States and is listed in the National Register of Historic Places. The project will repair deterioration that has occurred to the bridge over several decades, including repairing or replacing deteriorated (i.e., rotted) timbers; repointing the abutments and reinforcing them internally where cracks indicate the stones have spread; and repairing or replacing the roof, siding, and deck, as needed. These repairs will make no change to any of the long-existing geometric or hydraulic parameters of the structure or the site. Temporary emergency supports under the eastern span, which supports were authorized under Permit CTS-2023, will be removed (since structural repairs will make the supports unnecessary). This will improve the hydraulic conveyance of that opening. After the structural repairs are finished the span will be able to carry pedestrians. But if minor improvements in the road approaches are made, the span will also be able to carry bicycle traffic and automobile-only traffic with a three-ton load limit. Jackson County desires that bicycle and auto traffic be reinstated. To do this, the approach roadways would need to be smoothed and paved for about 50' beyond both bridge portals. But to improve sight distance and comfort, it would be helpful to raise the approach roads a maximum of 2.5' over a distance of 100'. The planned eastern road improvement will have no effect on water flow past the site because the adjacent highway fill is higher and longer, with a high dike between new and old abutments. The eastern approach road is in an ineffective flow area. Similarly, the planned western approach road would lie against, and be lower than, the road fill for the present highway bridge. Although the earth berm connecting the bridges there is slightly lower than the covered bridge's deck, it still limits the effect of the proposed road improvement to practically zero. Details of the project are contained in information received electronically at the Division of Water on July 24, 2009 and in plans and information received at the Division of Water on

Location : Adjacent to SR 235 over the East Fork of the White River, located in the SE 1/4 of Section 35 and the SW 1/4 of Section 36
near Medora, Carr Township, Jackson County
T 5N, R 3E, Medora Quadrangle
Quad Code: 3808672

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25416

Stream : Youngs Creek

Applicant : City of Franklin
Krista M Linke
71 East Court Street
Franklin, IN 46131-2303

Description : The City of Franklin Police Station and City Court was developed along the south bank of Young's Creek in 1997. The facility consists of a 200' by 85' building and 200' by 250' asphalt parking area. After the June 2008 flood, the Police Department was relocated to a vacant factory located at 980 Hurricane Road. It has been determined that the police department will return to 1 Caisson Drive as the City Court already has. The building was not substantially damaged, however the department has grown over the years and would like to take this opportunity to add a 2nd floor to the building while reconstruction of the building is taking place. Thus, triggering the need for a permit for construction in the floodway. The actual existing footprint and elevation of the building will not change, only a 2nd floor will be added to the current 1-story building. It is set back 375' from the top of the streambank and has a finished elevation of 723.65', NAVD 1988 for the main building and 722.48', NAVD 1988 for the garage. The base flood elevation is 724.6' NAVD 1988. Details of the project are contained in information received electronically at the Division of Water on July 24, 2009 and in plans and information received at the Division of Water on

Location : 1 Caisson Drive; south of Young's Creek

near Franklin, Franklin Township, Johnson County
Section 23, T 12N, R 4E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25417
- Stream : Buck Creek
- Applicant : City of Indianapolis
200 East Washington Street, Suite 2301
Indianapolis, IN 46204-3387
- Description : A 8' by 140' area will be disturbed in the east floodplain of Buck Creek for the installation of a 8' wide recreational trail. The construction of the trail will be in a currently mown, grassy area outside the woods edge in Southeastway Park. The surface of the trail will be at grade. The trail section includes a 6" stone base, 2-1/2" binder, and 1-1/2" asphalt surface. There will be no side slopes, as the areas on both sides of the trail are flat. The closest point the trail will be to Buck Creek is about 20'. The finished elevation of the fill will be 774.5', NGVD. The trail will be constructed on top of the fill. The stone for the trail base will be obtained from a local stone supplier or gravel pit. There will be no other fill material or borrow pit on site. The shoreline will not be affected. Details of the project are contained in information received electronically at the Division of Water on July 27, 2009 and in plans and information received at the Division of Water on
- Location : Southeastway Park, 5624 South Carroll Road
near Indianapolis, Franklin Township, Marion County
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25421

Stream : St. Joseph River

Applicant : City of South Bend
Carl P Littrell PE
1316 County-City Building
227 West Jefferson Boulevard
South Bend, IN 46601-1830

Description : An existing stormwater outfall structure retrofitted with a duckbill check valve will be reconstructed on the riverbank of the St. Joseph River to prevent backflow into the surrounding neighborhood. Currently there exists a CSO (#039) structure located 18' north/landward of the riverbank/floodway which is part of the the existing storwater drainage system. On the south side of the CSO structures (toward the riverbank) is a 18.5', 36" reinforced concrete outfall pipe attached to a concrete headwall at the base of the riverbank. The existing 36" pipe will be saw cut 7' north of the riverbank and the existing headwall will be removed in order to install a newly constructed headwall which will protect the rubber duckbill check vavle at the end of the existing saw cut pipe. The headwall will conform with the bank slope. Riprap placed over a geotextile fabric will be placed between the headwall and existing CSO structure as well as at the base of the headwall for erosion control. Details of the project are contained in information received electronically at the Division of Water on July 29, 2009 and in plans and information received at the Division of Water on

Location : 70' south of the Northside Boulevard and 27th Street centerline intersection near South Bend, Portage Township, St. Joseph County
NW¼, SE¼, NW¼, Section 17, T 37N, R 3E, South Bend East Quadrangle
Quad Code: 4108662

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21357

Lake : Upper Long Lake

Applicant : Howard B Krontz
Juni K Krontz
3136 West Third Drive
Albion, IN 46701-9568

Description : A mixture of used broken brick / concrete / glacial stone is used for bank protection from ongoing erosion. Placed along 104' of shoreline with 1' to 2' top walkway. Would like to add top soil to the walkway in the future. This is placed on top of previous owners material used. This is done for the sole purpose of stopping the ongoing erosion due to high wakes in the channel from speedboats. Also, a 3' to 4' wide wood pier will extend 20' to 24' along the shoreline. It will be supported by 4" to 5.3" auger poles on the water side and will lay on top of the shoreline (ground) on the other side. Hand held tools will be used in the auger poles installation. Details of the project are contained in information received electronically at the Division of Water on July 23, 2009 and in plans and information received at the Division of Water on

Location : 3136 West Third Drive; Hiles 1st Add Upper Long Lake Arb Lot 9
near Albion, York Township, Noble County
SE¼, Section 33, T 34N, R 9E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water
30 Day Public Notice Report

Application # : PL-21359

Lake : Lake Wawasee

Applicant : William Heinmiller
902 South Lake
Syracuse, IN 46567-8483

Description : An existing concrete seawall will be refaced across a portion of the 39' frontage of the applicant on Lake Wawasee to prevent deterioration. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on July 27, 2009 and in plans and information received at the Division of Water on July 29, 2009.

Location : 902 South Lake Drive; Northwest corner of Wawasee Lake by the channel near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21363

Lake : Shriner Lake

Applicant : Janice Grim
Sherri Grim
1835 East Bair Road
Columbia City, IN 46725-8985

Description : An existing underwater beach will be improved in front of the property of the applicant on Shriner Lake to prevent further beach erosion. A 3" layer of 7/64 inch clean, washed pea gravel will be placed directly on top of the remaining sand. The placement will begin approximately 2' south of the southern property line and will extend easterly across 12' of the 15' frontage. It will project lakeward for the lessor of 1' or a depth of 8' below the average normal level of the lake. Details of the project are contained in information received electronically at the Division of Water on July 27, 2009 and in plans and information received at the Division of Water on

Location : 1835 East Bair Road; down the hill to the lake west side of pier near Columbia City, Thorncreek Township, Whitley County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21364

Lake : Big Chapman Lake

Applicant : Leland & Mary Wilhoite
8 EMS C 16 Lane
Warsaw, IN 46582-7907

Description : An existing concrete seawall will be refaced across a portion of the 142' frontage of the applicant on Big Chapman Lake to prevent deterioration. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" rebar. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on July 29, 2009 and in plans and information received at the Division of Water on

Location : 8 EMS C16 Lane; South side of Big Chapman Lake
near Warsaw, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11