

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25363
- Stream : Baugo Creek
- Applicant : Elkhart County  
Katie Niblock  
610 Steury Avenue  
Goshen, IN 46526-3011
- Description : Approximately 125 feet of Baugo Creek will be dredged to a depth of 2' to restore the creek to its original design configuration. The dredging will be performed by an excavator within the creek. The excavated material will be hauled off site to be used as fill for another project. Details of the project are contained in information and plans received at the Division of Water on June 16, 2009, June 19, 2009 and July 27, 2009.
- Location : At the County Road 1 stream crossing and extending downstream approximately 125'  
near Elkhart, Baugo Township, Elkhart County  
NE¼, SE¼, SE¼, Section 22, T 37N, R 4E, Osceola Quadrangle  
Quad Code: 4108661  
UTM Coordinates: Downstream 4610350 North, 579774 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25404
- Stream : Junk Ditch
- Applicant : Custom Engineering and Fabricating  
Bob Hatfield  
2211 Freeman Street  
Fort Wayne, IN 46802-6926
- Description : A 45' by 250' addition to an existing non residential structure is proposed. The existing structure has a floor elevation of 757.45' NGVD, the proposed addition will match the existing floor elevation and therefore approximately 323 cubic yards of fill will be used. In addition, a detention basin will be excavated. The detention basin will measure 200' by 50' and will range from 1' to 7' deep. A 12" diameter pipe will run 99' and a 18" diameter pipe will run 125' from the detention basin to the ditch. Details of the project are contained in information and plans received at the Division of Water on July 16, 2009 and August 17, 2009.
- Location : 2211 Freeman Street; beginning approximately 2500' east and 1350' north of the Ardmore Avenue and Covington Road intersection; extending 800' north and 750' east  
DOWNSTREAM: at Fort Wayne, Wayne Township, Allen County  
SW $\frac{1}{4}$ , NW $\frac{1}{4}$ , SE $\frac{1}{4}$ , Section 9, T 30N, R 12E, Fort Wayne West Quadrangle  
Quad Code: 4108512  
UTM Coordinates: Downstream 4547469 North, 652872 East  
UPSTREAM: SW $\frac{1}{4}$ , NE $\frac{1}{4}$ , SE $\frac{1}{4}$   
  
UTM Coordinates: Upstream 4547677 North, 653045 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25419
- Stream : Unnamed Tributary  
Monachals Fork
- Applicant : Heritage Lake Property Owners Association  
Charlie Beard  
1000 Clubhouse  
Coatesville, IN 46121-8856
- Description : Approximately 600' of the channel will be realigned and straightened to prevent erosion and flooding. It will be 2' deep and between 8' and 13' in width. The new sides of the channel will be staked with 4' to 6' wide and 2' deep coir logs or straw waddles. All coir logs and straw waddles will be planted with willow shoots every 2' to 3', the final tier will be planted with a mix of forested wetland plants. Material excavated from the construction of the new channel will be stockpiled and used as fill for the old channel. A 100' wall of rip-rap will be placed, it will be 3' high and 5' deep backfill will be used from the excavated channel. Rocks from the old channel will be salvaged and used for riffles in the new channel bed. A minimal number of trees will be removed. Details of the project are contained in information and plans received at the Division of Water on July 27, 2009.
- Location : Unnamed Tributary of Monachals Fork. Along this tributary and E of Heritage Drive, approximately 1 mile S of CR 575N (Putnam County); from 623 Jefferson Valley S approximately 600 feet  
near Coatesville, Floyd Township, Putnam County  
Section 24, T 15N, R 3W, Coatesville Quadrangle  
Quad Code: 3908666  
UTM Coordinates: Downstream 4397706 North, 525797 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25424

Stream : Honey Creek

Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : The existing deteriorated reinforced concrete box culvert carrying State Road 135 over Honey Creek will be replaced on essentially the same alignment. The new structure will be a precast reinforced concrete three-sided structure with a span of 28'-0" and a rise of 14'-0". The structure will be approximately 141'-0" in length and will have mechanically stabilized earth retaining walls adjacent to each side of the roadway, connecting to the structure. The channel bottom and the entering and exiting spill slopes will be armored with riprap over geotextile fabric. The structure will be skewed 3 degrees to align with the stream flow. The reconstructed approach roadway will be raised above the existing roadway approaches by a maximum of 2'-0" at the bridge location. The existing structure will be completely removed. Specific project information will be added to the description as the application is further reviewed.

Details of the project are contained in information and plans received at the Division of Water on July 30, 2009.

Location : At the State Road 135 crossing over Honey Creek  
near Greenwood, White River Township, Johnson County  
SW $\frac{1}{4}$ , NW $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 13, T 13N, R 3E, Bargersville Quadrangle  
Quad Code: 3908652  
UTM Coordinates: Downstream 4380106 North, 572259 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25426
- Stream : Crown Creek
- Applicant : Town of Centerville  
Dan Wandersee, Council President  
204 East Main Street  
Centerville, IN 47330-1208
- Description : Approximately 269' of Paddy's Run will be relocated 50' to the east. The existing stream crossing will be replaced with a 50' long, 24' by 6' reinforced concrete arch culvert with concrete headwalls at each end. The proposed culvert will be set 6" below the existing streambed. The stream bed will be seeded and stabilized using a native seed mixture with erosion control blankets. The stream banks will be seeded and mulched with a native seed mixture. The banks will be stabilized on each side of the proposed crossing and immediately upstream and downstream of an existing outfall structure with glacial erratic stone placed over geo-textile fabric. Details of the project are contained in information and plans received at the Division of Water on July 28, 2009.
- Location : Beginning at the 4th Street stream crossing and extending approximately 200' upstream  
near Centerville, Center Township, Wayne County  
NW¼, SE¼, SW¼, Section 20, T 16N, R 14E, Richmond Quadrangle  
Quad Code: 3908478  
UTM Coordinates: Downstream 4409707 North, 672032 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25428

Stream : Patoka River

Applicant : Town of Winslow  
Todd Williams  
301 Main Street  
PO Box 69  
Winslow, IN 47598-0069

Description : A new raw water intake will be constructed along the river. The proposed intake will be placed on the same site as an existing intake system and will parallel the existing system in the floodway. Construction will require the excavation of approximately 50' of streambed. The intake will be placed and backfilled over with various size stone and gravel. The existing riprap and surface soil will not be reinstalled. The proposed intake will consist of a 12" perforated plastic intake pipe, surrounding grated and washed stone, non-woven geo-textile filters, and 12" transmission line to existing intake structure raw water pump sumps. The proposed intake elevation will be the same as the existing intake, 405'. Details of the project are contained in information and plans received at the Division of Water on July 31, 2009 and August 14, 2009.

Location : Shoreline of the Patoka River. Corner of E Patoka & Walnut Streets. The project limits begin at the abandoned intake structure & continue 50 feet south near Winslow, Patoka Township, Pike County  
SW $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 32, T 1S, R 7W, Petersburg Quadrangle  
Quad Code: 3808743  
UTM Coordinates: Downstream 4247953 North, 481064 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25430

Stream : Green Valley Creek

Applicant : Bradley D & Zelma A Hirst  
P O Box 1210  
Noblesville, IN 46061-1210

Description : Improvements will be made to the existing Berry Farms Lake Dam including spillway enlargement, changes to the downstream slope, and changes to the internal drain. The spillway will be widened to handle the 100 percent PMP by excavating an existing stone roadway and creating a 20' wide bench approximately 6' above the normal pool elevation. The material excavated from the spillway widening will be placed on the downstream side of the dam at a 5:1 slope. In addition, a new toe drain will be added in the embankment along with drainage fingers. The trench depth will be approximately 4' and will be backfilled with coarse sand. Also, a new valve will be added to an existing cast iron pipe through the dam allowing the pipe to be grouted and partially removed. Details of the project are contained in information and plans received at the Division of Water on August 4, 2009.

Location : approximately 1780' upstream of the State Route 46 stream crossing near Nashville, Washington Township, Brown County  
NE¼, NE¼, SE¼, Section 25, T 9N, R 2E, Nashville Quadrangle  
Quad Code: 3908622  
UTM Coordinates: Downstream 4337840 North, 564666 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25434

Stream : Buck Creek

Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : This project consists of placing riprap as scour counter measures in excavated sections around the abutments of the bridge carrying US 40 over Buck Creek. The riprap will extend 8' out from the abutment face and to a depth of approximately 30". The elevation will be at the original channel bottom elevation. The excavation and placement of the riprap will be done using a causeway which will be approximately 85' in length. The causeway shall be in place no more than 3 days and riprap from causeway will be used as part of the scour protection around the abutments. If riprap from causeway is not being used for scour protection it shall be removed from the channel to restore the sites original channel bottom.

Specific project information will be added to the description as the application is further reviewed.

Details of the project are contained in information and plans received at the Division of Water on August 7, 2009.

Location : At the US 40 crossing over Buck Creek  
near Dunreith, Spiceland Township, Henry County  
SE¼, SE¼, SE¼, Section 29, T 16N, R 10E, Dunreith Quadrangle  
Quad Code: 3908574  
UTM Coordinates: Downstream 4407062 North, 634448 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25437

Stream : Sugar Creek

Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : Riprap will be placed around excavated sections around the existing pier and abutments to the bridge carrying US 52 over Sugar Creek in order to counter scour that is occurring. The channel will be returned to its original shape as a result of the proposed fill. The riprap will be placed approximately 6' out from the abutment face and pier face and will be placed to a depth of 30" around the abutments and 48" around the pier. A total of approximately 55 linear feet along the stream will be impacted. A temporary causeway will be placed around abutment and pier. The riprap from the causeway will be used for scour protection or removed from the channel. Details of the project are contained in information and plans received at the Division of Water on August 7, 2009.

Location : At the US 52 stream crossing  
near New Palestine, Sugar Creek Township, Hancock County  
NE¼, NW¼, SE¼, Section 29, T 15N, R 6E, Acton Quadrangle  
Quad Code: 3908568  
UTM Coordinates: Downstream 4397224 North, 595761 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25438
- Stream : Sugar Creek
- Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216
- Description : This project consists of placing riprap as scour counter measures in excavated sections around the interior piers of the bridge carrying US 40 over Sugar Creek. The riprap will extend 6' out from the pier stems and to a depth of approximately 48". The finished elevation will be at the original channel bottom elevation. The excavation and placement of the riprap will be done using a causeway which will be approximately 70' in length. The causeway will be in place no more than 3 days and riprap from causeway will be used as part of the scour protection around piers. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on August 7, 2009.
- Location : At the US 40 crossing over Sugar Creek  
near Greenfield, Center Township, Hancock County  
SE¼, NW¼, NW¼, Section 3, T 15N, R 6E, Greenfield Quadrangle  
Quad Code: 3908577  
UTM Coordinates: Downstream 4404091 North, 597954 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25440

Stream : West Fork White River

Applicant : Bargersville Water Department  
Michael Davis  
24 North Main Street  
PO Box 420  
Bargersville, IN 46106-0420

Description : A 30" O.D. HDPE water main will be placed beneath the West Fork White River to connect the new water treatment plant to the existing water distribution system. The directionally bored line will have 4.5' of cover in the bank areas and 4.5' cover beneath the streambed. The bore pits will be restored to the predisturbance ground contours following construction. Three raw water production wells will be constructed within the West Fork White River flood plain. These wells will be elevated above the 100 year flood elevations. The well casing pipes will be a maximum of 30" in diameter. The stream crossings at Salem Brook and Bluff Creek will be installed by open cut installation. The pipe will be installed to a satisfactory alignment and grade for its entire length. All pipe for Class "B" stream crossings will be laid so as to provide a minimum of three feet (3'-0") cover over the concrete encasement from the bottom of the stream. This may be reduced to 18" if the water main is laid in rock. The pipe will be encased in concrete as shown on the plans and specifications. excess excavated material will be removed and the site will be restored. Provisions will be made for handling stream flow in a manner which will prevent siltation or erosion while not interfering with the normal function of the stream. Details of the project are contained in information received electronically at the Division of Water on August 17, 2009 and in plans and information received at the Division of Water on

Location : The North side of the State Road 144 bridge where it crosses the West Fork White River -- Stream Crossings on Salem Brook and Bluff Creek will be located on the North side of State Road 144, between the intersection of State Road 144 and 37 to the intersection of County Road 500 North in Johnson County Township 13N, Range 3E and Sections 18, 20, and 21.

near Waverly, Madison Township, Morgan County  
T 13N, R 2E, Mooresville East Quadrangle  
Quad Code: 3908653

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25445
- Stream : Wolf Creek
- Applicant : Vectren Corporation  
Mark Wannemueller  
1 North Main Street  
P.O. Box 209  
Evansville, IN 47702-0209
- Description : Vectren Corporation proposes to install a 345-kV line a Posey County, Indiana across Little and Wolf Creeks in Section 22, Township 6 South, Range 12 West as part of the transmission line corridor from its AB Generating Station near the Ohio River to the Duke Energy Plant in Gibson County near Skelton, Indiana. The proposed transmission line features consist of 1-, 2-pole and 3-pole structures with guy wires at corners. The transmission line corridor is approximately 150-foot wide, and forested uplands in the floodplains of the Little and Wolf creeks will be cleared of trees. About 5.1 acres of forested upland in the floodplain will be cleared. Two poles will be located in the floodplain of Little and Wolf creeks. Details of the project are contained in information received electronically at the Division of Water on August 20, 2009 and in plans and information received at the Division of Water on
- Location : The project is located in Posey County, Indiana at the confluence of Little and Wolf creeks in Section 22, Township 6 South, Range 12 West. The proposed transmission line will cross over the creeks through forested uplands within the mapped floodplain of Little and Wolf Creek.  
Near Caborn, Marrs Township, Posey County  
Section 22, T 6S, R 12W, West Franklin, IN-KY Quadrangle  
Quad Code: 3708786
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25446
- Stream : Little Creek
- Applicant : Vectren Corporation  
Mark Wannemueller  
1 North Main Street  
P.O. Box 209  
Evansville, IN 47702-0209
- Description : Vectren Corporation proposes to install a 345-kV line a Posey County, Indiana across Little and Wolf Creeks in Section 22, Township 6 South, Range 12 West as part of the transmission line corridor from its AB Generating Station near the Ohio River to the Duke Energy Plant in Gibson County near Skelton, Indiana. The proposed transmission line features consist of 1-, 2-pole and 3-pole structures with guy wires at corners. The transmission line corridor is approximately 150-feet wide, and forested uplands in the floodplains of the Little and Wolf creeks will be cleared of trees. About 5.1 acres of forested upland in the floodplain will be cleared. Two poles will be located in the floodplain of Little and Wolf creeks. Details of the project are contained in information received electronically at the Division of Water on August 20, 2009 and in plans and information received at the Division of Water on
- Location : The project is located in Posey County, Indiana at the confluence of Little and Wolf creeks in Section 22, Township 6 South, Range 12 West. The proposed transmission line will cross over the creeks through forested uplands within the mapped floodplain of Little and Wolf Creek.  
Near Caborn, Marrs Township, Posey County  
Section 22, T 6S, R 12W, West Franklin, IN-KY Quadrangle  
Quad Code: 3708786
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : LM-165

Lake : Lake Michigan

Applicant : United States Steel Corporation  
Brian Grady  
600 Grant Street, Room 1500  
Pittsburgh, PA 15219-2800

Description : Requesting a land patent for an area approximately 840' by 190' (2.049 acres) that was created by natural accretion combined with the placement of fill. Details of the project are contained in information and plans received at the Division of Water on May 14, 2009.

Location : Portage Burns Waterway  
DOWNSTREAM: at Portage, Portage Township, Porter County  
E½, NW¼, Section 25, T 37N, R 7W, Ogden Dunes Quadrangle  
Quad Code: 4108762  
UTM Coordinates: Downstream 4608901 North, 485295 East  
UPSTREAM:  
UTM Coordinates: Upstream 4609161 North, 485329 East

Statute/Rule : Navigable Waterway Act, with the associated IC 14-29-1, Navigable Waterway Rule, 312 IAC 6

Application # : NW-74

Stream : Burns Ditch

Applicant : United States Steel Corporation  
Brian Grady  
600 Grant Street, Room 1500  
Pittsburgh, PA 15219-2800

Description : Requesting a land patent for an area approximately 840' by 190' (2.049 acres) that was created by natural accretion combined with the placement of fill. Details of the project are contained in information and plans received at the Division of Water on May 14, 2009 and June 15, 2009.

Location : Portage Burns Waterway  
DOWNSTREAM: near Portage, Portage Township, Porter County  
E½, NW¼, Section 25, T 37N, R 7W, Ogden Dunes Quadrangle  
Quad Code: 4108762  
UTM Coordinates: Downstream 4608901 North, 485295 East  
UPSTREAM:  
UTM Coordinates: Upstream 4609161 North, 485329 East

Statute/Rule : Navigable Waterway Act, IC 14-29-1, with the associated Navigable Waterway Rule, 312 IAC 6

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21360

Lake : Tippecanoe Lake

Applicant : Mark Maloof  
9810 Westpoint Drive  
Indianapolis, IN 46256-3335

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on July 27, 2009.

Location : 17 EMS T 38 Lane  
near North Webster, Tippecanoe Township, Kosciusko County  
NW $\frac{1}{4}$ , NW $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 7, T 34N, R 3W, Leesburg Quadrangle  
Quad Code: 4108537  
UTM Coordinates: Downstream 4576283 North, 603717 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11