

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25295
- Stream : Spring Creek
- Applicant : Samuel R Plant  
5184 East Head Avenue  
Terre Haute, IN 47806-9646
- Description : Approximately 750' of the channel will be realigned and straightened. The new channel will be approximately 500' long. It will be 9' deep, with an 22' bottom width and 2:1 sideslopes. Additionally, approximately 100' of existing channel immediately upstream of the realigned section will be cleared of brush and debris. Details of the project are contained in information and plans received at the Division of Water on April 30, 2009 and August 21, 2009.
- Location : Approximately 500' north and 375' west of the 7 North Road and 57 East Road intersection and extending 750' upstream  
DOWNSTREAM: near Terre Haute, Otter Creek Township, Vigo County  
SE¼, NE¼, Section 7, T 13N, R 8W, Rosedale Quadrangle  
Quad Code: 3908753  
UTM Coordinates: Downstream 4382063 North, 470977 East  
UPSTREAM:  
UTM Coordinates: Upstream 4382225 North, 470967 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25420

Stream : Becketts Run

Applicant : City of Fort Wayne  
Water Resources  
Nathan Bagget  
One Main Street Room 480  
Fort Wayne, IN 46802-1823

Description : A sanitary sewer line varying in diameter from 54" to 36" will be constructed. The sewer line will run approximately 2.5 miles upstream from the mouth and be placed parallel to the stream with three (3) crossing. The crossings will be installed by open cut and back fill, and will have 12" of native stone placed in the trench. The most downstream crossing will have approximately 1.5' of cover beneath the streambed. At this crossing the line will also be encased in concrete for scour protection. The other two crossing will have more than 3' of cover beneath the streambed. In addition, a 10' access path will be constructed at grade running parallel to the sewer line. Also four (4) temporary construction crossing will be installed. The construction crossing will consist of a stone bedding with two (2) 60" CMP culverts and 24" of course aggregate on top. The construction crossing should be in placed for about 4-6 months; after construction the crossings will be removed and the channel will be restored. Details of the project are contained in information and plans received at the Division of Water on July 27, 2009 and August 24, 2009.

Location : Beginning approximately 400' upstream of the confluence and continuing upstream 12,000'  
DOWNSTREAM: near Fort Wayne, St. Joseph Township, Allen County  
SE $\frac{1}{4}$ , SE $\frac{1}{4}$ , NE $\frac{1}{4}$ , Section 18, T 31N, R 13E, Cedarville Quadrangle  
Quad Code: 4108521  
UTM Coordinates: Downstream 4557077 North, 659387 East  
UPSTREAM: SE $\frac{1}{4}$ , SE $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 1, T 31N, R 12E

UTM Coordinates: Upstream 4559279 North, 656934 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25429
- Stream : St. Joseph River
- Applicant : John Randall DeShone  
21173 State Road 120  
Elkhart, IN 46516-5397
- Description : Approximately 92' of the St. Joseph River's eroded streambank will be stabilized with riprap to protect the bank from further erosion. The riprap will be keyed into the stream bed at its base and will conform to the existing bank at the project limits. The riprap will have a maximum height of 5' and a maximum streamward projection of 2' beyond the existing bank. The sideslopes will be 1.5:1. Details of the project are contained in information and plans received at the Division of Water on August 3, 2009.
- Location : Along the south bank of the St Joseph River across the entire frontage of north side of Lot 1 of subdivision Dunn's Landing.  
near Elkhart, Jefferson Township, Elkhart County  
NE¼, Section 31, T 38N, R 6E, Bristol Quadrangle  
Quad Code: 4108567  
UTM Coordinates: Downstream 4617619 North, 593643 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25432
- Stream : Turkey Creek
- Applicant : Lake County Board of Commissioners  
Duane A Alverson, PE  
1100 East Monitor Street  
Crown Point, IN 46307-3521
- Description : An existing precast concrete box beam bridge, Lake County bridge number 255, carrying 68th Place over Chapel Manor, will be replaced with a new structure on essentially the same alignment the new structure will be single span prestressed concrete spread box beam with a span length of 45' long. the structure will have an out to out bridge width of 38' and a clear roadway width of 46'. the spill through abutments will have a 2:1 side slopes armored with limestone riprap placed over geotextile fabric. The abutments will be square. The approach road will be raised approximately 1.25' above the existing road at the bridge location. The existing structure will be completely removed. The project is federally funded Details of the project are contained in information and plans received at the Division of Water on August 6, 2009.
- Location : Along Chapel Manor Lateral (Branch of Turkey Creek) approx. 22 ft downstream and 28 ft upstream from the CL of the proposed bridge at 68th Place  
at Merrillville, Ross Township, Lake County  
SW $\frac{1}{4}$ , SE $\frac{1}{4}$ , SE $\frac{1}{4}$ , Section 9, T 35N, R 8W, Crown Point Quadrangle  
Quad Code: 4108743  
UTM Coordinates: Downstream 4593584 North, 471598 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25433

Stream : Judy Creek

Applicant : Mader Dental Office  
17490 State Road 23  
South Bend, IN 46635

Description : A 1452 square foot addition to an existing non residential structure is proposed. The existing structure has a floor elevation of 733.64' NGVD, the proposed addition will match the existing floor elevation. In addition, the existing parking lot will be removed and replaced. The proposed parking lot will measure 100' by 128' at the longest and be raised approximately 3' from grade to allow for a new french drain system. A retention area is also proposed at the northwest corner of the property, measuring approximately 140' by 80'. Details of the project are contained in information and plans received at the Division of Water on August 5, 2009 and August 21, 2009.

Location : 17490 State Route 23; approximately 30' north of Judy Creek and 100' upstream of the State Route 23 stream crossing  
near South Bend, Clay Township, St. Joseph County  
SW $\frac{1}{4}$ , NW $\frac{1}{4}$ , NE $\frac{1}{4}$ , Section 32, T 38N, R 3E, South Bend East Quadrangle  
Quad Code: 4108662  
UTM Coordinates: Downstream 4617524 North, 566122 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25435
- Stream : Fishback Creek
- Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216
- Description : Riprap will be placed around excavated sections around the existing pier and abutments to the bridge carrying Interstate 865 over Fishback Creek in order to counter scour. The channel will be returned to its original shape as a result of the proposed fill. The riprap will be placed approximately 6' out from the piers and to a depth of approximately 48". A total of approximately 88.5 linear feet along the stream will be impacted. A 73' long temporary causeway will be placed around the piers. The riprap from the causeway will be used for scour protection or removed from the channel. There will be no change to the final cross section of the stream as a result of this project. Details of the project are contained in information and plans received at the Division of Water on August 7, 2009.
- Location : At the Interstate 865 stream crossing  
near Zionsville, Eagle Township, Boone County  
SE $\frac{1}{4}$ , SW $\frac{1}{4}$ , NE $\frac{1}{4}$ , Section 8, T 17N, R 2E, Zionsville Quadrangle  
Quad Code: 3908683  
UTM Coordinates: Downstream 4420410 North, 557712 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25441
- Stream : Tippecanoe River
- Applicant : Pulaski County Commissioners  
Kenneth Becker  
1101 North US 35  
Winamac, IN 46996
- Description : Pulaski County Bridge No. 291 will be replaced with a bypass structure. The proposed structure is a single span steel plate girder bridge approximately 175' in length. The bridge will have a 13 degree skew and a 30 foot clear roadway width. The proposed cross section will consist of one 11' lane in each direction with 4' shoulders on asphalt pavement. The new alignment of County Road 625 East will be designed so that the proposed bridge will not encroach into the horizontal curve of the proposed roadway. The proposed roadway and bridge will be shifted 50' east of the existing roadway and bridge. A drive to the north of the existing bridge will be reconstructed on the east side of County Road 625 East to provide access to the park. The total length of pavement replacement will be approximately 420' and the total length of widening and resurfacing will be an additional 220'. The proposed bridge will span the entire width of the Tippecanoe River. Each abutment will be constructed at the top of the banks. The proposed project will not include temporary work or permanent structures within the Tippecanoe River. The abutments will be constructed at the top of the banks. Riprap will be placed along the banks for protection and will extend 40' upstream and 80' downstream of the proposed bridge. Details of the project are contained in information and plans received at the Division of Water on August 14, 2009.
- Location : Located approximately 50 east of the County Road 625 East and Tippecanoe River bridge  
near Monterey, Tippecanoe Township, Pulaski County  
NE¼, SW¼, SW¼, Section 1, T 31N, R 1W, Culver Quadrangle  
Quad Code: 4108624  
UTM Coordinates: Downstream 4556519 North, 543449 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25444
- Stream : Beal Taylor Ditch
- Applicant : City of Fort Wayne  
Dawn Ritchie Greenway Manager  
One Main Street Room 740  
Fort Wayne, IN 46802-1804
- Description : A new pedestrian bridge is proposed along the north portion of the Covington Road stream crossing. The structure will be a single span steel truss pedestrian bridge with a span length of 116' and a clear walkway width of 12'. The structure will have an out-to-out length of 120'. The proposed trail will be constructed on fill placed over the existing side slopes of Covington Road. The concrete abutments for the bridge will parallel with the existing bridge seats. Details of the project are contained in information and plans received at the Division of Water on August 18, 2009.
- Location : Along north side of (upstream side) of an existing Covington Road bridge as it crosses the Beal-Taylor Ditch, approximately 0.60 miles west of the tee intersection of Covington and Homestead Roads.  
at Arcola, Aboite Township, Allen County  
NW¼, NE¼, NW¼, Section 9, T 30N, R 11E, Arcola Quadrangle  
Quad Code: 4108513  
UTM Coordinates: Downstream 4546760 North, 643118 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25459

Stream : Flatrock River

Applicant : Ralph Hoard  
4400 West 25 South  
Columbus, IN 47201-4726

Description : The proposed project consists of the construction of an earthen fill pad and an adjacent borrow pond. The fill pad will be constructed with engineered earth fill obtained from the borrow pond. The fill pad will consist of a single triangular-shaped configuration with a total length of approximately 1320' measured along the direction of the Flatrock River flow (north/south direction) and 700' measured perpendicular to the river's streamflow (east/west direction). The streamward limit of the fill pad will remain between approximately 550' to 900' landward of the west bank of Flatrock River. The fill pad finish surface grade will be set at elevation 627.0', NGVD, which is a half foot above the 100 year base flood elevation at the site. The depth of fill over natural grade at the site will vary from approximately 3' to 15'. The side slopes of the fill pad will have 3-vertical-to-1-horizontal side slopes that will be planted with DNR-approved riparian ground cover. The northeast corner of the fill pad exposed to potentially high flood velocities and dynamic forces will be protected from potential scour with an 18" layer of 12" rip rap. The borrow pond will be excavated into natural grade streamward of the fill pad. It will not involve the construction of any berm or dam and will not affect the channel of Flatrock River. The borrow pond geometry will consist of a D-shaped configuration with a total length of approximately 550' measured along the direction of the Flatrock River flow (north/south direction) and 670' measured perpendicular to the river's streamflow (east/west direction). The borrow pond will have 3-vertical-to-1-horizontal side slopes that will be planted with DNR-approved riparian ground cover. The borrow pond will have a minimum depth of at least 10' over 40% of its surface area and a maximum depth of approximately 20' during non-flood conditions. The borrow pond normal pool elevation will be controlled by natural groundwater levels between flood events and will not include outlet control structures or outlet pipes/ditches connected to Flatrock River. The borrow pond will not be used for stormwater management purposes.

The project has been designed to minimize the loss of trees at the site, however the trees that will be removed will be replaced with DNR-approved tree plantings of a size, variety and acreage specified by DNR Division of Fish & Wildlife. Details of the project are contained in information received electronically at the Division of Water on August 26, 2009 and in plans and information received at the Division of Water on

Location : The project site is located along the right (west) side of Flatrock River between approximately 800' and 2100' upstream of the Conrail railroad bridge over Flatrock River. The site is bounded on the west by the Conrail railroad tracks near Columbus, Columbus Township, Bartholomew County Section 13, T 9N, R 5E, Columbus Quadrangle Quad Code: 3908528

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-25460

Stream : Sand Creek

Applicant : Board of Hamilton County Commissioners  
Matt Knight, PE  
1700 South 10th Street  
Noblesville, IN 46060-3835

Description : The superstructure of the existing 3-span bridge carrying 121st Street over Sand Creek will be widened to two 12-foot lanes with 2' shoulders and two 8'-7" multi-use paths. The 22'-0" deck will be increased by extending both end bents and interior bents upstream and downstream 12'-10½", thereby increasing the out-to-out width to 47'-9". The approaches will not be raised and there will be minimal work in the channel. Details of the project are contained in information received electronically at the Division of Water on August 27, 2009 and in plans and information received at the Division of Water on

Location : The project area 55' upstream and 60' downstream of the roadway centerline crossing over Sand Creek  
near Fishers, Fall Creek Township, Hamilton County  
Section 32, T 18N, R 5E, McCordsville Quadrangle  
Quad Code: 3908588

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-25461

Stream : Tippecanoe River

Applicant : Dan D Rhymer  
6923 North 1225 West  
Monticello, IN 47960-9712

Description : Wanting to replace a preexisting yard shed. The 10 x12 concrete slab is still there. The shed was gone when we purchased the property. Details of the project are contained in information received electronically at the Division of Water on August 27, 2009 and in plans and information received at the Division of Water on

Location : 6923 North 1225 West  
near Monticello, Tippecanoe Township, Carroll County  
Section 4, T 25N, R 3W

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21369

Lake : Simonton Lake

Applicant : Doug Shaffer  
2004 B. Elkhart Road  
Goshen, IN 46526-1118

Description : An existing timber seawall will be refaced across 52' of the applicant's frontage. The reface layer will consist of steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on July 31, 2009.

Location : 25110 North Shore Drive  
near Elkhart, Osolo Township, Elkhart County  
SE¼, Section 9, T 38N, R 5E, Elkhart Quadrangle  
Quad Code: 4108568  
UTM Coordinates: Downstream 4622913 North, 587460 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21370

Lake : Sechrist Lake

Applicant : John Traub  
7357 Galloway Avenue  
Indianapolis, IN 46250-2581

Description : A new concrete seawall will be constructed across 69' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 5, 2009.

Location : 54 EMS B61K Lane; Lot 5 of Shore Acres Addition  
near Warsaw, Tippecanoe Township, Kosciusko County  
NW¼, NE¼, SW¼, Section 21, T 33N, R 7E, North Webster Quadrangle  
Quad Code: 4108536  
UTM Coordinates: Downstream 4572497 North, 606827 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21372

Lake : Lake Wawasee

Applicant : John Stringer  
11481 Goldilocks Lane  
Cromwell, IN 46732-9652

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on August 6, 2009.

Location : 11941 Forest Lane; Lot 114 of Enchanted Hills Section One  
near Syracuse, Turkey Creek Township, Kosciusko County  
SE $\frac{1}{4}$ , SW $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 13, T 34N, R 7E, Lake Wawasee Quadrangle  
Quad Code: 4108546  
UTM Coordinates: Downstream 4584234 North, 611155 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21373

Lake : Simonton Lake

Applicant : Brian Jepsen  
2471 Warwick Court  
Aurora, IL 60503-6221

Description : An existing timber seawall will be refaced across 53' of the applicant's frontage. The reface layer will consist of steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on August 6, 2009.

Location : 25120 North Shore Drive  
near Elkhart, Osolo Township, Elkhart County  
SE $\frac{1}{4}$ , SE $\frac{1}{4}$ , Section 9, T 38N, R 5E, Elkhart Quadrangle  
Quad Code: 4108568  
UTM Coordinates: Downstream 4622928 North, 587433 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21375

Lake : Big Barbee Lake

Applicant : Ray and Judy Setlak  
7154 East South Barbee Drive  
Pierceton, IN 46562-9150

Description : An existing 80' by 800' long channel will be restored to its original condition to allow for navigation. Approximately 4-6' of accumulated muck and debris will be removed from the channel by dredging to a depth of 8' below the legal level of the lake. The dredging will occur at the center of the channel and slope uniformly to a depth of 0.1' at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposed of by hydraulic pumping. Water from the containment area will be allowed to return to the lake. Details of the project are contained in information and plans received at the Division of Water on August 10, 2009.

Location : Beginning approximately 1300' north and 2700' east of the State Road 13 and Grassy Creek bridge crossing and extending approximately 800' upstream near North Webster, Tippecanoe Township, Kosciusko County  
NE¼, SW¼, NW¼, Section 34, T 33N, R 7E, North Webster Quadrangle  
Quad Code: 4108536  
UTM Coordinates: Downstream 4570092 North, 608469 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21380

Lake : Witmer Lake

Applicant : Jesse Martin  
7245 South 185 East  
Wolcottville, IN 46795-9592

Description : A new steel sheet piling seawall will be constructed across 190' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 14, 2009.

Location : 7245 South 185 East; Lot 21 of Veitch First Addition to Witmer Manor near Wolcottville, Johnson Township, LaGrange County  
SW¼, NE¼, NE¼, Section 32, T 36N, R 10E, Oliver Lake Quadrangle  
Quad Code: 4108554  
UTM Coordinates: Downstream 4599613 North, 634424 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21382

Lake : Dallas Lake

Applicant : Phil Fought  
6005 South 020 West  
Wolcottville, IN 46795

Description : A 25' by 20' underwater beach will be constructed across 25' of the applicant's 165' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on August 17, 2009.

Location : 600 South 020 West  
near Wolcottville, Johnson Township, LaGrange County  
SE $\frac{1}{4}$ , SW $\frac{1}{4}$ , SE $\frac{1}{4}$ , Section 30, T 36N, R 10E, Oliver Lake Quadrangle  
Quad Code: 4108554  
UTM Coordinates: Downstream 4601519 North, 630938 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21384

Lake : Lake Wawasee

Applicant : Wawasee Marina Inc  
Lisa Griffith  
9171 East Ross Drive  
Syracuse, IN 46567-8577

Description : Dredging will be done at an existing 50' wide, 200' long channel off Lake Wawasee. Dredging will be cut to a depth of approximately 5' below the lake's legal level at the center, sloping uniformly to each side of the channel. The maintenance work to be performed will be within the confines of Wawasee Marina. Material will be removed using a long reach track hoe on a barge. The material removed will be hauled via dump truck offsite for proper disposal. Details of the project are contained in information received electronically at the Division of Water on August 24, 2009 and in plans and information received at the Division of Water on

Location : 9171 East Ross Drive

near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11