

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25378
- Stream : West Fork White River
- Applicant : City of Indianapolis-DPW
Hsiao-Han Chiu
1200 Madison Avenue, Suite 200
Indianapolis, IN 46525-1616
- Description : A 72" diameter RCP sewer line will be placed adjacent to West Fork White River to allow combined sewer overflow (CSO) to be relocated from the existing CSO 205 to an existing manhole at Lift Station 507. The line will be approximately 838' in length and will cross the floodway for approximately 450'. The line will be placed by open trench method. Some fill is proposed above existing grade along the proposed sewer line. Trees will be removed as part of the project. Details of the project are contained in information and plans received at the Division of Water on June 24, 2009, August 27, 2009 and September 3, 2009.
- Location : Beginning approximately 400' northeast of the North Capitol Avenue and Westfield Boulevard intersection and extending 838' southwest at Indianapolis, Washington Township, Marion County
NE¼, NW¼, NE¼, Section 11, T 16N, R 3E, Indianapolis West Quadrangle
Quad Code: 3908672
UTM Coordinates: Downstream 4411828 North, 571615 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25410

Stream : Lost River

Applicant : *Indiana Department of Transportation
Laura Hilden
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216

Description : The existing two span bridge carrying State Road 56 will be rehabilitated. It is an earth filled, reinforced concrete arch bridge with clear spans of 24.994 meters (82') and an out-to-out of coping width of 13.361 meters (43'-10"). The deck configuration will be modified to accommodate a new 3 meter (10') wide multi-use trail on the west side of the bridge. The railing at the east coping will be replaced, the existing railing at the west coping will be modified and a new railing will be constructed on the west side of the bridge between the traffic and trail. The existing bituminous overlay will be milled and overlaid with HMA surface within the travel way. A new concrete sidewalk will be constructed on the west side of the bridge for the trail. The rails will be surface sealed. New drains will also be added along the west shoulder of the travel way by coring holes through the arch ring for the drain pipe. Riprap drainage turnout ditches will be constructed at all four quadrants of the bridge. Details of the project are contained in information and plans received at the Division of Water on July 21, 2009 and August 24, 2009.

Location : At the State Road 56 river crossing
near West Baden Springs, French Lick Township, Orange County
NE¼, SW¼, SE¼, Section 27, T 2N, R 2W, French Lick Quadrangle
Quad Code: 3808655
UTM Coordinates: Downstream 4269505 North, 533678 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25448
- Stream : Wabash River
- Applicant : Kevin L Jones
701 6th
Covington, IN 47932-1405
- Description : Approximately 165' of the river's eroded south (right) bank will be stabilized with clean concrete fill to protect the bank from further erosion. The concrete will be placed at the base of the riverbank and will conform to the existing bank at the project limits. It will have a maximum height of 16' and a maximum streamward projection of 6' beyond the existing bank. Details of the project are contained in information and plans received at the Division of Water on August 19, 2009.
- Location : Approximately 2400' upstream of the US 136 river crossing
near Johnsonville, Mound Township, Warren County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 26, T 20N, R 9W, Covington Quadrangle
Quad Code: 4008724
UTM Coordinates: Downstream 4443791 North, 464840 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25451

Stream : Sand Creek

Applicant : RW Armstong
Paul Myers
300 South Meridian Street
Indianapolis, IN 46225-1193

Description : The existing concrete slab bridge carrying East 126th Street over Sand Creek will be replaced with a new structure on essentially the same alignment to improve traffic flow by providing additional travel lanes. The new structure will be a 3-span reinforced concrete slab bridge with span lengths of 29.25', 35.5', and 29.25' and an out-to-out length of 91.5'. The structure will have a total width of 81.75' including a 10' wide pedestrian path and 6' wide sidewalk. The spill through abutments will have 2:1 sideslopes armored with riprap placed over a geotextile fabric. The abutments and piers will be skewed 15 degrees to align with streamflow. The new approach roads will be raised above the existing approaches. The existing structure will be completely removed. Details of the project are contained in information and plans received at the Division of Water on August 21, 2009.

Location : At the 126th Street stream crossing
near Fishers, Fall Creek Township, Hamilton County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 28, T 18N, R 5E, McCordsville Quadrangle
Quad Code: 3908588
UTM Coordinates: Downstream 4425138 North, 587588 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25454
- Stream : Rock Run Creek
- Applicant : City of Goshen
Mary Cripe, PE
Suite 1
204 East Jefferson Street
Goshen, IN 46528-3404
- Description : An approximate 15,000' long, 8' wide asphalt pedestrian trail will be constructed at grade. Approximately 4200' of the pedestrian trail will be located in the floodway of Rock Run Creek. Details of the project are contained in information and plans received at the Division of Water on August 24, 2009.
- Location : Along the north bank of Rock Run Creek beginning at the 1st Street Bridge crossing and continuing upstream to the 3rd Street Bridge crossing in Goshen
DOWNSTREAM: near Goshen, Elkhart Township, Elkhart County
SE $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 4, T 36N, R 6E, Goshen Quadrangle
Quad Code: 4108557
UTM Coordinates: Downstream 4605525 North, 596365 East
UPSTREAM: NE $\frac{1}{4}$, SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 9, T 36N, R 6E

UTM Coordinates: Upstream 4605129 North, 596946 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25464
- Stream : East Fork Whitewater River
- Applicant : Central Indiana Trout Unlimited
Nick Schroeder
10681 North Cedars Road
Seymour, IN 47274-8461
- Description : The Central Indiana Chapter of Trout Unlimited has identified that trout and other aquatic species in the Brookville Reservoir tailwater will benefit from the habitat created by the presence of medium to large sized limestone boulders in the stream channel. These boulders will create holding and feeding areas that will be beneficial for the aquatic life. Heavy equipment will be used to place 1-3 ton limestone boulders in the stretch of river. The limestone boulders will be delivered from a local quarry by a dump truck and dropped at a pre-selected staging area near the project site. Equipment such as a front-end-loader will then be used to position the boulders in the stream. The boulders will be placed by themselves or in small clusters. Extra care will be considered to minimize the risk of environmental damage caused by the use of heavy machinery. Ensuring that the machinery uses a route from the staging area to the river that is least susceptible to bank erosion and reseeding any areas of the grounds that are disrupted will ensure a low-impact outcome. The project site is located entirely within the Brookville City Park, so our efforts will be coordinated with the park groundskeepers to ensure its success. The streambed in this project area is comprised of mostly gravel and cobble. Therefore, disruptions to the streambed caused by the machinery will be minimal. Details of the project are contained in information received electronically at the Division of Water on August 31, 2009 and in plans and information received at the Division of Water on September 1, 2009.
- Location : Brookville City Park, approximately 2600' downstream from the State Road 101 stream crossing and extending 800' downstream
DOWNSTREAM: at Brookville, Brookville Township, Franklin County
SE¼, SE¼, SE¼, Section 20, T 9N, R 2W, Brookville Quadrangle
Quad Code: 3908541
UTM Coordinates: Downstream 4365784 North, 671892 East
UPSTREAM: NE¼, NE¼, NE¼, Section 29, T 9N, R 2W
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25469
- Stream : South Fork Wildcat Creek
- Applicant : Tippecanoe County Highway Department
Opal Kuhl
20 North 3rd Street
Lafayette, IN 47901-1205
- Description : The existing bridge will be replaced with a new structure. The new structure will be a three span concrete bridge with a total span length of 321'. The structure will have an out to out width of 33'. The new approach roads will be elevated a maximum of 9' above the existing approaches. The abutments will have a 2:1 sideslopes armored with 18" riprap on geotextile fabric. In addition, two cofferdams are proposed to be placed along the side of each new pier. Details of the project are contained in information and plans received at the Division of Water on September 1, 2009.
- Location : At the County Road 1North Road stream crossing
DOWNSTREAM: near Lafayette, Perry Township, Tippecanoe County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 17, T 23N, R 3W, Lafayette East Quadrangle
Quad Code: 4008647
UTM Coordinates: Downstream 4475771 North, 517946 East
UPSTREAM: NW $\frac{1}{4}$, NW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 20, T 23N, R 3W

UTM Coordinates: Upstream 4475762 North, 517942 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water
30 Day Public Notice Report

Application # : FW-25472

Stream : Patoka River

Applicant : Patoka Lake Regional Water and Sewer District
Bruce Heeke
2647 North State Road 545
Dubois, IN 47527-9750

Description : An 8" diameter HDPE, DR-7 water line will be buried beneath the river. The line will have 3.5' of cover between the top of the pipe and the streambed and a minimum 13.5' of cover in the banks. River weights will be used to compensate for negative buoyancy. Details of the project are contained in information and plans received at the Division of Water on September 3, 2009.

Location : Approximately 200' upstream of the State Road 37 river crossing near Youngs Creek, Greenfield Township, Orange County
SE¼, SE¼, SE¼, Section 12, T 1S, R 1W, Valeene Quadrangle
Quad Code: 3808644
UTM Coordinates: Downstream 4254839 North, 547480 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25473
- Stream : Eagle Creek
- Applicant : Zionsville Parks and Recreation Department
Matthew Dickey
1075 Parkway Drive
Zionsville, IN 46077-1951
- Description : Zionsville Parks and Recreation Department proposes the development and engineering of Turkey Foot Trail beginning at the existing pedestrian bridge spanning Eagle Creek just north of Turkey Foot Road. The Turkey Foot Trail is approximately 0.6 miles long, from the existing Turkey Foot Road pedestrian bridge to the neighborhood on Red Bud Lane. The trail will start at the existing pedestrian bridge over Eagle Creek and follow a general west to east direction away from Eagle Creek eastward to Red Bud Lane. There is one southerly loop that will avoid a palustrine wetland. The main trail will consist of two lanes at 6 feet wide with 2 foot stone shoulders, be ADA accessible, made of bituminous material, and be constructed at the existing grade throughout the mapped floodway. The trail project also includes a bank stabilization project along Eagle Creek beginning just downstream from the pedestrian bridge. Eagle Creek has a severely eroded west bank. It is proposed to restore this bank and key-in the toe-of-slope. Details of the project are contained in information received electronically at the Division of Water on September 3, 2009 and in plans and information received at the Division of Water on
- Location : The site is located 1.6 miles northwest of the State Road 334 and State Road 421 intersection
near Zionsville, Eagle Township, Boone County
Section 26, T 18N, R 2E, Zionsville Quadrangle
Quad Code: 3908683
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25480
- Stream : Unnamed Tributary French
Lick Creek
- Applicant : Indiana Department of Transportation
Laura Hilden
100 North Senante Avenue, Room N642
Indianapolis, IN 46204
- Description : The existing box culvert carrying State Road 56 will be rehabilitated. The existing wingwalls will be stabilized with a layer of Class 1 riprap. The roadway will be elevated approximately 1' above the existing road elevations. Details of the project are contained in information and plans received at the Division of Water on July 21, 2009 and August 24, 2009.
- Location : At the State Road 56 stream crossing
near French Lick, French Lick Township, Orange County
NE¼, SW¼, SE¼, Section 34, T 2N, R 2W, French Lick Quadrangle
Quad Code: 3808655
UTM Coordinates: Downstream 4267930 North, 533657 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25481

Stream : Carmel Creek

Applicant : City of Carmel
Engineering Department
Mike McBride
One Civic Square
Carmel, IN 46032-2584

Description : A ten (10) feet wide asphalt path and required curb ramps will be installed on the south side of 106th Street from Westfield Boulevard to Keystone Avenue. The asphalt path installation will generally be placed at existing grade to match existing elevations, and existing drainage patterns will not be altered. The project will also include the regrading of existing open ditches and installation of new drive culverts. Details of the project are contained in information received electronically at the Division of Water on September 10, 2009 and in plans and information received at the Division of Water on

Location : The asphalt path installation is located on the south side of 106th Street from Westfield Boulevard to Keystone Avenue
at Carmel, Clay Township, Hamilton County
SW¼, Section 6, T 17N, R 4E, Fishers Quadrangle
Quad Code: 3908681

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25482

Stream : Spring Mill Run

Applicant : City of Carmel - Engineering Department
Michael McBride
Carmel City Hall first floor
One Civic Square
Carmel, IN 46032-2584

Description : A ten (10) feet wide asphalt path, small portions of five (5) feet wide concrete sidewalk and required curb ramps will be installed on the north side of 106th Street from Michigan Road to Ditch Road. The asphalt path installation will be placed at existing grade to match existing elevations, and existing drainage patterns will not be altered. The project will also include the regrading of existing open ditches and installation of new drive culverts. Details of the project are contained in information received electronically at the Division of Water on September 11, 2009 and in plans and information received at the Division of Water on

Location : The path installation is located on the north side of 106th Street from Michigan Road to Ditch Road
at Carmel, Clay Township, Hamilton County
SE¼, Section 4, T 17N, R 3E, Carmel Quadrangle
Quad Code: 3908682

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25483
- Stream : West Fork White River
- Applicant : Indianapolis Department of Public Works
John K. Oakley
1200 South Madison Avenue
Suite 200
Indianapolis, IN 46225-1616
- Description : Approximately 2,100' of the WR-16(a) Oliver Avenue-Washington Street Levee along the west bank of the West Fork White River will be repaired to its original condition to facilitate future maintenance of the levee. The project site is along the west bank of the West Fork White River adjacent to South White River Parkway West Drive from Oliver Avenue to Washington Street. The scope of work consists of clearing and removing brush, trees, stumps, and other unwanted surface objects from the levee and then re-grading and stabilizing the slope with erosion control blanket and seeding. Existing storm sewer pipes will be extended as necessary, and headwalls with duckbill check valves will be installed at the discharge points. The proposed work is required under the City of Indianapolis' Provisionally Accredited Levee (PAL) agreement with the Federal Emergency Management Agency (FEMA) and is a necessary step to receiving FEMA accreditation of the levee. Details of the project are contained in information received electronically at the Division of Water on September 11, 2009 and in plans and information received at the Division of Water on
- Location : Along the west bank between Washington Street and Oliver Avenue, adjacent to South White River Parkway West Drive
near Indianapolis, Center Township, Marion County
Section 11, T 15N, R 3E, Indianapolis West Quadrangle
Quad Code: 3908672
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25484
- Stream : Unnamed Tributary
McCracken Creek
- Applicant : MES Properties LLC
Mark Sanders
6051 South Indianapolis Road
Whitestown, IN 46075
- Description : Reconstruction of Hendricks County Road (aka Keller Hill Road) from State Road 39 to County Road 100 E (aka Everett Road). There are two (2) bridge structures along Hendricks County Road that will be referred to as Str#1-West and Str#2-East. Str#1-West has an existing 18'x 5.5' bridge opening and will be replaced with a 24'x 6.5' bridge opening. Str#2-East has an existing 10' wide culvert that will be replaced with a 14' x 6' bridge opening. There are two (2) different unnamed tributaries to McCracken Creek that drain under the structures. Str#1-West has an upstream drainage area greater than 1sq. mile and Str#2 is less than 1sq. mile. For the Str#1-West, a floodway/flood plain delineation was submitted GN#23396. Details of the project are contained in information received electronically at the Division of Water on September 11, 2009 and in plans and information received at the Division of Water on
- Location : This project is located southwest of the I-70 and State Road 39 exit along Hendricks County Road, approximately 1500' east of County Road 100 East near Monrovia, Liberty Township, Hendricks County Section 35, T 14N, R 1W, Mooresville West Quadrangle Quad Code: 3908654
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21319

Lake : Jimmerson Lake

Applicant : Craig and Donna Hanna
60 Lane 230 Jimmerson Lake
Angola, IN 46703-9404

Description : A 40' by 50' underwater beach will be constructed across 40' of the applicant's 85' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on June 18, 2009 and July 30, 2009.

Location : 60 Lane 230 Jimmerson Lake; Lot 16 of Paradise View
near Angola, Jamestown Township, Steuben County
NW $\frac{1}{4}$, SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 31, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4619518 North, 660472 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21383

Lake : Big Long Lake

Applicant : Brian Eadie
1250 West 141st Street
Carmel, IN 46032-9342

Description : A concrete seawall will be refaced with a layer of concrete across 52' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on August 20, 2009.

Location : 9565 East 570 South
near Wolcottville, Milford Township, LaGrange County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 22, T 36N, R 11E, Wolcottville Quadrangle
Quad Code: 4108553
UTM Coordinates: Downstream 4602300 North, 646613 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21386

Lake : Big Turkey Lake

Applicant : Timothy James Schmidt
11727 Prairie Trace
Hoagland, IN 46745

Description : A 85' by 5' underwater beach will be constructed across 85' of the applicant's 170' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on August 24, 2009.

Location : 180 Lane 137A; Lot 70 of Wildwood Addition
near Hudson, Salem Township, Steuben County
SW $\frac{1}{4}$, NE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 7, T 36N, R 12E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Downstream 4605824 North, 651086 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21387

Lake : Adams Lake

Applicant : Lagrange County Drainage Board
Rex R Pranger
114 West Michigan Street
LaGrange, IN 46761-1862

Description : An existing 400' by 35' channel will be dredged. Approximately 7.5' of accumulated muck and debris will be removed from the channel bed by dredging to a maximum depth of 8' below the lake's legal level at the center of the channel and sloping uniformly at 1:1 to the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Details of the project are contained in information and plans received at the Division of Water on August 24, 2009.

Location : This project is the outlet of the Case/Lovett regulated drain into Adams Lake.
near Wolcottville, Johnson Township, LaGrange County
NE $\frac{1}{4}$, NE $\frac{1}{4}$, NW $\frac{1}{4}$, Section 25, T 36N, R 10E, Wolcottville Quadrangle
Quad Code: 4108553
UTM Coordinates: Downstream 4601644 North, 640138 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-21389
- Lake : Clear Lake
- Applicant : Larry and Linda Lee
13818 Aboite Center Road
Fort Wayne, IN 46814-9743
- Description : A concrete and glacial stone combination seawall will be refaced with a layer of concrete across 78' of the applicant's 90' frontage. The reface layer will be keyed to the wall's lakeward face. Also, 12' of the existing seawall will be completely removed to provide a walk area to the lake. Details of the project are contained in information and plans received at the Division of Water on August 26, 2009.
- Location : 838 Lake Drive; Lot 42 of Fountain Beach Second Addition
near Clear Lake, Clear Lake Township, Steuben County
NW¼, SE¼, SE¼, Section 29, T 38N, R 15E, Clear Lake, IN-OH-MI Quadrangle
Quad Code: 4108467
UTM Coordinates: Downstream 4622097 North, 679709 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-21394
- Lake : Webster Lake
- Applicant : Richard J Presser
8011 East Wade Drive
North Webster, IN 46555
- Description : An existing concrete seawall will be refaced across a portion of the 100' frontage of the applicant on Webster Lake to prevent deterioration. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2 inch rerod. The refacing will have a maximum thickness of 12" inches and will be sloped on the lakeward side. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on September 8, 2009 and in plans and information received at the Division of Water on
- Location : 8011 East Wade Lane
near North Webster, Tippecanoe Township, Kosciusko County
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21402

Lake : Sechrist Lake

Applicant : Judd Mason
89 EMS B 43 Lane
Leesburg, IN 46538-9448

Description : A new seawall will be constructed across 50' of the applicant's frontage. The wall will consist of reinforced concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 13" inches to 30" inches from the base to the top. The lakeward face of the wall will be at the legal shoreline. Details of the project are contained in information received electronically at the Division of Water on September 11, 2009 and in plans and information received at the Division of Water on

Location : 89 EMS B43 LN
near North Webster, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11