

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : DR-483

Lake : Shipshewana Lake

Applicant : LaGrange County Regional Utility District  
Jack Dold  
208 West Michigan Street  
LaGrange, IN 46761-1820

Description : A pressure sewer system will be installed via directional drill around Shipshewana Lake. Some cut work will be required including pits at homes for the installation of grinder pump units and launching/receiving pits along the sewer route. Launching and receiving pits will be 4' x 4' in size and will be located approximately every 400 to 800'. Details of the project are contained in information received electronically at the Division of Water on October 2, 2009 and in plans and information received at the Division of Water on

Location : The project extends around Shipshewana Lake in LaGrange County, Indiana on all but the north/northwest side of the lake where no homes border the shoreline. The sewer collects along County Road W 250 North and extends east toward Shipshewana past the ½ mile jurisdictional radius. The project covers sections 3, 4, 9, and 10 within Newbury township.

near Shipshewana, Newbury Township, LaGrange County  
T 37N, R 8E, Shipshewana Quadrangle  
Quad Code: 4108565

Statute/Rule : "Ditch" Act, IC 14-26-5

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25449
- Stream : Little River
- Applicant : Vera Bradley Designs Inc  
Jill Nichols  
2208 Production Road  
Fort Wayne, IN 46808-3656
- Description : Approximately 11.5 acres of wetland mitigation and riparian forest presentation is proposed. The area will include 6 acres of riparian forest preservation and 5.5 acres of restored riparian forest mitigation. The construction will require the excavation of 6,100 cubic yards of material from the floodway that will be spread evenly at 6 inches deep across 13 acres. Details of the project are contained in information and plans received at the Division of Water on August 20, 2009, October 2, 2009 and October 7, 2009.
- Location : Beginning at the County Road 900 North crossing and continuing downstream for approximately 1600', then extending east 2300'  
near Roanoke, Jackson Township, Huntington County  
A La Fontaine Reserve #50, Zanesville Quadrangle  
Quad Code: 4008583  
UTM Coordinates: Downstream 4535198 North, 637377 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25479
- Stream : Ohio River
- Applicant : Jeffboat LLC  
David Bellus  
1030 East Market Street  
Jeffersonville, IN 47130-4332
- Description : A 46' by 12' by 12' portable paint storage building will be constructed on an existing concrete pad having a footprint of approximately 552 square feet. Details of the project are contained in information and plans received at the Division of Water on September 9, 2009.
- Location : Approximately 100' northeast and 490' south east from the Main Street and Market Street intersection  
at Jeffersonville, Jeffersonville Township, Clark County  
Clark Military Grant #2, Jeffersonville, IN-KY Quadrangle  
Quad Code: 3808536  
UTM Coordinates: Downstream 4237442 North, 611828 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25489

Stream : Potato Creek

Applicant : Charles Houin  
7307 2B Road  
Bremen, IN 46506-9671

Description : A new 6' diameter by 29' long culvert was placed in Potato Creek to serve as a crossing for a private access road. Approximately 210 cubic yards of fill from the site was placed on the culvert in Potato Creek to create a crossing. Existing riprap and the fill dirt will be removed. Geotextile fabric will be placed around the culvert on the upstream and downstream sides. Approximately 8 cubic yard of riprap will be placed below the ordinary high water mark (OHWM) over the fabric, while an additional 8 cubic yard of riprap will be placed above the OHWM. Details of the project are contained in information and plans received at the Division of Water on September 16, 2009.

Location : Approximately 2625' east and 775' north of the Sycamore Road and the Osborne Road intersection  
near Liberty, Liberty Township, St. Joseph County  
NW $\frac{1}{4}$ , SW $\frac{1}{4}$ , SE $\frac{1}{4}$ , Section 22, T 36N, R 1E, North Liberty Quadrangle  
Quad Code: 4108654  
UTM Coordinates: Downstream 4600136 North, 550196 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25502
- Stream : Trail Creek
- Applicant : Michigan City Port Authority  
Tim Frame, Harbormaster  
200 Heisman Harbor Drive  
Michigan City, IN 46360-3343
- Description : A new municipal boat launch ramp will be constructed consisting of six launch ramps. In addition, a parking lot, restroom and operations buildings, fish cleaning station, boat pump out station and 36 transient day slips. The project will include dredging approximately 54200 cubic yards of sand material out of Trail Creek along the west shore. Approximately 2780 cubic yards of sand material will need to be removed to construct the parking lot area. The sand material will be placed along the shoreline of Lake Michigan as beach nourishment. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on September 15, 2009 and October 7, 2009.
- Location : Along the west side of Trail Creek at the mouth of Lake Michigan  
DOWNSTREAM: near Michigan City, Michigan Township, LaPorte County  
NE¼, NW¼, Section 29, T 38N, R 4W, Michigan City West Quadrangle  
Quad Code: 4108668  
UTM Coordinates: Downstream 4618850 North, 507775 East  
UPSTREAM:  
UTM Coordinates: Upstream 4619142 North, 507471 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25505
- Stream : St. Joseph River
- Applicant : Indiana University-Purdue University  
Fort Wayne  
Gregory Justice  
2101 East Coliseum Boulevard  
Fort Wayne, IN 46805-1499
- Description : An 8' paved trail is proposed. In addition, an existing 30" outlet will be extended under the proposed trail with approximately 93.9 square feet of field stone bank stabilization. Details of the project are contained in information and plans received at the Division of Water on September 24, 2009.
- Location : Beginning approximately 400' upstream of the SR 930 stream crossing and continuing upstream approximately 4300'  
DOWNSTREAM: at Fort Wayne, St. Joseph Township, Allen County  
SE $\frac{1}{4}$ , NW $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 30, T 31N, R 13E, Fort Wayne East Quadrangle  
Quad Code: 4108511  
UTM Coordinates: Downstream 4553352 North, 658314 East  
UPSTREAM: NW $\frac{1}{4}$ , SW $\frac{1}{4}$ , SE $\frac{1}{4}$ , Section 19, T 31N, R 13E  
  
UTM Coordinates: Upstream 4554063 North, 658784 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25506

Stream : West Fork White River

Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : The existing bridge carrying State Road 39 over West Fork White River will be replaced with a new bridge on a new alignment 56' south (downstream) of the existing alignment. The new structure will have 6 spans using either pre-cast post tensioned bulb-tee beams or steel plate girders. The bridge deck will be a cast in place concrete slab. The bridge has a total out-to-out length of 1076' and a clear roadway width of 52'. The bridge has a total out-to-out width of 60'. The supporting concrete piers will be skewed 20 degrees left to the roadway and parallel to the river to reduce debris from accumulating at piers. The supporting concrete piers will be supported with drilled shafts. The new bridge deck at the center of the river will be 10.48' above the existing bridge deck. The low structure elevation at the bridge end bends are lower than existing by approximately 2.55'. The guardrails on the bridge approaches will be W-Beam guardrail and end treatments where required. The bridge will have concrete knee walls with Type PS-1 railing. The spill slopes on either side of the bridge will be armored with 18" revetment riprap over geotextiles. The existing bridge to the north will be demolished upon completion of the new bridge. A total of 2 temporary work bridges will be constructed, one will be used to construct the new bridge and one will be used to remove the existing bridge. The project is federally funded. (INDOT Des# 0600731.) Details of the project are contained in information and plans received at the Division of Water on September 25, 2009.

Location : At the State Road 39 stream crossing  
near Martinsville, Washington Township, Morgan County  
N½, NE¼, SW¼, Section 32, T 12N, R 10E, Martinsville Quadrangle  
Quad Code: 3908644  
UTM Coordinates: Downstream 4365085 North, 547344 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25507
- Stream : West Fork White Lick  
Creek
- Applicant : Bob Graper  
PO Box 224  
Danville, IN 46122-0224
- Description : Approximately 185' of West Fork White Lick Creek will be stabilized using riprap or shot rock at the toe. Clean fill and a coconut mat with native seed is proposed above the riprap. The finished grade will be approximately the pre-eroded grade. Details of the project are contained in information and plans received at the Division of Water on September 25, 2009.
- Location : Approximately 200' upstream of the Washington Street stream crossing near Danville, Center Township, Hendricks County  
NE¼, NE¼, SE¼, Section 33, T 16N, R 1W, Danville Quadrangle  
Quad Code: 3908675  
UTM Coordinates: Downstream 4403727 North, 540696 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25512
- Stream : Burnett Creek
- Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216
- Description : Approximately 704' of an intermittent stream will be constructed. The channel will outlet into an existing pond. The bank of the excavated stream will have a 2' bottom width and will have 2:1 sideslopes. The bottom and sides of the proposed stream will be excavated 6' below the proposed stream bottom to accommodate backfilling with a natural gravel substrate. Five complexes of varying lengths, slopes, and depths will comprise the length of the stream and provide natural channel morphology. The sideslopes of the channel will be planted with a wetland seed mix and covered with coconut fiber matting for slope stabilization. Additionally, existing tile will be removed to increase the surface and/or near-surface hydrology. Details of the project are contained in information and plans received at the Division of Water on September 25, 2009.
- Location : Burnett Creek is located approximately 200 feet from the proposed mitigation site, which runs nearly parallel with the southeast boundary of the Tippecanoe County Parks property  
DOWNSTREAM: near Battle Ground, Tippecanoe Township, Tippecanoe County SE $\frac{1}{4}$ , NE $\frac{1}{4}$ , NE $\frac{1}{4}$ , Section 27, T 24N, R 4W, Brookston Quadrangle  
Quad Code: 4008657  
UTM Coordinates: Downstream 4483448 North, 512643 East  
UPSTREAM: SE $\frac{1}{4}$ , SE $\frac{1}{4}$ , SE $\frac{1}{4}$   
  
UTM Coordinates: Upstream 4483788 North, 512700 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25513
- Stream : Salamonie River
- Applicant : Marathon Pipe Line  
Tressa L Benedetti  
539 South Main Street  
Findlay, OH 45840-3229
- Description : Approximately 18' of Salamonie River's eroded streambank will be stabilized around a 10" pipeline. The streambed will be stabilized using 16 Submar mats 20' long by 8' wide by 4.5" thick to protect the streambank and pipeline from further erosion. Three mats will be keyed into the stream bank. The mats will be tied with connectors under the pipeline along the stream side. The project will conform to the streambanks contours. Details of the project are contained in information and plans received at the Division of Water on September 25, 2009, September 29, 2009, October 5, 2009, October 6, 2009 and October 7, 2009.
- Location : Approximately 700' east and 2700' north of the County Road 80 South and the County Road 73 East  
near Pennville, Bearcreek Township, Jay County  
SE¼, SW¼, NW¼, Section 5, T 23N, R 12E, Blaine Quadrangle  
Quad Code: 4008541  
UTM Coordinates: Downstream 4482035 North, 659998 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10
- Application # : FW-25518
- Stream : Junk Ditch
- Applicant : Dino Zurzolo  
2440 West Jefferson Boulevard  
Fort Wayne, IN 46804-4639
- Description : A 20' by 10' storage unit, office, and bath are proposed on the second story of an existing commercial structure. Details of the project are contained in information and plans received at the Division of Water on September 28, 2009.
- Location : 2440 West Jefferson Boulevard; approximately 1500' west and 750' north of the Park Drive and West Jefferson Boulevard intersection  
at Fort Wayne, Wayne Township, Allen County  
NE¼, NE¼, NE¼, Section 9, T 30N, R 12E, Fort Wayne West Quadrangle  
Quad Code: 4108512  
UTM Coordinates: Downstream 4548617 North, 653535 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25520

Stream : Lewis Creek

Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : Approximately 345.6 square yards of riprap will be placed in excavated areas around the piers and abutments of the State Route 252 stream crossing. The riprap will extend 6' streamward of the abutments and 6' in all directions around the piers. The proposed riprap will not extend above the existing channel bottom. A small backhoe will be used to excavate the stream bottom and place the riprap. The backhoe will access the stream using a temporary causeway which will only be in place for 5 days. Details of the project are contained in information and plans received at the Division of Water on September 29, 2009.

Location : At the State Route 252 stream crossing  
near Flat Rock, Jackson Township, Shelby County  
NE¼, NE¼, NE¼, Section 33, T 11N, R 6E, Lewis Creek Quadrangle  
Quad Code: 3908547  
UTM Coordinates: Downstream 4357755 North, 598406 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25521
- Stream : Clifty Creek
- Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216
- Description : Approximately 125 square yards of riprap will be placed in excavated areas around the interior piers of the State Route 9 crossing of Unnamed Tributary Clifty Creek. The riprap will extend 6' streamward of the piers and will not extend above the existing channel bottom. A small backhoe will be used to excavate the stream bottom and place the riprap. A temporary causeway will be installed to provide access for the backhoe. Details of the project are contained in information and plans received at the Division of Water on September 29, 2009.
- Location : At the State Route 9 stream crossing of Unnamed tributary Clifty Creek near Columbus, Clay Township, Bartholomew County  
SE $\frac{1}{4}$ , SE $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 8, T 9N, R 7E, Elizabethtown Quadrangle  
Quad Code: 3908527  
UTM Coordinates: Downstream 4343208 North, 606001 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25522
- Stream : Sugar Creek
- Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216
- Description : Approximately 1085 square yards of riprap will be placed in excavated areas around the abutments and piers of the Interstate 65 stream crossing. The riprap will extend 10' streamward of the abutments and 10' in all directions around the piers. The proposed riprap will not extend above the existing channel bottom. A small backhoe will be used to excavate the stream bottom and place the riprap. A temporary causeway consisting of a riprap pad with 1:1 side slopes will be installed to provide access for the backhoe. The proposed temporary causeway will not be in place more than 5 days. Details of the project are contained in information and plans received at the Division of Water on September 29, 2009.
- Location : At the Interstate 65 stream crossing  
near Amity, Blue River Township, Johnson County  
NW¼, NW¼, NE¼, Section 4, T 11N, R 5E, Marietta Quadrangle  
Quad Code: 3908548  
UTM Coordinates: Downstream 4365545 North, 587695 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25523
- Stream : Youngs Creek
- Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216
- Description : Approximately 310 square yards of riprap will be placed in excavated areas around the abutments and piers of the State Route 252 stream crossing. The riprap will extend 8' in all directions around the piers and 30' streamward of the abutments. The proposed riprap will not extend above the existing channel bottom. A small backhoe will be used to excavate the stream bottom and place the riprap. The backhoe will access the stream using a temporary causeway which will only be in place for 10 days. Details of the project are contained in information and plans received at the Division of Water on September 29, 2009.
- Location : Along the channel bottom, banks & floodplain of Youngs Creek at either abutment & 2 interior piers of the SR 252 bridge  
near Amity, Blue River Township, Johnson County  
NW¼, NW¼, SW¼, Section 8, T 11N, R 5E, Franklin Quadrangle  
Quad Code: 3908641  
UTM Coordinates: Downstream 4362910 North, 585319 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25529

Stream : Pollard Ditch

Applicant : Duke Energy  
William B Taylor  
1000 East Main Street  
Plainfield, IN 46168-1782

Description : A new water body crossing for a proposed railroad spur will be placed in Pollard Ditch consisting a new culvert to carry the stream flow. The new crossing will consist of a single structural plate arch culvert set in concrete headwalls. The structural plate arch will have upstream and downstream invert elevations that approximately match the existing streambed elevations of 445.6', NAVD 88 and 445.0', NAVD 88, respectively. The culvert and headwalls will be skewed approximately 15 degrees to align with stream flow. Minor channel shaping will occur both downstream and upstream of the crossing to provide a better flow transition into and out of the culvert system. The shaping will be confined to the temporary construction right-of-way. The shaped areas will be lined with 6" of topsoil and vegetated with a seeding mix containing a minimum of 10% of native plant species appearing on the IDNR approved plant list. The approach roadbed for the railroad will be constructed on fill placed to a height of approximately 12' over the existing elevations. The crown of the subgrade for the track section over the culvert will be at 471', NAVD 88, and the top of rail will be at 473.6', NAVD 88. Details of the project are contained in information received electronically at the Division of Water on October 5, 2009 and in plans and information received at the Division of Water on

Location : At the crossing of the existing abandoned rail road bed and Pollard Ditch, approximately 80' east of State Route 67

NW ¼, Section 30, Township 5 N., Range 7 W. (Plainville Quadrangle)

near Westphalia, Vigo Township, Knox County

NW¼, Section 30, T 5N, R 7W, Plainville Quadrangle

Quad Code: 3808772

UTM Coordinates: Downstream 4299937 North, 479473 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-25530

Stream : St. Joseph River

Applicant : Joseph P Oliva  
11126 Lakeshore Drive  
Osceola, IN 46561-9542

Description : Approximately 8' eroded north streambank will be stabilized with clean broken concrete and field stone (riprap) to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 2', a maximum streamward projection of 3' beyond the existing bank, and 1:1 sideslopes. Repair is needed to due to ice damage and pier post deterioration. Details of the project are contained in information received electronically at the Division of Water on October 5, 2009 and in plans and information received at the Division of Water on

Location : 11126 Lakeshore Drive  
near Osceola, Penn Township, St. Joseph County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-25533
- Stream : Eller Ditch
- Applicant : \*Indiana Department of Transportation  
Laura Hilden  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216
- Description : Approximately 900' of the ditch will be enhanced as part of the mitigation plan for State Road 331 (INDOT Des #0200872). Bank stabilization along approximately 250' of the west bank will include vegetated coir and fiber logs 12" in diameter, native plantings, and riprap placed at the toe of the logs. Also, LUNKER structures will be placed in several locations along the west bank, and protected with riprap, in order to provide fish habitat. The structures and riprap will be placed flush with the top of bank. The remaining areas of the project along the west bank will be covered with an erosion control blanket over seed mix for slope stabilization. Two riprap flow direction control structures will be placed in the channel that will extend across a maximum of 2/3 of the bank full width. In addition, two 15" diameter reinforced concrete stormwater outfall pipes will outfall into the ditch over riprap pads. The pipes will be placed on both sides of the existing culvert. Details of the project are contained in information and plans received at the Division of Water on October 2, 2009.
- Location : Beginning at the 12th Street stream crossing and extending downstream approximately 900'  
DOWNSTREAM: near Mishawaka, Penn Township, St. Joseph County  
E½, SW¼, SW¼, Section 13, T 37N, R 3E, South Bend East Quadrangle  
Quad Code: 4108662  
UTM Coordinates: Downstream 4611725 North, 572135 East  
UPSTREAM:  
UTM Coordinates: Upstream 4611450 North, 572135 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : LM-166
- Lake : Lake Michigan
- Applicant : Michigan City Port Authority  
Tim Frame, Harbormaster  
200 Heisman Harbor Drive  
Michigan City, IN 46360-3343
- Description : A new municipal boat launch ramp will be constructed consisting of six launch ramps. In addition, a parking lot, restroom and operations buildings, fish cleaning station, boat pump out station and 36 transient day slips. The project will include dredging approximately 54200 cubic yards of sand material out of Trail Creek along the west shore. Approximately 2780 cubic yards of sand material will need to be removed to construct the parking lot area. The sand material will be placed along the shoreline of Lake Michigan as beach nourishment. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on September 15, 2009 and October 7, 2009.
- Location : Along the west side of Trail Creek at the mouth of Lake Michigan  
DOWNSTREAM: near Michigan City, Michigan Township, LaPorte County  
NE¼, NW¼, Section 29, T 38N, R 4W, Michigan City West Quadrangle  
Quad Code: 4108668  
UTM Coordinates: Downstream 4619085 North, 507325 East  
UPSTREAM:  
UTM Coordinates: Upstream 4619288 North, 507534 East
- Statute/Rule : Navigable Waterway Act, with the associated IC 14-29-1, Navigable Waterway Rule, 312 IAC 6

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21409

Lake : Hamilton Lake

Applicant : Edward Urbaniak  
760 Ashbury Drive  
Perryburg, OH 43551-2969

Description : A concrete seawall will be refaced with a layer of concrete across 75' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on September 16, 2009 and September 30, 2009.

Location : 240 Lane 150

near Hamilton, Jamestown Township, Steuben County  
NW $\frac{1}{4}$ , NW $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 27, T 36N, R 14E, Hamilton Quadrangle  
Quad Code: 4108458  
UTM Coordinates: Downstream 4601690 North, 674719 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21410

Lake : Winona Lake

Applicant : Linsay Henry  
Steve Silveus  
1037 Mariners Drive  
Warsaw, IN 46582-9392

Description : A new straight concrete seawall will be constructed across 50' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The wall will connect to existing seawalls located on both sides in a straight manner. Details of the project are contained in information and plans received at the Division of Water on September 16, 2009.

Location : 2406 East Winona Avenue

near Winona Lake, Wayne Township, Kosciusko County  
SE $\frac{1}{4}$ , NW $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 16, T 32N, R 6E, Warsaw Quadrangle  
Quad Code: 4108527  
UTM Coordinates: Downstream 4565186 North, 598509 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21416

Lake : Webster Lake

Applicant : Richard Cowan  
148 EMS W17 Lane  
North Webster, IN 46555-9500

Description : A new concrete seawall will be constructed across 61' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 21, 2009.

Location : 148 EMS W17 Lane; Lot 8 of Hiner Park  
near North Webster, Tippecanoe Township, Kosciusko County  
SW $\frac{1}{4}$ , NE $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 12, T 33N, R 7E, North Webster Quadrangle  
Quad Code: 4108536  
UTM Coordinates: Downstream 4575867 North, 611536 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21419

Lake : Cedar Lake

Applicant : Pine Crest Marina  
14415 Lauerman Street  
Cedar Lake, IN 46303-9601

Description : Three temporary aerators are proposed along three existing piers. Details of the project are contained in information and plans received at the Division of Water on September 23, 2009 and October 1, 2009.

Location : 14415 Lauerman Street; beginning approximately 450' east and 275' south of the West 144th Avenue and Lauerman Street intersection and continuing along three piers over a distance approximately 400'  
at Cedar Lake, Hanover Township, Lake County  
SE $\frac{1}{4}$ , SW $\frac{1}{4}$ , NE $\frac{1}{4}$ , Section 34, T 34N, R 9W, Lowell Quadrangle  
Quad Code: 4108734  
UTM Coordinates: Downstream 4578374 North, 463376 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21424

Lake : Crooked Lake

Applicant : Patricia Martz  
2685 North 300 West  
Angola, IN 46703-8426

Description : A new concrete seawall will be constructed across 48' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on October 1, 2009 and October 7, 2009.

Location : 2735 and 2745 West Sycamore Beach Road  
near Angola, Pleasant Township, Steuben County  
SE $\frac{1}{4}$ , SE $\frac{1}{4}$ , SE $\frac{1}{4}$ , Section 8, T 37N, R 13E, Angola West Quadrangle  
Quad Code: 4108561  
UTM Coordinates: Downstream 4616057 North, 662903 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21425

Lake : Jimmerson Lake

Applicant : Bruce and Beth Cuttitta  
100 Lane 205B Jimmerson Lake  
Angola, IN 46703-9485

Description : A new glacial stone seawall will be constructed across 80' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on October 1, 2009.

Location : 100 Lane 205 B; Lot 30 of Tanglewood  
near Angola, Jamestown Township, Steuben County  
NW $\frac{1}{4}$ , NW $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 32, T 38N, R 13E, Angola West Quadrangle  
Quad Code: 4108561  
UTM Coordinates: Downstream 4619056 North, 660811 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21426

Lake : Lake Wawasee

Applicant : Steve Walker  
11628 North Sunrise Drive  
Syracuse, IN 46567-8744

Description : An existing concrete seawall will be refaced across a portion of the 53' frontage of the applicant on Lake Wawasee to prevent deterioration. The refacing will consist of reinforced concrete which will be tied to the existing wall with ½" rerod. The refacing will have a maximum thickness of 12" and will be A sloped on the lakeward side. inch A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on October 6, 2009 and in plans and information received at the Division of Water on

Location : 46567 East George Street; west side of Ogden Island  
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21427

Lake : Jimmerson Lake

Applicant : Garlin Smith  
Joe Sitts  
5110 North 450 West, Lot 26  
Angola, IN 46703-8439

Description : A new glacial stone seawall will be constructed across 40' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing railroad ties seawall will be completely removed. Details of the project are contained in information and plans received at the Division of Water on October 5, 2009.

Location : 5110 North 450 West  
near Angola, Jamestown Township, Steuben County  
SE¼, SE¼, SE¼, Section 30, T 38N, R 13E, Angola West Quadrangle  
Quad Code: 4108561  
UTM Coordinates: Downstream 4620106 North, 660639 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : PL-21430
- Lake : Jimmerson Lake
- Applicant : Mike Pease  
Joe Sitts  
5110 North 450 West Lot 25  
Angola, IN 46703-8455
- Description : A new glacial stone seawall will be constructed across 40' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing railroad tie seawall will be completely removed. Details of the project are contained in information and plans received at the Division of Water on September 5, 2009.
- Location : 5110 North 450 West  
near Angola, Jamestown Township, Steuben County  
SE¼, SE¼, SE¼, Section 30, T 38N, R 13E, Angola West Quadrangle  
Quad Code: 4108561  
UTM Coordinates: Downstream 4620113 North, 660653 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11