

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25541
- Stream : McFadden Creek
- Applicant : Three I Engineering, Inc.
Lyle Mehringer
PO Box 6562
2425 West Indiana Street
Evansville, IN 47719-0562
- Description : The construction of an addition to a non-residential structure is proposed. Work in the floodway includes a portion an asphalt parking lot , concrete walkways, and a 12" storm drain that will outfall into an existing inlet structure. Details of the project are contained in information and plans received at the Division of Water on October 7, 2009 and November 2, 2009.
- Location : South of State Road 62 by 2000', 1800' east of Lamont Rd, 3400 west of Indian Mound Rd, 900' north of lower Mt Vernon Rd
near Mt.Vernon, Black Township, Posey County
SW $\frac{1}{4}$, SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 2, T 7S, R 13W, Caborn, IN-KY Quadrangle
Quad Code: 3708787
UTM Coordinates: Downstream 4199103 North, 425818 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25545
- Stream : Wabash River
- Applicant : Acres Inc
Shane M Perfect
1802 Chapman Road
Huntertown, IN 46748-9723
- Description : A wooden observation deck will be constructed overlooking the river. Addition construction will consist of a 100' by 80' gravel parking lot, a limited mobility trail connecting the observation deck and parking lot, and an interpretive sign for the Hanging Rock Landmark. Also, an existing residential structure and two non-residential structures on the tract will be removed from the floodplain. Details of the project are contained in information and plans received at the Division of Water on October 9, 2009 and October 22, 2009.
- Location : Beginning approximately 3825' east and 115' north of the intersection of State Route 524 and East Hanging Rock Road and extending 230' east and 275' north near Huntertown, Lagro Township, Wabash County
Section 35, T 28N, R 7E, Lagro Quadrangle
Quad Code: 4008576
UTM Coordinates: Downstream 4520727 North, 608924 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25557

Stream : Millstone Creek

Applicant : *Indiana Department of Transportation
Laura Hilden
100 North Senate Avenue, Room N642
Proj Coord-Susan Kemp 4-4915
Indianapolis, IN 46204-2216

Description : A new bridge will be constructed over Millstone Creek to carry State Road 166 across the stream. The new structure will be a 3-span composite steel beam bridge with span lengths of 72', 81', and 72'. The structure will have an out-to-out length of 225' and a clear roadway width of 32'-10". The spill through abutments will have 3:1 sideslopes armored with revetment riprap over geotextile fabric. The abutments and piers will be skewed 25 degrees right to align with streamflow. The approach roads will be elevated a maximum of 1' above the existing grade. Details of the project are contained in information and plans received at the Division of Water on October 21, 2009.

Location : At the State Road 166 stream crossing
near Tobinsport, Tobin Township, Perry County
SW¼, SW¼, NW¼, Section 16, T 7S, R 2W, Cannelton, IN-KY Quadrangle
Quad Code: 3708686
UTM Coordinates: Downstream 4195192 North, 531534 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25558

Stream : St. Marys River

Applicant : City of Fort Wayne
David Ross, PE, City Engineer
1 East Main Street , Room 700
Fort Wayne, IN 46802-1815

Description : The existing Clinton Street bridge will be replaced with a 3-span prestressed concrete bridge with span lengths of 91'-6", 92'-6", 91'-6". The spill through end bents will have 2:1 side slopes armored with riprap over geotextile fabric. The abutments and piers will be skewed 90 degrees. This project will also perpetuate the existing walkways under the north and south spans. The existing structure will be completely removed. Details of the project are contained in information and plans received at the Division of Water on October 22, 2009 and November 2, 2009.

Location : Clinton Street (US 27) bridge over St. Marys River
near Fort Wayne, Wayne Township, Allen County
NE¼, Section 2, T 30N, R 12E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4550089 North, 656204 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-25559

Stream : Bull Creek

Applicant : John and Patti Daugherty
21401 State Road 62
Marysville, IN 47141-9687

Description : A 40' by 80' pole barn will be constructed in the floodway. It will have a concrete floor and the adjacent grade will be 443.5' (NGVD). Details of the project are contained in information and plans received at the Division of Water on October 22, 2009.

Location : Location at end of Bull Creek Road at corner of Ohio River and Bull Creek in
Clark County unincorporated 180426 Mars # 0150 Suffix "B"
near Charlestown, Charlestown Township, Clark County
Clark Military Grant #58, Owen, KY-IN Quadrangle
Quad Code: 3808545
UTM Coordinates: Downstream 4257508 North, 627176 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25561
- Stream : St. Marys River
- Applicant : City of Fort Wayne
Dave Ross
One Main Street
Fort Wayne, IN 46802-1815
- Description : Proposed project includes removing a pair of pipe outfalls, removing a flap gate, and installing a new storm sewer and outfall. The river bank will be stabilized with riprap over a geogrid to hold the riprap in place. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on October 26, 2009 and November 2, 2009.
- Location : Beginning approximately 380' east of the Chester Avenue and Win Avenue intersection and extending approximately 100' east following Win Avenue near Fort Wayne, Wayne Township, Allen County
T 30N, R 12E, J B Richardville Reserve, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4544032 North, 655277 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25568
- Stream : Wabash River
- Applicant : Lafayette Municipal Golf Course
Jason Biddinger
800 Golfview Road
Lafayette, IN 47904-1071
- Description : Maintenance of existing berms and swales. Existing berms were constructed as flood protection for the golf course with a IDNR permit in 1999. Erosion on berms will be filled with on-site material. Berms shall be graded to design elevations based on original permits. Swales will be cleared of sediment and graded to facilitate drainage of floodwaters leaving golf course. Details of the project are contained in information received electronically at the Division of Water on October 30, 2009 and in plans and information received at the Division of Water on
- Location : East bank of Wabash River south of the US 52 bridge on the Lafayette Municipal Golf Course
near Lafayette, Fairfield Township, Tippecanoe County
Section 17, T 23N, R 4W
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25570
- Stream : Cedar Creek
- Applicant : Lake County Board of Commissioners
Duane A Alverson, PE
1100 East Monitor Street
Crown Point, IN 46307-3521
- Description : The existing 8.7' rise, 26' span corrugated metal arch bridge carrying Main Street over Cedar Creek will be replaced in-kind with a new structure on the same alignment. The new structure will be a single radius corrugated metal arch bridge with a 26' span. An alternative structure will be a 26' span reinforced concrete arch bridge. The structure will have an out-to-out length of 36' and a clear roadway width of 36'. The new approach road will not be elevated. The new road will closely match the existing profile grade. The existing structure will be completely removed. The project is not federally funded. Details of the project are contained in information received electronically at the Division of Water on October 30, 2009 and in plans and information received at the Division of Water on
- Location : This project is located on Main Street between Grant Street and Halstead Street at Lowell, Cedar Creek Township, Lake County
Section 23, T 33N, R 9W, Lowell Quadrangle
Quad Code: 4108734
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21431

Lake : Steinbarger Lake

Applicant : Carl McJunkin
9416 North Steinbarger Lake Road
Wawaka, IN 46794-9624

Description : A concrete seawall will be refaced with a layer of concrete across 172' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on October 9, 2009.

Location : 9416 North Steinbarger Lake Drive; Pleasant View Addition Idylwild Retreat Lots 1 and 2; Pleasant View Addition Idylwild Retreat Lot 3
near Wawaka, Orange Township, Noble County
SE $\frac{1}{4}$, NE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 18, T 35N, R 10E, Albion Quadrangle
Quad Code: 4108544
UTM Coordinates: Downstream 4594057 North, 632166 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21435

Lake : Crooked Lake

Applicant : Sean Rupp
14723 Road M
Holiday City, OH 43543

Description : A new straight concrete seawall will be constructed across 45' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal normal shoreline. The wall will connect to existing concrete seawalls located on both sides in a straight manner. Details of the project are contained in information and plans received at the Division of Water on October 28, 2009.

Location : 2715 Sycamore Beach Road; Lot 11 of Cedar Side Addition
near Angola, Pleasant Township, Steuben County
SW $\frac{1}{4}$, SE $\frac{1}{4}$, NW $\frac{1}{4}$, Section 9, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4616116 North, 662763 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21437

Lake : Lake Wawasee

Applicant : Frank Walker
11616 North Sunrise Drive
Syracuse, IN 46567-8744

Description : Approximately 4' of accumulated muck and debris will be removed from the channel bed by dredging to a depth of 4' below the legal level of the lake at the center of the channel and sloping uniformly to a depth of 1' at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Water from the containment area will not be allowed to return to the lake. Will be dredging along an existing 58' seawall and cleaning out approximately 20' from the seawall. Details of the project are contained in information received electronically at the Division of Water on November 4, 2009 and in plans and information received at the Division of Water on

Location : 11616 North Sunrise Drive; west side of Odgen Island and Lake Wawasee near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21438

Lake : James Lake

Applicant : Brian Lipscomb
42 EMS T 4 Lane
North Webster, IN 46555

Description : An existing concrete seawall will be refaced across a portion of the 50' frontage of the applicant on James Lake to prevent deterioration. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12" inches and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. The boat well will be closed off by constructing a new 20' seawall with reinforced concrete, which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 13" to 30" from the base to the top. The lakeward face of the wall will be even with the refaced seawall. The 50' refaced and the 20' new wall will make a total of 70' of seawall of uniform height, angle and width. Details of the project are contained in information received electronically at the Division of Water on November 4, 2009 and in plans and information received at the Division of Water on

Location : 42 EMS T4 Lane; East side of James Lake, also known S Little Tippy. It is right before you get to Camp Crosley near North Webster, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11