#### SETTLEMENT AGREEMENT

The Commissioner of Labor (hereinafter referred to as "Commissioner") and The Lighting Resources, LLC (hereinafter referred to as "Employer") hereby agree as follows:

The Commissioner amends the Safety Order(s) and Notification(s) of Penalty IOSHA Inspection No. 318089091 issued to the Employer on January 17, 2017 in the following manner:

#### SAFETY ORDER 01:

I	tem 1:	Deleted.	Penalty is reduced to \$0 Dollars.
J	tem 2:	Upheld.	Penalty remains \$3000 Dollars. Abatement completed.
Į	tem 3:	Upheld.	Penalty is reduced to \$0 Dollars. Abatement corrected during inspection.
Ι	tem 4:	Upheld.	Penalty remains \$2100 Dollars. Abatement completed.
Ι	tem 5:	Upheld.	Penalty is reduced to \$0 Dollars. Abatement completed.
I	tem 6:	Upheld.	Penalty is reduced to \$0 Dollars. Abatement completed.
I	tem 7:	Upheld.	Penalty remains \$2100 Dollars. Abatement completed.

#### SAFETY ORDER 02:

Item 1:

Uphold. Penalty is reduced to \$0 Dollars. Abatement completed.

In consideration of the above amendments, the employer:

- 1. Employer relied on MSDS to determine no exposure over PEL. Employee exposure was not over any action limits.
- 2. Employer understands that if any changes in product or procedures that an initial personal air monitoring is required.

#### The TOTAL AGREED PENALTY is \$7,200.

THE EMPLOYER IS SATISFIED WITH THE AMENDMENTS STATED ABOVE AND ACCORDINGLY WAIVES ITS RIGHT TO FILE A NOTICE OF CONTEST OF THE SAFETY ORDER(S) AND NOTIFICATION(S) OF PENALTY AS AMENDED AND AGREES TO WITHDRAW ANY PREVIOUSLY FILED NOTICES OF CONTEST IN THIS MATTER.

Upon full execution of this Settlement Agreement ("Agreement") the Employer will post this Agreement for three (3) working days or until abatement is completed, whichever period is longer.

The Employer further agrees that if the AGREED PENALTY is not paid as agreed that the full amount of the penalty initially assessed against the Employer in the Safety Order(s) and Notification(s) of Penalty which are the subject of this Agreement is due and payable immediately.

Except for this Agreement, and IOSHA matters arising out of this Agreement, and any other subsequent IOSHA proceedings between the parties, none of the foregoing agreements, statements, findings, and actions taken by Employer shall be deemed an admission by Employer of the allegations contained within the Safety Order(s) and Notification(s) of Penalty. The agreements, statements, findings and actions taken herein are made in order to compromise and settle this IOSHA matter economically and amicably, and they shall not be used for any other purpose, except as herein stated.

THE LIGHTING RESQUECES, LLC	COMMISSIONER OF LABOR		
By: Nanult Giller	By: Alphander		
Title: President	Title: Director		
Date: 5-08-18	Date: 5-7-18		

Indiana Occupational Safety and Health Administration 402 West Washington St - Room W195 Indianapolis, IN 46204

Phone: 317-232-2691 FAX: (317)233-3790



# Safety Order and Notification of Penalty

To:

Lighting Resources LLC 498 Park 800 Drive Greenwood, IN 46143

**Inspection Site:** 498 Park 800 Drive

Greenwood, IN 46143

Inspection Number: 318089091 CSHO ID: D0414

Optional Report No.: 0026-18

**Inspection Date(s):** 8/2/2017 - 8/16/2017

Issuance Date:

1/17/2018

The violation(s) described in this Safety Order and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

An inspection of your place of employment has revealed conditions which we believe do not comply with the provisions of the Indiana Occupational Safety and Health Act (Indiana Code Chapter 22-8-1.1) or the standards or rules adopted thereunder. Accordingly, enclosed please find safety order(s) and notification(s) of penalty describing such violation(s) with references to applicable standards, rules, or provisions of the statute and stating the amount of any penalty(ies).

Informal Conference - Please be advised that it may be possible to informally settle any potential dispute without initiating the more elaborate proceedings brought on by a petition for review. Prior to filing a petition for review, you may request an informal conference concerning any of the results of the inspection (safety orders, penalties, abatement dates, etc.) by contacting the Indiana Department of Labor/IOSHA, preferably by telephone, in a prompt manner. Please be advised that a request for an informal conference cannot extend the fifteen working day period for filing a petition for review. Informal conferences frequently resolve any possible disputes, and therefore you are urged to take advantage of this opportunity. Because of the limited time period and in order to facilitate scheduling, any requests for an informal conference should be made promptly upon your receipt of the safety order(s) and notification(s) of penalty.

Right to Contest - You are hereby also notified that you are entitled to seek administrative review of the safety order(s), penalty(ies), or both by filing a written petition for review at the above address postmarked within fifteen working days of your receipt of the safety order(s) and notification(s) of penalty. ("Working days" means Mondays through Fridays, but does not include Saturdays, Sundays, legal holidays under a state statute or days on which the Indiana Department of Labor's offices are closed during regular business hours). If you do not file such a petition for review (contest), the safety order(s)

and penalty(ies) shall be deemed final orders of the Board of Safety Review and not subject to review by any court or agency. The issuance of a safety order does not constitute a finding that a violation has occurred unless no petition for review is filed, or if a petition for review (contest) is filed, it must contain a statement of its basis and should reference the above inspection number. Upon receipt of your petition for review, we will affirm, amend or dismiss the safety order(s) and notification(s) of penalty. If we affirm, your petition for review will be granted (unless it was not timely) and the dispute will be certified by the Board of Safety Review for further proceedings. The Board of Safety Review is an independent agency appointed by the governor with authority to conduct hearings and to issue decisions concerning disputed safety order(s) and notification(s) of penalty. If we amend the safety order(s) or notification(s) of penalty, your petition for review shall be deemed moot. However, you will then be given an opportunity to file a petition for review concerning the amended safety order(s) and notification(s) of penalty.

Please be advised that an employee or representative of employees may file a petition for review to contest the reasonableness of the time stated in the safety order(s) for the abatement of any violation.

**Posting** - Upon receipt of any safety order(s) you are required to post such safety order(s), or a copy thereof, unedited, at or near each place an alleged violation referred to in the safety order(s) occurred. However, if your operations are such that it is not practicable to post the safety order(s) at or near each place of alleged violation, such safety order(s) shall be posted, unedited, in a prominent place where it will be readily observable by all affected employees. For example, if you are engaged in activities which are physically dispersed, the safety order(s) may be posted at the location from which the employees operate to carry out their activities. You must take steps to ensure that the safety order is not altered, defaced, or covered by other material. Posting shall be until the violation is abated, or for three working days, whichever is longer.

**Penalties** - Penalties are due within fifteen (15) working days of receipt of this notification unless contested. Abatement does not constitute payment of penalties.

**Abatement** - The conditions cited in the safety order(s) must be corrected (abated) on or before the date shown for each item on the safety order(s) and notification(s) of penalty unless:

- (1) You file a petition for review concerning the violation, in which case the full abatement period shall commence from the issuance of a final decision by the Board of Safety Review or the courts which requires compliance with the safety order; or
- (2) The abatement period is extended by the granting of a petition for modification of abatement date.
- **PMAs** The petition for modification of abatement date is a manner in which you may seek additional time to correct (abate) a violation without having to file a petition for review concerning the safety order, or after the expiration of the time period to file such a petition for review when it becomes apparent that you need extra time to abate the violation. A petition for modification of abatement date shall be in writing and shall include the following information:
  - (1) All steps you have taken, and the dates of such actions, in an effort to achieve compliance

during the prescribed abatement period.

- (2) The specific additional abatement time necessary in order to achieve compliance.
- (3) The reasons such additional time is necessary, including the unavailability of professional or technical personnel or of materials and equipment, or because necessary construction or alteration of facilities cannot be completed by the original abatement date.
- (4) All available interim steps being taken to safeguard employees against the cited hazard during the abatement period.
- (5) A certification that a copy of the petition has been posted, and if appropriate, served on the authorized representative of affected employees, and a certification of the date upon which such posting and service was made.

A petition for modification of abatement date shall be filed with the Indiana Department of Labor/IOSHA no later than the close of the next working day following the date on which abatement was originally required. A later-filed petition shall be accompanied by the employer's statement of exceptional circumstances explaining the delay. A copy of such petition shall be posted in a conspicuous place where all affected employees will have notice thereof or near such location where the violation occurred. The petition shall remain posted until the time period for the filing of a petition for review of the Commissioner's granting or denying the petition expires. Where affected employees are represented by an authorized representative, said representative shall be served a copy of such petition.

**Notification of Corrective Action** - Correction of the alleged violations which have an abatement period of thirty (30) days or less should be reported in writing to us promptly upon correction. A "Letter of Abatement" form and an "Abatement Photographs" worksheet are enclosed for your assistance in providing adequate documentation of abatement. Reports of corrections should show specific corrective action on each alleged violation and the date of such action. On alleged violations with abatement periods of more than thirty (30) days, a written progress report should be submitted, detailing what has been done, what remains to be done, and the time needed to fully abate each such violation. When the alleged violation is fully abated, we should be so advised. Timely correction of an alleged violation does not affect the initial proposed penalty.

**Followup Inspections** - Please be advised that a followup inspection may be made for the purpose of ascertaining that you have posted the safety order(s) and corrected the alleged violations. Failure to correct an alleged violation may result in additional penalties for each day that the violation has not been corrected.

**Employer Discrimination Unlawful** - The law prohibits discrimination by an employer against an employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the Indiana Department of Labor/IOSHA at the address shown above.

**Notice to Employees** - The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must

be mailed to the Indiana Department of Labor/IOSHA at the address shown above within fifteen (15) working days (excluding weekends and State holidays) or receipt by the employer of this safety order and penalty.

If you wish additional information, you may direct such requests to us at the address or telephone number stated above.

# NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been	scheduled with	IOSHA to discuss	the safety	order(s) iss	ued on				
1/17/2018. The conference will be	held at the IOSI	HA office located a	t 402 West	Washington	Street,				
Room W195, Indianapolis, IN 462	04 on	at	·	Employees	and/or				
representatives of employees have a right to attend an informal conference.									

Occupational Safety and Health Administration

**Inspection Number:** 318089091

**Inspection Date(s):** 8/2/2017 - 8/16/2017

 Issuance Date:
 1/17/2018

 CSHO ID:
 D0414

 Optional Report No.:
 0026-18

## Safety Order and Notification of Penalty

Company Name: Lighting Resources LLC

Inspection Site: 498 Park 800 Drive, Greenwood, IN 46143

#### Safety Order 01 Item 001 Type of Violation: Serious

29CFR 1910.37(a)(2): Exit routes must be arranged so that employees will not have to travel toward a high hazard area, unless the path of travel is effectively shielded from the high hazard area by suitable partitions or other physical barriers:

Warehouse Dock - The interior access to a designated exit required travel through palletized drum storage which exposed employees to the hazards of the chemicals contained therin.

Date By Which Violation Must Be Abated: 2/19/2018
Proposed Penalty: \$2,100.00

Occupational Safety and Health Administration

**Inspection Number: 318089091** 

**Inspection Date(s):** 8/2/2017 - 8/16/2017

 Issuance Date:
 1/17/2018

 CSHO ID:
 D0414

 Optional Report No.:
 0026-18

## Safety Order and Notification of Penalty

Company Name: Lighting Resources LLC

Inspection Site: 498 Park 800 Drive, Greenwood, IN 46143

#### Safety Order 01 Item 002 Type of Violation: Serious

29 CFR 1910.134(h)(2)(i): Respirators were not stored to protect them from damage, contamination, dust, sunlight, extreme temperatures, excessive moisture, and damaging chemicals or were not packed or stored to prevent deformation of the facepiece and exhalation valve:

Retort Area - A 3M Half Face piece Respirator with 6009 Mercury Vapor and Chlorine Gas Cartridge was stored on wall without containment exposing it to potential mercury vapor contamination.

Date By Which Violation Must Be Abated: 2/19/2018 Proposed Penalty: \$3,000.00

Occupational Safety and Health Administration

**Inspection Number:** 318089091

**Inspection Date(s):** 8/2/2017 - 8/16/2017

Issuance Date: 1/17/2018 CSHO ID: D0414 Optional Report No.: 0026-18

### Safety Order and Notification of Penalty

Company Name: Lighting Resources LLC

Inspection Site: 498 Park 800 Drive, Greenwood, IN 46143

#### Type of Violation: Serious Safety Order 01 Item 003

29 CFR 1910.157(c)(1): Portable fire extinguishers were not mounted, located and identified so that they were readily accessible without subjecting the employees to injuries:

Balcan Room - The ABC portable fire extinguisher was not wall mounted which created an access hazard.

Date By Which Violation Must Be Abated:

**Corrected During Inspection** 

**Proposed Penalty:** \$2,100.00

Occupational Safety and Health Administration

**Inspection Number:** 318089091

8/2/2017 - 8/16/2017 **Inspection Date(s):** 

Issuance Date: 1/17/2018 CSHO ID: D0414 Optional Report No.: 0026-18

## Safety Order and Notification of Penalty

Company Name: Lighting Resources LLC

Inspection Site: 498 Park 800 Drive, Greenwood, IN 46143

#### Type of Violation: **Serious** Safety Order 01 Item 004

29 CFR 1910.303(b)(2): Listed or labeled electrical equipment was not used or installed in accordance with instructions included in the listing or labeling:

- a.) Lithium Battery Manifesting Area A 110V relocatable power tap (power strip) was permanently supplying power to fan in an industrial setting creating a shock and burn hazard.
- b.) Operations Office/Eyewash Station 110 V relocatable power taps (power strips) were permanently supplying power to electrical equipment such as, but not limited to; a multiple receptacle outlet and other electrical equipment created a shock and burn hazard.

**Date By Which Violation Must Be Abated:** 2/19/2018 \$2,100.00

**Proposed Penalty:** 

Occupational Safety and Health Administration

**Inspection Number:** 318089091

**Inspection Date(s):** 8/2/2017 - 8/16/2017

**Issuance Date:** 1/17/2018 **CSHO ID:** D0414

Optional Report No.: 0026-18

## Safety Order and Notification of Penalty

Company Name: Lighting Resources LLC

Inspection Site: 498 Park 800 Drive, Greenwood, IN 46143

#### Safety Order 01 Item 005

Type of Violation: Serious

29 CFR 1910.303(g)(2)(i): Live parts of electric equipment operating at 50 volts or more were not guarded against accidental contact by approved cabinets or other forms of approved enclosures, or other means listed under this provision:

- a) Retort Area A 110V metal switch box was partly disconnected behind GRIEVE retort exposing the live conductors within.
- b) Retort Area An electrical control panel dead front was not secured which exposed the live conductors within.

Date By Which Violation Must Be Abated:

Proposed Penalty: \$3,000.00

2/19/2018

Occupational Safety and Health Administration

**Inspection Number:** 318089091

**Inspection Date(s):** 8/2/2017 - 8/16/2017

**Issuance Date:** 1/17/2018 **CSHO ID:** D0414

Optional Report No.: 0026-18

#### Safety Order and Notification of Penalty

Company Name: Lighting Resources LLC

**Inspection Site:** 498 Park 800 Drive, Greenwood, IN 46143

#### Safety Order 01 Item 006

Type of Violation: **Serious** 

29 CFR 1910.305(g)(2)(iii): Flexible cords and cables were not connected to devices and fittings so that strain relief was provided that would prevent pull from being directly transmitted to joints or terminal screws:

Balcan - The wiring on the MP8000 near the conveyor had inadequate strain relief which allowed the outer insulation to separate from the attachment plug which exposed the internal conductors within.

Date By Which Violation Must Be Abated:

2/19/2018

**Proposed Penalty:** 

\$2,100.00

Occupational Safety and Health Administration

**Inspection Number:** 318089091

**Inspection Date(s):** 8/2/2017 - 8/16/2017

Issuance Date:

1/17/2018

CSHO ID:

D0414

Optional Report No.: 0026-18

## Safety Order and Notification of Penalty

Company Name: Lighting Resources LLC

Inspection Site: 498 Park 800 Drive, Greenwood, IN 46143

Safety Order 01 Item 007

Type of Violation: **Serious** 

29 CFR 1910.305(j)(2)(iv): A receptacle installed in a wet or damp location was not suitable for the location:

Operations Office/Eyewash Station - A 110V metal receptacle used to supply power to power strips and various electrical equipment was installed next to an eyewash and less than 6 feet from a sink.

**Date By Which Violation Must Be Abated:** 

2/19/2018

**Proposed Penalty:** 

\$2,100.00

Occupational Safety and Health Administration

**Inspection Number:** 318089091

**Inspection Date(s):** 8/2/2017 - 8/16/2017

 Issuance Date:
 1/17/2018

 CSHO ID:
 D0414

 Optional Report No.:
 0026-18

#### **Safety Order and Notification of Penalty**

Company Name: Lighting Resources LLC

Inspection Site: 498 Park 800 Drive, Greenwood, IN 46143

#### Safety Order 02 Item 001 Typ

Type of Violation: **NonSerious** 

29 CFR 1910.134(d)(1)(iii): The employer did not identify and evaluate the respiratory hazard(s) in the workplace; including a reasonable estimate of employee exposures to respiratory hazards and identification of the contaminant-s chemical state and physical form:

Facility - No initial air sampling was done to establish 8 hour time weighted average exposure levels to mercury.

**Date By Which Violation Must Be Abated:** 

**Proposed Penalty:** 

2/19/2018 \$600.00

Julie C. Mexander, J.D.
Director of General Industry

Indiana Occupational Safety and Health Administration 402 West Washington St - Room W195 Indianapolis, IN 46204

Phone: (317)232-2691 FAX: (317)233-3790



#### INVOICE/DEBT COLLECTION NOTICE

Company Name:

Lighting Resources LLC

**Inspection Site:** 

498 Park 800 Drive, Greenwood, IN 46143

**Issuance Date:** 

1/17/2018

Summary of Penalties for Inspection Number: 318089091

Safety Order 1, Serious

= \$16,500.00

Safety Order 2, NonSerious

= \$600.00

TOTAL PENALTIES

= \$17,100.00

Penalties are due within fifteen (15) working days of receipt of this notification unless contested. Make your check or money order payable to: "Indiana DOL/IOSHA". Please indicate IOSHA's Inspection Number (indicated above) on the remittance.

IOSHA does not agree to any restrictions or conditions or endorsements put on any check or money order for less than full amount due, and will cash the check or money order as if these restrictions, conditions, or endorsements do not exist.

Corrective action, taken by you for each alleged violation should be submitted to this office on or about the abatement dates indicated on the Safety Order and Notification of Penalty.

A work sheet has been provided to assist in providing the required abatement information. A completed copy of this work sheet should be posted at the worksite with the safety order(s).

Julie C. Alexander, J.D.

Director of General Industry

1.17.18

Date