


NOTES :

- ① The maximum algebraic difference in grades shall not exceed 8% for crest vertical curves, nor 12% for sag vertical curves.
- ② The limits for X are based on a 6" curb height. For other curb heights, the limits for X shall be adjusted.
- ③ See Standard Drawing E 610-DRIV-16 for keyway joint details.
- 4 See Standard Drawings E 804-SWCR-02 AND E 804-SWCR-09 for sidewalk curb ramp details

LEGEND

- W = Width of sidewalk
 X = Distance between back face of curb and sidewalk
 Y = Distance from front face of curb to \mathbb{R} or R/W
- ▨ Curb ramp
 ▨ Curb ramp view.



PLAN VIEW

X = 2' TO LESS THAN 6' FROM FACE OF CURB

INDIANA DEPARTMENT OF TRANSPORTATION	
CLASS I DRIVE SIDEWALK NOT ADJACENT TO CURB	
MARCH 2005	
STANDARD DRAWING NO. E 610-DRIV-02	
	/s/ Richard L. VanCleave 3-01-05 DESIGN STANDARDS ENGINEER DATE
	/s/ Richard K. Smutzer 3-01-05 CHIEF HIGHWAY ENGINEER DATE
DESIGN STANDARDS ENGINEER	