PERFORATED FUSE PLATE DATA TABLE												
Post Size	BOLT SIZE	Wt. of Plate* (One Post), lb	F	G	J	К	L	M	d ₁	d ₂	t 3	Bolt Tension, lbs
W6 x 9	½"x1½"	1.01	4¼"	2"	4"	2¼"	7/8 "	1"	9/16"	3/4 "	1/4 "	12000
W8 x 10	½"x 1½"	1.01	4¼"	2"	4"	2¼"	7 ∕8 "	1"	⁹ / ₆ "	3/4 "	1/4 "	12000
W8 x 13	½"x1½"	1.01	4¼"	2"	4"	2¼"	7∕8 "	1"	%e"	3/4 "	1/4 "	12000
W8 x 15	5% " x 21/4 "	1.72	5"	2½"	4"	2¼"	7/8 "	1"	11/16 "	3/4 "	3/8 "	19000
W8 x 18	5% " x 21/4 "	2.27	5"	2½"	5¼"	2¾ "	1¼"	1¼"	11/16 "	11/16 "	3/8 "	19000
W10 x 19	5% " x 2½ "	1.72	5"	2½"	4"	2¼"	7/8 "	1"	11/16 "	3/4 "	3/8 "	19000

Gross weight (holes not deducted from weight). Incidental weights of bolts and washers are not included in plan quantities.

NOTES

1. See Standard Drawing E 802-SNGP-01 through 07 for details and notes for posts, bolts, washers, etc.

