



**NOTES:**

1. See Standard Drawings E 610-DRIV-13 for General Notes and additional Legend.
2. See Standard Drawing E 610-DRIV-12 for sections A-A, B-B and C-C.
3. Joint Placement Detail should be used with Class I, III and VII drives.
- ④ See Standard Drawing E 604-SDWK-01 or E 604-SDWK-02 for sidewalk elevation transition details.
- ⑤ See Standard Drawing E 610-DRIV-16 for details and corners.

**LEGEND**

- M** HMA for Approaches:  
90 kg/m<sup>2</sup> HMA Surface Type B on  
150 kg/m<sup>2</sup> HMA Intermediate Type B on  
480 kg/m<sup>2</sup> HMA base, Type B on  
subgrade treatment Type IIIA  
or  
PCCP for Approaches, 225 mm, on  
subgrade treatment Type IIIA
- Sidewalk elevation transition
- S** For type and thickness equivalent to surface in place, see plans.

All Dimensions are in mm unless otherwise specified.

<b>INDIANA DEPARTMENT OF TRANSPORTATION</b>	
<b>CLASS VII DRIVE AND JOINT PLACEMENT DETAIL</b>	
<b>SEPTEMBER 2010</b>	
<b>STANDARD DRAWING NO. 610-DRIV-07</b>	
	/s/ <i>Richard L. VanCleave</i> 09/01/10 DESIGN STANDARDS ENGINEER      DATE
DESIGN STANDARDS ENGINEER	/s/ <i>Mark A. Miller</i> 09/01/10 CHIEF HIGHWAY ENGINEER      DATE