




**Indiana State  
Department of Health**  
*An Equal Opportunity Employer*

**Michael R. Pence**  
Governor

**William C. VanNess II, MD**  
State Health Commissioner

**DATE:** November 4, 2013

**TO:** All Local Health Departments  
Attn: Chief Food Inspection Officer

**FROM:**   
A. Scott Gilliam, MBA, CP-FS  
Director, Food Protection Program

**SUBJECT:** The Perrigo Company Recall [Drug]

**AFFECTED  
PRODUCT:** 18 Batches of Acetaminophen Infant Suspension Liquid 160 mg/5mL Sold in 2 oz and 4 oz Bottles with Syringes. See Attached List of Recalled Lots and Branded Labels.

**SUMMARY:** Voluntary Recall; The Perrigo Company (NYSE: PRGO; TASE) announced today that it has initiated a voluntary, nationwide product recall to the retail level of 18 batches of its acetaminophen infant suspension liquid, 160 mg/5 mL, sold in 2 oz. and 4 oz. bottles with syringes in a box under the store brand products listed below. The recall is being initiated because of the remote potential that a small number of packages might contain an oral dosing syringe without dose markings. Using an oral syringe without dose markings can result in inaccurate dosing, especially in infants who could mistakenly get too high a dose. This OTC product is indicated for the relief of fever and minor aches and pains and can be used in infants, children and adults. These recalled products are sold by distributors nationwide and distributed through retail stores.

**SUGGESTED  
ACTION:** Recommend notification of affected parties via phone, fax or e-mail. Detailed store information is not available at this time. If the package contains an oral dosing device that does not have dose markings, the consumer should not use the product and should call Perrigo's Consumer Affairs Department, toll free, 1-800-719-9260. Consumers should contact their physician or healthcare provider if they have any questions, or if they or their children experience any problem that could possibly be related to this drug product. Furthermore, if any recalled products are found, please notify this office at 317-233-3213.

\*\*\*\*\*

**Recall -- Firm Press Release**

FDA posts press releases and other notices of recalls and market withdrawals from the firms involved as a service to consumers, the media, and other interested parties. FDA does not endorse either the product or the company



2 North Meridian Street • Indianapolis, IN 46204  
317.233.1325 tdd 317.233.5577  
www.statehealth.in.gov

To promote and provide  
essential public health services.

## **Perrigo Initiates Nationwide Voluntary Product Recall of Acetaminophen Infant Suspension Liquid, 160 mg/5 mL, Due to a Potential Defect with the Co-packaged Oral Syringe**

### **Contact:**

Perrigo Consumer Affairs Department  
(800) 719-9260

**FOR IMMEDIATE RELEASE** - November 1, 2013 – The Perrigo Company (NYSE: PRGO; TASE) announced today that it has initiated a voluntary, nationwide product recall to the retail level of 18 batches of its acetaminophen infant suspension liquid, 160 mg/5 mL, sold in 2 oz. and 4 oz. bottles with syringes in a box under the store brand products listed below. The recall is being initiated because of the remote potential that a small number of packages might contain an oral dosing syringe without dose markings. The correct syringe should have a white or yellow plunger with specific dose markings for 1.25 mL, 2.5 mL, 3.75 mL, and 5 mL. If the product's syringe has these dose markings, consumers can continue to use the product while following labeled use instructions.

Using an oral syringe without dose markings can result in inaccurate dosing, especially in infants who could mistakenly get too high a dose.

Commenting on this market action, Perrigo's Chairman, President and CEO Joseph C. Papa stated, "There are no issues or concerns with respect to the safety or efficacy of the product, only the potential that the oral dosing device in a relatively small number of packages could be unmarked. Out of an abundance of caution, we are taking this measure to maintain the highest possible product quality standards for our retail customers and consumers. While we cannot be certain that any of these unmarked dosing devices were released into our customers' supply chains, taking this action is the right thing to do." Perrigo has not received any reports or complaints related to this defect nor have they found any product with missing dose markings on re-examination of product on hand.

This OTC product is indicated for the relief of fever and minor aches and pains and can be used in infants, children and adults. These recalled products are sold by distributors nationwide and distributed through retail stores.

Perrigo is notifying its distributors and customers by verbal and e-mail communication today, followed by formal FedEx-delivered communication. It also is arranging for return of all recalled products. Distributors/retailers that have the acetaminophen infant suspension liquid that is being recalled should stop distribution and return product.

If the oral dosing device contained in the package has dose markings, no action is required, and the consumer can continue to use the product consistent with the label instructions. If the package contains an oral dosing device **that does not have dose markings**, the consumer should not use the product and should call Perrigo's Consumer Affairs Department, toll free, 1-800-719-9260. Consumers should contact their physician or healthcare provider if they have any questions, or if they or their children experience any problem that could possibly be related to this drug product.

Adverse events that may be related to the use of this product may be reported to FDA's MedWatch Adverse Event Reporting Program either online, by regular mail or by fax:

- **Online:** [www.fda.gov/medwatch/report.htm](http://www.fda.gov/medwatch/report.htm)<sup>1</sup>
- **Regular Mail:** use postage-paid FDA form 3500 available at: [www.fda.gov/MedWatch/getforms.htm](http://www.fda.gov/MedWatch/getforms.htm)<sup>2</sup>.  
Mail to MedWatch, FDA, 5600 Fishers Lane, Rockville, MD 20852-9787
- **Fax:** 1-800-FDA-0178




This recall is being conducted with the knowledge of the U.S. Food and Drug Administration.

Recalled lots, along with their corresponding branded labels, are listed below:

Label	Batches
BABIES R US	3KK0606
CARE ONE	3HK0564
EQUALINE	3HK0672
EQUATE	3HK0672, 3JK0433, 3JK0594, 3JK0595, 3JK0653, 3JK0673, 3KK0815, 3KK0817
HARMON FACE VALUES	3JK0594
HEALTH MART	3HK0671
HEALTHY ACCENTS	3HK0671, 3KK0606
HEB	3KK0606
KROGER	3GK0645, 3GK0704, 3HK0671, 3JK0433, 3JK0595, 3JK0653, 3JK0433, 3JK0595, 3GK0645, 3GK0704, 3JK0595
LEADER DRUG	3JK0433, 3JK0594
MEIJER	3JK0594, 3JK0597
PUBLIX	3JK0595
RITE AID	3GK0704
TOPCARE	3KK0359, 3KK0494
UP & UP	3HK0672
WALGREEN	3GK0704, 3HK0564, 3HK0671, 3JK0433, 3JK0595, 3JK0610, 3KK0360

Mr. Papa concluded by stating, "While patient safety remains our top priority, we do not expect this issue to have a material financial impact on the company, and we are reaffirming our Fiscal 2014 full-year's earnings guidance provided October 31, 2013."

# Perrigo Initiates Nationwide Voluntary Product Recall of Acetaminophen Infant Suspension Liquid, 160 mg/5 mL, Due to a Potential Defect with the Co-packaged Oral Syringe Photos



1-888-287-1915  
 ©2014 Wal-Mart (OTC) AND/AND/AND Drug Cosmetics/Dietary Supp. NEW DESIGN  
 Rev 1.37

1-888-287-1915  
 ©2014 Wal-Mart (OTC) AND/AND/AND Drug Cosmetics/Dietary Supp. NEW DESIGN  
 Rev 1.37





**EBF 1561**  
500-001 EBF1561-1  
(046)

**Wellness**  
**Dye-Free Pain & Fever**  
Acetaminophen  
Pain Reliever / Fever Reducer  
Oral Suspension

**Drug Facts**  
Read the important information about this medicine carefully. Save this information. This information does not take the place of the directions that come with this medicine. It may not describe all possible side effects. For more information, ask your healthcare provider or pharmacist. This information does not describe all possible risks. For more information, ask your healthcare provider or pharmacist. This information does not describe all possible risks. For more information, ask your healthcare provider or pharmacist.

**Directions**  
For oral suspension:  
1. Shake the bottle well before each use.  
2. Measure the dose carefully with the provided measuring spoon.  
3. Give the medicine to your child by mouth.

**Warnings**  
Do not give this medicine to anyone who is allergic to acetaminophen or any of the ingredients in this medicine. Do not give this medicine to anyone who is taking other medicines that contain acetaminophen. Do not give this medicine to anyone who is taking other medicines that contain acetaminophen.

**Other information**  
Keep this medicine out of the reach of children. Do not use if the cap is loose, the bottle is cracked, or the medicine is cloudy or has a bad smell. Do not use if the expiration date has passed.

**Contains 100% Acetaminophen**

**2 FL OZ (59 mL)**  
10 mg per 5 mL

**LOT NO.**  
**EXP.**  
**CODE AREA**

**EBF 1561**  
500-001 EBF1561-1  
(046)

**Wellness**  
**Pain & Fever**  
Acetaminophen  
Pain Reliever / Fever Reducer  
Oral Suspension

**Drug Facts**  
Read the important information about this medicine carefully. Save this information. This information does not take the place of the directions that come with this medicine. It may not describe all possible side effects. For more information, ask your healthcare provider or pharmacist. This information does not describe all possible risks. For more information, ask your healthcare provider or pharmacist.

**Directions**  
For oral suspension:  
1. Shake the bottle well before each use.  
2. Measure the dose carefully with the provided measuring spoon.  
3. Give the medicine to your child by mouth.

**Warnings**  
Do not give this medicine to anyone who is allergic to acetaminophen or any of the ingredients in this medicine. Do not give this medicine to anyone who is taking other medicines that contain acetaminophen. Do not give this medicine to anyone who is taking other medicines that contain acetaminophen.

**Other information**  
Keep this medicine out of the reach of children. Do not use if the cap is loose, the bottle is cracked, or the medicine is cloudy or has a bad smell. Do not use if the expiration date has passed.

**Contains 100% Acetaminophen**

**2 FL OZ (59 mL)**  
10 mg per 5 mL

**LOT NO.**  
**EXP.**  
**CODE AREA**

**EBF 1561**  
700-001 EBF1561-1  
(046)

**Wellness**  
**Dye-Free Pain & Fever**  
Acetaminophen  
Pain Reliever / Fever Reducer  
Oral Suspension

**Drug Facts**  
Read the important information about this medicine carefully. Save this information. This information does not take the place of the directions that come with this medicine. It may not describe all possible side effects. For more information, ask your healthcare provider or pharmacist. This information does not describe all possible risks. For more information, ask your healthcare provider or pharmacist.

**Directions**  
For oral suspension:  
1. Shake the bottle well before each use.  
2. Measure the dose carefully with the provided measuring spoon.  
3. Give the medicine to your child by mouth.

**Warnings**  
Do not give this medicine to anyone who is allergic to acetaminophen or any of the ingredients in this medicine. Do not give this medicine to anyone who is taking other medicines that contain acetaminophen. Do not give this medicine to anyone who is taking other medicines that contain acetaminophen.

**Other information**  
Keep this medicine out of the reach of children. Do not use if the cap is loose, the bottle is cracked, or the medicine is cloudy or has a bad smell. Do not use if the expiration date has passed.

**Contains 100% Acetaminophen**

**2 FL OZ (59 mL)**  
10 mg per 5 mL

**LOT NO.**  
**EXP.**  
**CODE AREA**

**EBF 1561**  
700-001 EBF1561-1  
(046)

**Kroger**  
**Infants' Pain & Fever**  
Acetaminophen  
Pain Reliever / Fever Reducer  
Suspension Liquid

**Drug Facts**  
Read the important information about this medicine carefully. Save this information. This information does not take the place of the directions that come with this medicine. It may not describe all possible side effects. For more information, ask your healthcare provider or pharmacist. This information does not describe all possible risks. For more information, ask your healthcare provider or pharmacist.

**Directions**  
For oral suspension:  
1. Shake the bottle well before each use.  
2. Measure the dose carefully with the provided measuring spoon.  
3. Give the medicine to your child by mouth.

**Warnings**  
Do not give this medicine to anyone who is allergic to acetaminophen or any of the ingredients in this medicine. Do not give this medicine to anyone who is taking other medicines that contain acetaminophen. Do not give this medicine to anyone who is taking other medicines that contain acetaminophen.

**Other information**  
Keep this medicine out of the reach of children. Do not use if the cap is loose, the bottle is cracked, or the medicine is cloudy or has a bad smell. Do not use if the expiration date has passed.

**Contains 100% Acetaminophen**

**2 FL OZ (59 mL)**  
10 mg per 5 mL

**LOT NO.**  
**EXP.**  
**CODE AREA**





**EBF 1561**  
503-011-1501-1  
(101)

**Infants' pain relief**  
ACETAMINOPHEN SUSPENSION LIQUID

**2 FL OZ (59 mL)** 100 mg per 5 mL

**LOT NO.**  
**EXP.**  
15/13A 14 02

**CODE AREA**

**Drug Facts**  
Active ingredient (each 5 mL): Acetaminophen 100 mg. Other ingredients include: Polyethylene Glycol 400, Hydroxyethylcellulose, Citric Acid, Natural Flavors, Sucralose, and Purified Water.

**Warnings**  
Do not give to children under 2 years of age. Do not give to children with sickle cell anemia, G6PD deficiency, or liver disease. Do not give to children who are taking MAO inhibitors or have taken MAO inhibitors in the last 14 days.

**Directions**  
For infants 12 months and older: Give 1/2 to 1 teaspoon (2.5 to 5 mL) every 4 to 6 hours as needed. Do not give more than 5 doses in 24 hours.

**Other information**  
Keep out of reach of children. Do not use if the suspension has changed color or has a strong odor. Do not use if the suspension has been stored at room temperature for more than 3 months.

**Contains 100 mg of acetaminophen per 5 mL (200 mg per 10 mL).**

**EBF 1561**  
101-001-EP1001-1  
(101)

**Infants' Pain & Fever**  
Acetaminophen / Ibuprofen Suspension Liquid

**2 FL OZ (59 mL)** 100 mg per 5 mL

**LOT NO.**  
**EXP.**  
15/13A 14 02

**CODE AREA**

**Drug Facts**  
Active ingredients (each 5 mL): Acetaminophen 100 mg, Ibuprofen 50 mg. Other ingredients include: Polyethylene Glycol 400, Hydroxyethylcellulose, Citric Acid, Natural Flavors, Sucralose, and Purified Water.

**Warnings**  
Do not give to children under 6 months of age. Do not give to children with sickle cell anemia, G6PD deficiency, or liver disease. Do not give to children who are taking MAO inhibitors or have taken MAO inhibitors in the last 14 days.

**Directions**  
For infants 6 months and older: Give 1/2 to 1 teaspoon (2.5 to 5 mL) every 4 to 6 hours as needed. Do not give more than 5 doses in 24 hours.

**Other information**  
Keep out of reach of children. Do not use if the suspension has changed color or has a strong odor. Do not use if the suspension has been stored at room temperature for more than 3 months.

**Contains 100 mg of acetaminophen and 50 mg of ibuprofen per 5 mL (200 mg of acetaminophen and 100 mg of ibuprofen per 10 mL).**

**EBF 1561**  
101-001-EP1001-1  
(101)

**HEB PAIN & FEVER**  
Pain Reliever - Fever Reducer

**Acetaminophen Suspension**  
**Infants'**

**2 FL OZ (59 mL)** 100 mg per 5 mL

**LOT NO.**  
**EXP.**  
15/13A 14 02

**CODE AREA**

**Drug Facts**  
Active ingredient (each 5 mL): Acetaminophen 100 mg. Other ingredients include: Polyethylene Glycol 400, Hydroxyethylcellulose, Citric Acid, Natural Flavors, Sucralose, and Purified Water.

**Warnings**  
Do not give to children under 2 years of age. Do not give to children with sickle cell anemia, G6PD deficiency, or liver disease. Do not give to children who are taking MAO inhibitors or have taken MAO inhibitors in the last 14 days.

**Directions**  
For infants 12 months and older: Give 1/2 to 1 teaspoon (2.5 to 5 mL) every 4 to 6 hours as needed. Do not give more than 5 doses in 24 hours.

**Other information**  
Keep out of reach of children. Do not use if the suspension has changed color or has a strong odor. Do not use if the suspension has been stored at room temperature for more than 3 months.

**Contains 100 mg of acetaminophen per 5 mL (200 mg per 10 mL).**

**EBF 1561**  
503-011-1501-1  
(101)

**CAREONE INFANTS' OVER-THE-COUNTER PAIN RELIEF**  
PAIN RELIEVER - FEVER REDUCER

**Cherry Flavor**

**2 FL OZ (59 mL)** 100 mg per 5 mL

**LOT NO.**  
**EXP.**  
15/13A 14 02

**CODE AREA**

**Drug Facts**  
Active ingredient (each 5 mL): Acetaminophen 100 mg. Other ingredients include: Polyethylene Glycol 400, Hydroxyethylcellulose, Citric Acid, Natural Flavors, Sucralose, and Purified Water.

**Warnings**  
Do not give to children under 2 years of age. Do not give to children with sickle cell anemia, G6PD deficiency, or liver disease. Do not give to children who are taking MAO inhibitors or have taken MAO inhibitors in the last 14 days.

**Directions**  
For infants 12 months and older: Give 1/2 to 1 teaspoon (2.5 to 5 mL) every 4 to 6 hours as needed. Do not give more than 5 doses in 24 hours.

**Other information**  
Keep out of reach of children. Do not use if the suspension has changed color or has a strong odor. Do not use if the suspension has been stored at room temperature for more than 3 months.

**Contains 100 mg of acetaminophen per 5 mL (200 mg per 10 mL).**

**EBF 1561**  
101-001 EBF1561-1  
(101)

**Infants' PAIN & FEVER**  
Acetaminophen  
Suspension Liquid

**Harmon Face Values**

**SEE NEW POSAGE**

**Infants' PAIN & FEVER**  
Acetaminophen  
Suspension Liquid  
Dye-free

Cherry Flavored

Alcohol Free  
Aspirin Free  
Dye-free  
Gluten Free

2 FL OZ (59 mL) net wt 2.11

LOT NO.  
EXP.  
FACILITY

**CODE AREA**

**Drug Facts**  
Active ingredient (per 5 mL): Acetaminophen 160 mg  
Other ingredients: Citric Acid, FD&C Blue #2, FD&C Red #40, FD&C Yellow #5, Glycerin, Natural Flavors, Potassium Citrate, Potassium Sorbate, Purified Water, Sodium Benzoate, Sucralose, and Xanthan Gum.

**Warnings**  
Do not give to children under 2 years of age unless directed by a doctor.  
Do not give to children with a fever who have been given aspirin in the last 6 weeks.  
Do not give to children with a fever who have been given aspirin in the last 6 weeks.

**Directions**  
For children 2 to 3 years of age: 1/2 to 1 teaspoon (2.5 to 5 mL) every 4 to 6 hours as needed.  
For children 3 to 6 years of age: 1 to 2 teaspoons (5 to 10 mL) every 4 to 6 hours as needed.  
For children 6 to 11 years of age: 2 to 5 teaspoons (10 to 25 mL) every 4 to 6 hours as needed.  
For children 12 years of age and older: 5 to 10 mL every 4 to 6 hours as needed.

**Other information**  
Keep out of reach of children.  
Do not use if the suspension has become discolored or contains particles.  
Do not use if the suspension has become discolored or contains particles.

**Contains 200 mg of acetaminophen per 5 mL.**

**EBF 1561**  
101-001 EBF1561-1  
(101)

**Infants' Pain & Fever**  
Acetaminophen Suspension Liquid

**BABIESRUS**

**Infants' Pain & Fever**  
Acetaminophen Suspension Liquid  
Cherry Flavored

2 FL OZ (59 mL) net wt 2.11

LOT NO.  
EXP.  
FACILITY

**CODE AREA**

**Drug Facts**  
Active ingredient (per 5 mL): Acetaminophen 160 mg  
Other ingredients: Citric Acid, FD&C Blue #2, FD&C Red #40, FD&C Yellow #5, Glycerin, Natural Flavors, Potassium Citrate, Potassium Sorbate, Purified Water, Sodium Benzoate, Sucralose, and Xanthan Gum.

**Warnings**  
Do not give to children under 2 years of age unless directed by a doctor.  
Do not give to children with a fever who have been given aspirin in the last 6 weeks.  
Do not give to children with a fever who have been given aspirin in the last 6 weeks.

**Directions**  
For children 2 to 3 years of age: 1/2 to 1 teaspoon (2.5 to 5 mL) every 4 to 6 hours as needed.  
For children 3 to 6 years of age: 1 to 2 teaspoons (5 to 10 mL) every 4 to 6 hours as needed.  
For children 6 to 11 years of age: 2 to 5 teaspoons (10 to 25 mL) every 4 to 6 hours as needed.  
For children 12 years of age and older: 5 to 10 mL every 4 to 6 hours as needed.

**Other information**  
Keep out of reach of children.  
Do not use if the suspension has become discolored or contains particles.  
Do not use if the suspension has become discolored or contains particles.

**Contains 200 mg of acetaminophen per 5 mL.**

**EBF 1561**  
101-001 EBF1561-1  
(101)

**healthy accents**  
infants' pain & fever acetaminophen

**REDUCES FEVERS  
RELIEVES PAIN**

**healthy accents**  
infants' pain & fever acetaminophen  
suspension liquid  
alcohol free • aspirin free  
dye-free • gluten free

Cherry Flavored

2 FL OZ (59 mL) net wt 2.11

LOT NO.  
EXP.  
FACILITY

**CODE AREA**

**Drug Facts**  
Active ingredient (per 5 mL): Acetaminophen 160 mg  
Other ingredients: Citric Acid, FD&C Blue #2, FD&C Red #40, FD&C Yellow #5, Glycerin, Natural Flavors, Potassium Citrate, Potassium Sorbate, Purified Water, Sodium Benzoate, Sucralose, and Xanthan Gum.

**Warnings**  
Do not give to children under 2 years of age unless directed by a doctor.  
Do not give to children with a fever who have been given aspirin in the last 6 weeks.  
Do not give to children with a fever who have been given aspirin in the last 6 weeks.

**Directions**  
For children 2 to 3 years of age: 1/2 to 1 teaspoon (2.5 to 5 mL) every 4 to 6 hours as needed.  
For children 3 to 6 years of age: 1 to 2 teaspoons (5 to 10 mL) every 4 to 6 hours as needed.  
For children 6 to 11 years of age: 2 to 5 teaspoons (10 to 25 mL) every 4 to 6 hours as needed.  
For children 12 years of age and older: 5 to 10 mL every 4 to 6 hours as needed.

**Other information**  
Keep out of reach of children.  
Do not use if the suspension has become discolored or contains particles.  
Do not use if the suspension has become discolored or contains particles.

**Contains 200 mg of acetaminophen per 5 mL.**

**EBF 1561**  
101-001 EBF1561-1  
(101)

**HealthMart PHARMACY**  
infants' pain & fever acetaminophen

**HealthMart PHARMACY**

**infants' pain & fever acetaminophen**  
suspension liquid

2 FL OZ (59 mL) net wt 2.11

LOT NO.  
EXP.  
FACILITY

**CODE AREA**

**Drug Facts**  
Active ingredient (per 5 mL): Acetaminophen 160 mg  
Other ingredients: Citric Acid, FD&C Blue #2, FD&C Red #40, FD&C Yellow #5, Glycerin, Natural Flavors, Potassium Citrate, Potassium Sorbate, Purified Water, Sodium Benzoate, Sucralose, and Xanthan Gum.

**Warnings**  
Do not give to children under 2 years of age unless directed by a doctor.  
Do not give to children with a fever who have been given aspirin in the last 6 weeks.  
Do not give to children with a fever who have been given aspirin in the last 6 weeks.

**Directions**  
For children 2 to 3 years of age: 1/2 to 1 teaspoon (2.5 to 5 mL) every 4 to 6 hours as needed.  
For children 3 to 6 years of age: 1 to 2 teaspoons (5 to 10 mL) every 4 to 6 hours as needed.  
For children 6 to 11 years of age: 2 to 5 teaspoons (10 to 25 mL) every 4 to 6 hours as needed.  
For children 12 years of age and older: 5 to 10 mL every 4 to 6 hours as needed.

**Other information**  
Keep out of reach of children.  
Do not use if the suspension has become discolored or contains particles.  
Do not use if the suspension has become discolored or contains particles.

**Contains 200 mg of acetaminophen per 5 mL.**

TOP PLY

(700) 766-001 ELE910-1 ELE 910

See New Package & Directions

### Infants' Pain & Fever

acetaminophen

Fever Reducer • Pain Reliever

2 fl oz (59 mL)  
160 mg per 5 mL

**CHERRY HAVAN**

**GRABE AREA**  
www.perrigo.com

**ADHESIVE AREA NO COPY**

TOP PLY - UP TO 7 COLORS ONLY

TOP PLY

(161) 161-001 ELE910-1 ELE 910

See New Package & Directions

### Infants' Pain & Fever

acetaminophen

Fever Reducer • Pain Reliever

2 fl oz (59 mL)  
160 mg per 5 mL

**DYE-FREE CHERRY HAVAN**

**GRABE AREA**  
www.perrigo.com

**ADHESIVE AREA NO COPY**

TOP PLY - UP TO 7 COLORS ONLY

BASE PLY

(700) 766-001 ELE910-1 ELE 910

ADHESIVE AREA NO COPY

See New Package & Directions

### Infants' Pain & Fever

acetaminophen

Fever Reducer • Pain Reliever

2 fl oz (59 mL)  
160 mg per 5 mL

**DYE-FREE CHERRY HAVAN**

**GRABE AREA**  
www.perrigo.com

**ADHESIVE AREA NO COPY**

ADHESIVE AREA NO COPY

BASE PLY - ONE COLOR ONLY  
SAME COLOR AS BACK COPY

BASE PLY

(161) 161-001 ELE910-1 ELE 910

ADHESIVE AREA NO COPY

See New Package & Directions

### Infants' Pain & Fever

acetaminophen

Fever Reducer • Pain Reliever

2 fl oz (59 mL)  
160 mg per 5 mL

**DYE-FREE CHERRY HAVAN**

**GRABE AREA**  
www.perrigo.com

**ADHESIVE AREA NO COPY**

ADHESIVE AREA NO COPY

BASE PLY - ONE COLOR ONLY  
SAME COLOR AS BACK COPY

TOP PLY

(700) 766-001 ELE910-1 ELE 910

See New Package & Directions

### Infants' Pain & Fever

acetaminophen

Fever Reducer • Pain Reliever

2 fl oz (59 mL)  
160 mg per 5 mL

**CHERRY HAVAN**

**GRABE AREA**  
www.perrigo.com

**ADHESIVE AREA NO COPY**

TOP PLY - UP TO 7 COLORS ONLY

TOP PLY

(161) 161-001 ELE910-1 ELE 910

See New Package & Directions

### Infants' Pain & Fever

acetaminophen

Fever Reducer • Pain Reliever

2 fl oz (59 mL)  
160 mg per 5 mL

**DYE-FREE CHERRY HAVAN**

**GRABE AREA**  
www.perrigo.com

**ADHESIVE AREA NO COPY**

TOP PLY - UP TO 7 COLORS ONLY

BASE PLY

(700) 766-001 ELE910-1 ELE 910

ADHESIVE AREA NO COPY

See New Package & Directions

### Infants' Pain & Fever

acetaminophen

Fever Reducer • Pain Reliever

2 fl oz (59 mL)  
160 mg per 5 mL

**DYE-FREE CHERRY HAVAN**

**GRABE AREA**  
www.perrigo.com

**ADHESIVE AREA NO COPY**

ADHESIVE AREA NO COPY

BASE PLY - ONE COLOR ONLY  
SAME COLOR AS BACK COPY

BASE PLY

(161) 161-001 ELE910-1 ELE 910

ADHESIVE AREA NO COPY

See New Package & Directions

### Infants' Pain & Fever

acetaminophen

Fever Reducer • Pain Reliever

2 fl oz (59 mL)  
160 mg per 5 mL

**DYE-FREE CHERRY HAVAN**

**GRABE AREA**  
www.perrigo.com

**ADHESIVE AREA NO COPY**

ADHESIVE AREA NO COPY

BASE PLY - ONE COLOR ONLY  
SAME COLOR AS BACK COPY

TOP PLY (161) 161-001 ELE910-1 ELE 910

**HEB**  
**PAIN & FEVER**  
Acetaminophen Suspension Liquid  
DYE-FREE

**Directions:**  
**Infants:**  
• 12 months and younger: 1/2 tsp every 4-6 hours as needed.  
• 12-23 months: 1/2 tsp every 4-6 hours as needed.  
• 2-5 years: 1/2 tsp every 4-6 hours as needed.  
**Children:**  
• 6-11 years: 1/2 tsp every 4-6 hours as needed.  
• 12 years and older: 1/2 tsp every 4-6 hours as needed.

**Ingredients:**  
Acetaminophen, Polyethylene Glycol 400, Citric Acid, Natural Flavors, Sucralose, Cellulose, Hydroxypropyl Methylcellulose, Polyethylene Glycol 1500, Purified Water.

**Contains:** No Dyes, No Artificial Colors, No Artificial Flavors, No Parabens, No Phthalates, No Gluten, No Soy, No Eggs, No Dairy, No Fish, No Shellfish.

**2 FL OZ (59 mL)**  
100 mg per 5 mL

**KROGER**

TOP PLY - UP TO 7 COLORS ONLY

(590) 590-001 ELA146-1 ELA 14A

BASE PLY (161) 161-001 ELE910-1 ELE 910

**ADHESIVE AREA NO COPY**

**Directions:**  
**Infants:**  
• 12 months and younger: 1/2 tsp every 4-6 hours as needed.  
• 12-23 months: 1/2 tsp every 4-6 hours as needed.  
• 2-5 years: 1/2 tsp every 4-6 hours as needed.  
**Children:**  
• 6-11 years: 1/2 tsp every 4-6 hours as needed.  
• 12 years and older: 1/2 tsp every 4-6 hours as needed.

**Ingredients:**  
Acetaminophen, Polyethylene Glycol 400, Citric Acid, Natural Flavors, Sucralose, Cellulose, Hydroxypropyl Methylcellulose, Polyethylene Glycol 1500, Purified Water.

**Contains:** No Dyes, No Artificial Colors, No Artificial Flavors, No Parabens, No Phthalates, No Gluten, No Soy, No Eggs, No Dairy, No Fish, No Shellfish.

**2 FL OZ (59 mL)**  
100 mg per 5 mL

**KROGER**

BASE PLY - ONE COLOR ONLY SAME COLOR AS BACK COPY

**Kroger**  
**PAIN & FEVER**  
Acetaminophen Suspension Liquid  
DYE-FREE

**Directions:**  
**Infants:**  
• 12 months and younger: 1/2 tsp every 4-6 hours as needed.  
• 12-23 months: 1/2 tsp every 4-6 hours as needed.  
• 2-5 years: 1/2 tsp every 4-6 hours as needed.  
**Children:**  
• 6-11 years: 1/2 tsp every 4-6 hours as needed.  
• 12 years and older: 1/2 tsp every 4-6 hours as needed.

**Ingredients:**  
Acetaminophen, Polyethylene Glycol 400, Citric Acid, Natural Flavors, Sucralose, Cellulose, Hydroxypropyl Methylcellulose, Polyethylene Glycol 1500, Purified Water.

**Contains:** No Dyes, No Artificial Colors, No Artificial Flavors, No Parabens, No Phthalates, No Gluten, No Soy, No Eggs, No Dairy, No Fish, No Shellfish.

**2 FL OZ (59 mL)**  
100 mg per 5 mL

**KROGER**

TOP PLY (161) 161-001 ELE910-1 ELE 910

**Well's Wafers**  
**PAIN & FEVER**  
Acetaminophen Suspension Liquid  
DYE-FREE

**Directions:**  
**Infants:**  
• 12 months and younger: 1/2 tsp every 4-6 hours as needed.  
• 12-23 months: 1/2 tsp every 4-6 hours as needed.  
• 2-5 years: 1/2 tsp every 4-6 hours as needed.  
**Children:**  
• 6-11 years: 1/2 tsp every 4-6 hours as needed.  
• 12 years and older: 1/2 tsp every 4-6 hours as needed.

**Ingredients:**  
Acetaminophen, Polyethylene Glycol 400, Citric Acid, Natural Flavors, Sucralose, Cellulose, Hydroxypropyl Methylcellulose, Polyethylene Glycol 1500, Purified Water.

**Contains:** No Dyes, No Artificial Colors, No Artificial Flavors, No Parabens, No Phthalates, No Gluten, No Soy, No Eggs, No Dairy, No Fish, No Shellfish.

**2 FL OZ (59 mL)**  
100 mg per 5 mL

**CHERRY FLAVOR**

**KROGER**

TOP PLY - UP TO 7 COLORS ONLY

TOP PLY (590) 590-001 ELE910-1 ELE 910

**Well's Wafers**  
**DYE-FREE PAIN & FEVER**  
Acetaminophen Suspension Liquid  
DYE-FREE

**Directions:**  
**Infants:**  
• 12 months and younger: 1/2 tsp every 4-6 hours as needed.  
• 12-23 months: 1/2 tsp every 4-6 hours as needed.  
• 2-5 years: 1/2 tsp every 4-6 hours as needed.  
**Children:**  
• 6-11 years: 1/2 tsp every 4-6 hours as needed.  
• 12 years and older: 1/2 tsp every 4-6 hours as needed.

**Ingredients:**  
Acetaminophen, Polyethylene Glycol 400, Citric Acid, Natural Flavors, Sucralose, Cellulose, Hydroxypropyl Methylcellulose, Polyethylene Glycol 1500, Purified Water.

**Contains:** No Dyes, No Artificial Colors, No Artificial Flavors, No Parabens, No Phthalates, No Gluten, No Soy, No Eggs, No Dairy, No Fish, No Shellfish.

**2 FL OZ (59 mL)**  
100 mg per 5 mL

**CHERRY FLAVOR**

**KROGER**

TOP PLY - UP TO 7 COLORS ONLY

BASE PLY (161) 161-001 ELE910-1 ELE 910

**ADHESIVE AREA NO COPY**

**Directions:**  
**Infants:**  
• 12 months and younger: 1/2 tsp every 4-6 hours as needed.  
• 12-23 months: 1/2 tsp every 4-6 hours as needed.  
• 2-5 years: 1/2 tsp every 4-6 hours as needed.  
**Children:**  
• 6-11 years: 1/2 tsp every 4-6 hours as needed.  
• 12 years and older: 1/2 tsp every 4-6 hours as needed.

**Ingredients:**  
Acetaminophen, Polyethylene Glycol 400, Citric Acid, Natural Flavors, Sucralose, Cellulose, Hydroxypropyl Methylcellulose, Polyethylene Glycol 1500, Purified Water.

**Contains:** No Dyes, No Artificial Colors, No Artificial Flavors, No Parabens, No Phthalates, No Gluten, No Soy, No Eggs, No Dairy, No Fish, No Shellfish.

**2 FL OZ (59 mL)**  
100 mg per 5 mL

**KROGER**

BASE PLY - ONE COLOR ONLY SAME COLOR AS BACK COPY

BASE PLY (590) 590-001 ELE910-1 ELE 910

**ADHESIVE AREA NO COPY**

**Directions:**  
**Infants:**  
• 12 months and younger: 1/2 tsp every 4-6 hours as needed.  
• 12-23 months: 1/2 tsp every 4-6 hours as needed.  
• 2-5 years: 1/2 tsp every 4-6 hours as needed.  
**Children:**  
• 6-11 years: 1/2 tsp every 4-6 hours as needed.  
• 12 years and older: 1/2 tsp every 4-6 hours as needed.

**Ingredients:**  
Acetaminophen, Polyethylene Glycol 400, Citric Acid, Natural Flavors, Sucralose, Cellulose, Hydroxypropyl Methylcellulose, Polyethylene Glycol 1500, Purified Water.

**Contains:** No Dyes, No Artificial Colors, No Artificial Flavors, No Parabens, No Phthalates, No Gluten, No Soy, No Eggs, No Dairy, No Fish, No Shellfish.

**2 FL OZ (59 mL)**  
100 mg per 5 mL

**KROGER**

BASE PLY - ONE COLOR ONLY SAME COLOR AS BACK COPY

**TOP PLY** (940) 946-001 ELE910-1 ELE 910

**Infants' Pain & Fever**  
 Acetaminophen  
 Pain Reliever / Fever Reducer  
 Oral Suspension

**ADHESIVE AREA NO COPY**

**CODE AREA**

TOP PLY - UP TO 7 COLORS ONLY

**TOP PLY** (940) 946-001 ELE910-1 ELE 910

**Infants' Pain & Fever**  
 Acetaminophen  
 Suspension  
 Fever Reducer - Pain Reliever

**ADHESIVE AREA NO COPY**

**CODE AREA**

TOP PLY - UP TO 7 COLORS ONLY

**BASE PLY** (940) 946-001 ELE910-1 ELE 910

**ADHESIVE AREA NO COPY**

**CODE AREA**

BASE PLY - ONE COLOR ONLY  
 SAME COLOR AS BACK COPY

**BASE PLY** (940) 946-001 ELE910-1 ELE 910

**ADHESIVE AREA NO COPY**

**CODE AREA**

BASE PLY - ONE COLOR ONLY  
 SAME COLOR AS BACK COPY

**TOP PLY** (766) 766-001 ELE910-1 ELE 910

**Infants' Dye-Free Pain & Fever**  
 Acetaminophen  
 Pain Reliever / Fever Reducer  
 Oral Suspension

**ADHESIVE AREA NO COPY**

**CODE AREA**

TOP PLY - UP TO 7 COLORS ONLY

**TOP PLY** (766) 766-001 ELE910-1 ELE 910

**Infants' fever reducer & pain reliever**  
 Acetaminophen 160 mg per 5 mL  
 Oral Suspension

**ADHESIVE AREA NO COPY**

**CODE AREA**

TOP PLY - UP TO 7 COLORS ONLY

**BASE PLY** (766) 766-001 ELE910-1 ELE 910

**ADHESIVE AREA NO COPY**

**CODE AREA**

BASE PLY - ONE COLOR ONLY  
 SAME COLOR AS BACK COPY

**BASE PLY** (766) 766-001 ELE910-1 ELE 910

**ADHESIVE AREA NO COPY**

**CODE AREA**

BASE PLY - ONE COLOR ONLY  
 SAME COLOR AS BACK COPY

**TOP PLY** (946) 646-001 ELE910-1 ELE 910

**ADHESIVE LABEL (Front Side)**

**RENEW DOSAGE & DIRECTIONS**

**equate**

**Infants' Pain & Fever**  
Acetaminophen  
Fever Reducer/  
Pain Reliever  
Suspension Liquid  
Cherry Flavor

**2 FL OZ (59 mL) 160 mg per 5 mL**

**CAUTION AREA**

**TOP PLY - UP TO 7 COLORS ONLY**

**TOP PLY** (500) 500-001 ELE910-1 ELE 910

**ADHESIVE LABEL (Front Side)**

**LEADER**

**SEE NEW DOSAGE & DIRECTIONS**

**Infants' Pain & Fever**  
Acetaminophen  
Suspension  
Fever Reducer - Pain Reliever

**2 FL OZ (59 mL)**

**CAUTION AREA**

**TOP PLY - UP TO 7 COLORS ONLY**

**BASE PLY** (946) 646-001 ELE910-1 ELE 910

**ADHESIVE LABEL (Back Side)**

**ADHESIVE AREA NO COPY**

**BASE PLY - ONE COLOR ONLY  
SAME COLOR AS BACK COPY**

**1-888-287-1915**

**BASE PLY** (500) 500-001 ELE910-1 ELE 910

**ADHESIVE LABEL (Back Side)**

**ADHESIVE AREA NO COPY**

**BASE PLY - ONE COLOR ONLY  
SAME COLOR AS BACK COPY**

**TOP PLY** (500) 500-001 ELE910-1 ELE 910

**ADHESIVE LABEL (Front Side)**

**RENEW DOSAGE & DIRECTIONS**

**equatone**

**Infants' Pain & Fever**  
Acetaminophen  
Fever Reducer/  
Pain Reliever  
Suspension Liquid  
Dye-Free Cherry Flavor

**2 FL OZ (59 mL) 160 mg per 5 mL**

**CAUTION AREA**

**TOP PLY - UP TO 7 COLORS ONLY**

**TOP PLY** (500) 500-001 ELE910-1 ELE 910

**ADHESIVE LABEL (Front Side)**

**equatone**

**Infants' pain & fever**  
Acetaminophen  
Suspension Liquid  
Dye-Free Cherry Flavor

**2 FL OZ (59 mL)**

**CAUTION AREA**

**TOP PLY - UP TO 7 COLORS ONLY**

**BASE PLY** (500) 500-001 ELE910-1 ELE 910

**ADHESIVE LABEL (Back Side)**

**ADHESIVE AREA NO COPY**

**BASE PLY - ONE COLOR ONLY  
SAME COLOR AS BACK COPY**

**BASE PLY** (500) 500-001 ELE910-1 ELE 910

**ADHESIVE LABEL (Back Side)**

**ADHESIVE AREA NO COPY**

**BASE PLY - ONE COLOR ONLY  
SAME COLOR AS BACK COPY**

TOP PLY

(509) 500-001 ELE910-1 ELE 910

**dyefree**  
infants' pain and fever  
acetaminophen  
suspension liquid

2 FL OZ (59 mL) net wt per 2.0 FL OZ (59 mL) net wt per 2.0

**ADHESIVE AREA NO COPY**

TOP PLY - UP TO 7 COLORS ONLY

TOP PLY

(509) 500-001 ELE910-1 ELE 910

**HARMON'S FACE VALUES**  
SILK SKINCARE & MAKEUP  
infants' PAIN & FEVER  
Acetaminophen  
Suspension Liquid

2 FL OZ (59 mL) net wt per 2.0

**ADHESIVE AREA NO COPY**

TOP PLY - UP TO 7 COLORS ONLY

BASE PLY

(509) 500-001 ELE910-1 ELE 910

**ADHESIVE AREA NO COPY**

Age Group	Age Range	Weight
Infant	6-24 mos	12-18 lbs
Toddler	2-3 yrs	24-36 lbs

**ADHESIVE AREA NO COPY**

BASE PLY - ONE COLOR ONLY  
SAME COLOR AS BACK COPY

BASE PLY

(509) 500-001 ELE910-1 ELE 910

**ADHESIVE AREA NO COPY**

Age Group	Age Range	Weight
Infant	6-24 mos	12-18 lbs
Toddler	2-3 yrs	24-36 lbs

**ADHESIVE AREA NO COPY**

BASE PLY - ONE COLOR ONLY  
SAME COLOR AS BACK COPY

TOP PLY

(161) 161-001 ELE910-1 ELE 910

**BABIES'R'US**  
Infants' Pain & Fever  
Acetaminophen Suspension  
Fever Reducer & Pain Reliever  
Cherry Flavor

2 FL OZ (59 mL) net wt per 2.0

**ADHESIVE AREA NO COPY**

TOP PLY - UP TO 7 COLORS ONLY

BASE PLY

(161) 161-001 ELE910-1 ELE 910

**ADHESIVE AREA NO COPY**

Age Group	Age Range	Weight
Infant	6-24 mos	12-18 lbs
Toddler	2-3 yrs	24-36 lbs

**ADHESIVE AREA NO COPY**

BASE PLY - ONE COLOR ONLY  
SAME COLOR AS BACK COPY