



Indiana State Department of Health

WEEKLY INFLUENZA REPORT


Data as of Wednesday, January 30, 2013

The following report is meant to provide local health departments, hospital administrators, health professionals and residents with a general understanding of the burden of influenza-like illness (ILI). Data from several surveillance programs were utilized to produce this report and all information is provisional. *Occasionally, data may change as information is received, reviewed and verified. The purpose of this report is to report in a timely manner what is occurring or has recently occurred.* For further information about the data presented in this report, please call the ISDH Surveillance and Investigation Division at 317-233-7125.

Key Points:

- The current percentage of ILI reported by the emergency department surveillance (ED) system was (4.16 %) and by the sentinel surveillance system was (3.54%). Widespread activity was reported to the CDC.
- During week 04, 64.5% (20/31) specimens were positive for influenza. Fifteen were positive for influenza A/H3, five were positive for influenza B.
- Three adult influenza-associated deaths were officially reported during week 4. A total of 43 influenza deaths have been reported and have had a positive influenza test for the 2012/2013 season. Two are under 18 years of age.
- All physicians, laboratories and hospitals are to report influenza-associated deaths to local health department within 72 hours of knowledge of death.
- Seventeen of the reported deaths were vaccinated with a 2012/2013 influenza vaccine. The vaccination status was unknown for sixteen cases, and ten were documented as unvaccinated.
- The ISDH does not report the number of deaths in each county until five deaths have occurred in a specific county. Marion County has had five reported deaths.
- Forty two of the deaths had underlying medical conditions. One death did not indicate there were underlying medical conditions. The most commonly reported underlying medical conditions were Cardiac Disease, COPD, Diabetes, Asthma and Renal Disease.
- The most common complication reported during acute illness was acute respiratory distress syndrome and pneumonia. Other complications collected on the reports were shock, altered mental status, sepsis, dehydration, pulmonary hemorrhage and urinary tract infection.

Percent of patients who presented at an emergency department (ED) with a chief complaint relating to influenza-like illness – Indiana, 2012/2013, 2011/12, 2010/2009, 2009/10, 2008/9 seasons (EDs currently reporting = 104)




**Data obtained from the ISDH Public Health Emergency Surveillance System (PHESS).*

Sentinel reported influenza-like illness by sentinel type and reporting week with number of reporting sites Indiana, 2012/13 season.*

Reporting Week	All Reporters %ILI	Universities %ILI	Non-Universities %ILI
Week 04	3.54	3.99	3.40
Week 03	4.04	5.22	3.75
Week 02	3.64	3.54	3.67

**Data obtained from the ISDH Sentinel Influenza Surveillance System. This data is subject to change as sentinel sites can back-date their weekly reports.*

**Percent of patients who presented at sentinel provider clinics with symptoms relating to influenza-like illness – Indiana, and a three year baseline average, 2009/2010 season excluded due to the pandemic*†
(Number of sentinel provider clinics who reported this week = 38**



**Data obtained from the ISDH Sentinel Influenza Surveillance System.*

† Sentinel data has limited timeliness, so the data reported is for the week before the most current week. This data is subject to change as sentinel sites can back-date their weekly reports.

ISDH Laboratory data regarding circulating influenza viruses – Indiana, 2012/13 influenza season.*

PCR Result	This week's total		2013 total	
	Number	Percent of specimens received	Number	Percent of specimens received
2009 A/H1N1pdm virus	0	0%	3	<1.0%
Influenza A/H3 seasonal virus	15	48.4%	342	63.1%
Influenza A/H1 seasonal virus	0	0%	0	0%
Influenza B seasonal virus	5	16.1%	24	4.4%
Influenza negative	10	32.3%	148	27.3%
Inconclusive	0	0%	4	<1.0%
Unsatisfactory specimen†	1	3.2%	17	3.1%
Influenza Co-infection ^Δ	0	0%	4	<1.0%
Total	31	100%	542	100%

^Δ All co-infections have been influenza A/H3 and influenza B.

**Data obtained from the ISDH Laboratory via specimens submitted from the ISDH Sentinel Influenza Surveillance System and IN Sentinel Laboratories.*

†Unsatisfactory specimens include specimens that leaked in transit, were too long in transit, or were inappropriately labeled

OTHER CIRCULATING VIRUSES RECENTLY IDENTIFIED BY THE ISDH LABORATORY:

Other Respiratory Viruses	This Week	2013 Total (Since Oct. 1, 2012)	Early Surveillance (Sept 1-30, 2012)
Adenovirus	0	3	1
Coxsackie A Virus	0	0	0
Coxsackie B Virus	0	0	0
Echovirus	0	0	0
Enterovirus NOS	0	3	1
Parainfluenza 1 Virus	0	1	1
Parainfluenza 2 Virus	0	4	1
Parainfluenza 3 Virus	0	1	2
Rhinovirus	0	0	1
Human Metapneumovirus	0	0	0
Respiratory Syncytial Virus	0	8	1
Total	0	20	8

Sentinel reported influenza-like illness (ILI) by age category for the most current week reported – Indiana, 2012-13 season.

Age category (yrs)	Total number with ILI	Percent with ILI
0–4	35	13
5 –24	160	59
25–49	61	22
50–64	13	5
65+	3	1
Total	272	100

**Data obtained from the ISDH Sentinel Influenza Surveillance System.*

**Sentinel data has limited timeliness, so the data reported is for the week before the most current week. This data is subject to change as sentinel sites can back-date their weekly reports.*

Sentinel and ED influenza-like illness percentages by reporting week Indiana, 2012/13 season.

Reporting Week	ED Surveillance %ILI	Sentinel Surveillance %ILI
Week 04	4.16	3.54
Week 03	4.53	4.04
Week 02	4.23	3.64

Number of 2012/2013 deaths associated with laboratory confirmed influenza, by age category –
Indiana, January 30, 2013

	Age category (yrs)	Total number this week	Season Total
Number of deaths associated with influenza	0-4	0	0
	5-18	0	2
	19-24	0	0
	25-49	0	1
	50-64	0	5
	65+	3	35
	Unknown	0	0
	Total	3	43

This data is subject to change as information is updated, revised or corrected.

Number of schools (K-12) reporting a 20% or more absenteeism rate – Indiana, 2012/13 school year*

Health District†	Current Week	Total
1	0	0
2	0	0
3	0	1
4	0	1
5	0	0
6	0	0
7	0	0
8	0	0
9	0	0
10	0	0
Total	0	2

