

Sensitive Population - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Maximum Amount for Adults to Eat
Deer Creek Carroll County	Common Carp	up to 19 19+	1 meal / month (8 ounces / month) Do not eat
	Longear Sunfish	up to 5	1 meal / week (8 ounces / week)
	Smallmouth Bass	10+	Do not eat
Tippecanoe River Carroll County From Lake Freeman Dam to the confluence with the Wabash River	Black Redhorse	up to 17	1 meal / week (8 ounces / week)
	Common Carp	up to 21 21-22 23+	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month) Do not eat
	Freshwater Drum	up to 12	1 meal / week (8 ounces / week)
	Rock Bass	up to 7	1 meal / week (8 ounces / week)
Wabash River Carroll/Cass/Miami/Tippecanoe County up stream of Lafayette	Black Redhorse	19+	Do not eat
	Blue Sucker	21-26 26+	Do not eat Do not eat
	Carp sucker species	ALL	Do not eat
	Channel Catfish	15+	Do not eat
	Freshwater Drum	16+	Do not eat
	Sauger	13+	Do not eat
	Shorthead Redhorse	15+	Do not eat
	Smallmouth Buffalo	up to 20 20+	Do not eat Do not eat
	White Crappie	up to 8	1 meal / week (8 ounces / week)
Wildcat Creek Carroll/Howard County Downstream of the Waterworks Dam in Kokomo through Howard and Carroll counties.	All Fish	ALL	Do not eat

Sensitive Population

*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

**The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.