

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
<b>Adams Lake</b> LaGrange County	Walleye	20+	Hg	1 meal / month (8 ounces / month)
	Yellow Perch	up to 13		unrestricted
<b>Anderson River</b> Perry County	Black Buffalo	25+	PCB	1 meal / month (8 ounces / month)
	Bluegill	up to 7		unrestricted
	Common Carp	up to 22 22+	Hg, PCB	unrestricted 1 meal / week (8 ounces / week)
Spencer County	Channel Catfish	13+	PCB	1 meal / month (8 ounces / month)
<b>Appleman Lake</b> LaGrange County	Bluegill	up to 8		unrestricted
	Largemouth Bass	up to 14		unrestricted
	Yellow Perch	up to 10		unrestricted
<b>Atwood Lake</b> LaGrange County	Bluegill	up to 7		unrestricted
<b>Ball Lake</b> Steuben County	Bluegill	up to 6		unrestricted
	Largemouth Bass	up to 15		unrestricted
	White Sucker	up to 16		unrestricted
<b>Beanblossom Creek</b> Monroe County	Channel Catfish	13+	PCB	1 meal / month (8 ounces / month)
<b>Big Blue River</b> Henry/Rush County	Common Carp	up to 19	PCB	1 meal / week (8 ounces / week)
		19-24	PCB	1 meal / month (8 ounces / month)
		24+	PCB	1 meal / 2months (8 ounces / 2 months)
	Rock Bass	4-7	PCB	1 meal / month (8 ounces / month)
		7+	PCB	1 meal / 2months (8 ounces / 2 months)
White Sucker	8-10	PCB	1 meal / month (8 ounces / month)	
	10+	PCB	1 meal / 2months (8 ounces / 2 months)	
Johnson/Shelby County	Bluegill	up to 5		unrestricted
	Common Carp	up to 19	PCB	1 meal / week (8 ounces / week)
		19-24	PCB	1 meal / month (8 ounces / month)
		24+	PCB	1 meal / 2months (8 ounces / 2 months)
	Northern Hogsucker	8-10	PCB	1 meal / month (8 ounces / month)
10+		PCB	1 meal / 2months (8 ounces / 2 months)	
<b>Big Camp Creek</b> Jefferson County	Longear Sunfish	up to 5		unrestricted
<b>Big Lake</b> Noble County	Bluegill	up to 8		unrestricted
	Largemouth Bass	up to 12		unrestricted
<b>Big Monon Creek</b> White County	Bluegill	up to 6		unrestricted
	Longear Sunfish	up to 6		unrestricted
	Rock Bass	up to 8		unrestricted
	White Sucker	up to 10		unrestricted

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
<b>Big Pine Creek</b> Warren County	Black Redhorse	up to 13		unrestricted
	Flathead Catfish	up to 10		unrestricted
	Longear Sunfish	up to 5		unrestricted
	Smallmouth Bass	11+	PCB	1 meal / month (8 ounces / month)
<b>Big Raccoon Creek</b> Parke County	Black Redhorse	up to 11		unrestricted
	Common Carp	up to 22 22+	Hg, PCB Hg, PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
<b>Big Turkey Lake</b> LaGrange County	Black Crappie	up to 8		unrestricted
	Bluegill	up to 7		unrestricted
<b>Big Walnut Creek</b> Putnam County	Channel Catfish	up to 14		unrestricted
	Common Carp	up to 24 22+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Longear Sunfish	up to 6		unrestricted
<b>Blue Lake</b> Whitley County	Bluegill	up to 8		unrestricted
<b>Blue River</b> Harrison County	Channel Catfish	15+	PCB	1 meal / month (8 ounces / month)
	Longear Sunfish	up to 5		unrestricted
	Rock Bass	up to 7		unrestricted
	Shorthead Redhorse	17+	PCB	1 meal / month (8 ounces / month)
	Spotted Bass	10+	PCB	1 meal / month (8 ounces / month)
<b>Brookville Reservoir</b> Franklin/Union County	Bluegill	up to 7		unrestricted
	Channel Catfish	19+	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 20 20+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Crappie species	up to 9		unrestricted
	Largemouth Bass	up to 15		unrestricted
	Smallmouth Bass	up to 12		unrestricted
	Walleye	up to 18 23+	PCB	unrestricted 1 meal / month (8 ounces / month)
<b>Buck Creek</b> Delaware County	Longear Sunfish	5-6 6+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Smallmouth Bass	11+	PCB	1 meal / month (8 ounces / month)
	White Sucker	14+	PCB	1 meal / month (8 ounces / month)
<b>Cagles Mill Reservoir (Cataract Lake)</b> Putnam County	Bluegill	up to 7		unrestricted
	White Crappie	up to 9		unrestricted
<b>Cecil M. Harden Reservoir (Raccoon Lake)</b>				

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
Parke County	Black Crappie	up to 8		unrestricted
	Bluegill	up to 6		unrestricted
	Common Carp	ALL	PCB	1 meal / week (8 ounces / week)
	Striped Bass	up to 23		unrestricted
<b>Cedar Creek</b> Allen County	Channel Catfish	18+	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 22 22+	Hg, PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
<b>Cedar Lake</b> Lake County	Channel Catfish	15+	PCB	1 meal / month (8 ounces / month)
	Common Carp	20+	PCB	1 meal / month (8 ounces / month)
LaGrange County	Bluegill	up to 8		unrestricted
	Yellow Perch	up to 12		unrestricted
<b>Cedarville Reservoir</b> Allen County	Bluegill	up to 7		unrestricted
	Common Carp	ALL	Hg, PCB	1 meal / week (8 ounces / week)
	Largemouth Bass	up to 14		unrestricted
	White Crappie	up to 11		unrestricted
	Yellow Bullhead	up to 10		unrestricted
<b>Center Lake</b> Kosciusko County	Black Bullhead	11-14 14+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Bluegill	7+	PCB	1 meal / month (8 ounces / month)
	Largemouth Bass	14+	PCB	1 meal / month (8 ounces / month)
<b>Christiana Creek</b> Elkhart County	Northern Hogsucker	up to 14		unrestricted
	Rock Bass	up to 7		unrestricted
	Yellow Bullhead	up to 9		unrestricted
<b>Cicero Creek</b> Hamilton County (Upstream of Morse Reservoir)	Channel Catfish	24+	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 20 20+	PCB	unrestricted 1 meal / week (8 ounces / week)
	Longear Sunfish	up to 6	Chlordane	unrestricted
<b>Clear Creek (East Fork White River Basin)</b> Monroe County	All Fish	ALL	PCB	Do not eat
<b>Clear Creek (Wabash River Basin)</b>				
<b>Clear Lake</b> Steuben County	Rainbow Trout	up to 18		unrestricted
	Rock Bass	up to 10		unrestricted
<b>Crane Lake</b> Noble County	Bluegill	up to 8		unrestricted
	Largemouth Bass	up to 12		unrestricted
<b>Crooked Creek</b>				

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
Steuben County	Common Carp	up to 23 23+	PCB	unrestricted 1 meal / week (8 ounces / week)
<b>Crooked Lake</b> Whitley County	Bluegill	up to 8		unrestricted
	Largemouth Bass	up to 9		unrestricted
<b>Deer Creek</b> Carroll County	Common Carp	up to 19 19+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Longear Sunfish	up to 5		unrestricted
	Smallmouth Bass	10+	PCB	1 meal / month (8 ounces / month)
<b>Dewart Lake</b> Kosciusko County	Black Crappie	up to 12		unrestricted
	Bluegill	up to 8		unrestricted
	Northern Pike	30+	Hg	1 meal / month (8 ounces / month)
<b>Dogwood Lake</b> Daviess County	Redear Sunfish	up to 9		unrestricted
<b>Dugger Lake</b> Sullivan County	Channel Catfish	ALL	PCB	1 meal / month (8 ounces / month)
<b>Eagle Creek</b> Boone/Marion County (Upstream of Eagle Creek Reservoir)	Bluegill	up to 7		unrestricted
	Channel Catfish	up to 16		unrestricted
	Common Carp	up to 22 22+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	White Crappie	up to 9		unrestricted
Marion County (downstream Eagle Creek Reservoir to 10th St.)	Black Crappie	up to 10		unrestricted
	Black Redhorse	up to 13		unrestricted
	Rock Bass	up to 8		unrestricted
Consumption of any fish from Eagle Creek downstream of 10th Street to its confluence with the White River should be limited to no more than one meal per month (Group 3) for the general population and NO CONSUMPTION by the sensitive population. Exceptions to this advice are listed below.				
Marion County (from 10th. Street to confluence with the White River West Fork)	Longear Sunfish	up to 6	PCB	1 meal / week (8 ounces / week)
	Smallmouth Bass	up to 12	PCB	1 meal / week (8 ounces / week)
<b>Eagle Creek Reservoir</b> Marion County	Bluegill	up to 7		unrestricted
	Common Carp	up to 20 20+	PCB	unrestricted 1 meal / week (8 ounces / week)
	Largemouth Bass	up to 18		unrestricted
<b>Eagle Lake</b> Noble County	Bluegill	up to 5		unrestricted
	White Sucker	up to 20		unrestricted
<b>Easterday Ditch</b> Kosciusko County	Common Carp	up to 23 23+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
<b>East Fork of White Lick Creek</b> Hendricks County	Northern Hogsucker	11+	PCB	1 meal / month (8 ounces / month)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Yellow Bullhead	10+	PCB	1 meal / month (8 ounces / month)
<b>East Fork of White River</b>				
Bartholomew/Jackson County	Carp sucker species	ALL	PCB	1 meal / month (8 ounces / month)
	Channel Catfish	up to 18		unrestricted
	Common Carp	up to 18		unrestricted
		18-23	PCB	1 meal / week (8 ounces / week)
		23+	PCB	1 meal / month (8 ounces / month)
	Flathead Catfish	up to 13		unrestricted
		24+	PCB	1 meal / month (8 ounces / month)
	Golden Redhorse	14-16	PCB	1 meal / month (8 ounces / month)
		16+	PCB	1 meal / 2months (8 ounces / 2 months)
	White Crappie	up to 10		unrestricted
Consumption of any fish from the portion of the East Fork of the White River listed below should be limited to no more than one meal per month (Group 3) by the general population and NO CONSUMPTION of any fish by the sensitive population. Exceptions to this advice are listed below.				
Daviess/Dubois/Lawrence/Martin County	Bluegill	up to 8	PCB	1 meal / week (8 ounces / week)
	Buffalo species	24+	PCB	1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 15	PCB	1 meal / week (8 ounces / week)
		15-20	PCB	1 meal / month (8 ounces / month)
		20-25	PCB	1 meal / 2months (8 ounces / 2 months)
		25+	PCB	Do not eat
	Sauger	up to 13	PCB	1 meal / week (8 ounces / week)
	Shorthead Redhorse	14-16	PCB	1 meal / 2months (8 ounces / 2 months)
		16+	PCB	Do not eat
	Silver Carp	up to 26	PCB	1 meal / week (8 ounces / week)
	Spotted Bass	up to 15	PCB	1 meal / week (8 ounces / week)
	Walleye	up to 14	PCB	1 meal / week (8 ounces / week)
<b>East Fork of Whitewater River</b>				
Wayne County	Channel Catfish	15+	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 18	PCB	1 meal / week (8 ounces / week)
		18+	PCB	1 meal / month (8 ounces / month)
	Longear Sunfish	up to 6		unrestricted
	Northern Hogsucker	up to 9		unrestricted
<b>East Fork of Wildcat Creek</b>				
Howard County	Common Carp	up to 23	PCB	1 meal / week (8 ounces / week)
		23+	PCB	1 meal / month (8 ounces / month)
<b>Eel River (Upper Wabash River Basin)</b>				
Consumption of fish from the Eel River should be limited to no more than one meal per month (Group 3) by the general population and NO CONSUMPTION by the sensitive population. Exceptions are listed below.				
Cass/Miami/Wabash/Whitley County	Bluegill	6+	PCB	1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 24	PCB	1 meal / month (8 ounces / month)
		24+	PCB	1 meal / 2months (8 ounces / 2 months)
<b>Eel River (West Fork White River Basin)</b>				
Clay/Greene County	Channel Catfish	23+	PCB	1 meal / month (8 ounces / month)
	Sauger	18+	PCB	1 meal / month (8 ounces / month)
<b>Elkhart River</b>				
Elkhart County	Channel Catfish	ALL	PCB	1 meal / month (8 ounces / month)
	Northern Pike	up to 24		unrestricted
	Rock Bass	up to 7		unrestricted

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
<b>Elkhorn Creek</b>				
<b>Elliot Ditch</b> Tippecanoe County	All Fish	ALL	PCB	Do not eat
<b>Fall Creek</b> Hamilton/Madison County ( Upstream of Geist Reservoir)	Bluegill	up to 7		unrestricted
	Common Carp	up to 24 24+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Largemouth Bass	up to 15		unrestricted
	Redhorse species	up to 14		unrestricted
	Smallmouth Bass	up to 11		unrestricted
	Spotted Bass	up to 12		unrestricted
	White Crappie	up to 9		unrestricted
Marion County (Downstream Geist Reservoir to Keystone Ave.)	Black Crappie	up to 9		unrestricted
	Bluegill	up to 7		unrestricted
	Common Carp	up to 23 23+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Redhorse species	up to 17		unrestricted
Marion County Downstream Keystone Ave. to confluence with White River West Fork	Channel Catfish	up to 18  18-20 20+	PCB  PCB PCB	1 meal / month (8 ounces / month)  1 meal / 2months (8 ounces / 2 months) Do not eat
	Common Carp	up to 20 20+	PCB PCB	1 meal / 2months (8 ounces / 2 months) Do not eat
	Largemouth Bass	14+	PCB	1 meal / month (8 ounces / month)
<b>Fish (Plato) Lake</b> LaGrange County	Golden Redhorse	up to 18		unrestricted
	White Sucker	up to 19		unrestricted
<b>Flatrock River</b> Bartholomew/Rush/Shelby County	Common Carp	up to 23 23+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Flathead Catfish	up to 18		unrestricted
	Longear Sunfish	up to 6		unrestricted
<b>Flint Lake</b> Porter County	Bluegill	up to 7		unrestricted
	White Crappie	up to 7		unrestricted
<b>Fox Lake</b> Steuben County	Black Crappie	up to 9		unrestricted
	Bluegill	up to 8		unrestricted
<b>Galena River</b>				
<b>Geist Reservoir</b> Hamilton/Marion County	Black Crappie	up to 10		unrestricted
	Bluegill	up to 6		unrestricted
	Brown Bullhead	up to 12		unrestricted

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Channel Catfish	22-27 27+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 25 25+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Largemouth Bass	up to 18		unrestricted
	Spotted Sucker	up to 14		unrestricted
	White Crappie	up to 9		unrestricted
<b>George Lake (Hobart)</b> Lake County	Bluegill	up to 6		unrestricted
	Largemouth Bass	up to 16		unrestricted
<b>Goose Lake</b> Whitley County	Bluegill	up to 8		unrestricted
	Largemouth Bass	up to 12		unrestricted
<b>Graham Creek</b> Jennings County	Longear Sunfish	up to 6		unrestricted
<b>Grand Calumet River/Indiana Harbor Canal</b> Lake County	All Fish	ALL	PCB	Do not eat
<b>Great Miami River</b> Consumption of fish from the Great Miami River in Indiana should be limited to no more than one meal per month (Group 3) by the general population and no consumption by the sensitive population. Exceptions are listed below. Dearborn County	Buffalo species	ALL	PCB	1 meal / 2months (8 ounces / 2 months)
	Channel Catfish	up to 20 20+	PCB PCB	1 meal / 2months (8 ounces / 2 months) Do not eat
	Common Carp	up to 16 16-20 20+	PCB PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months) Do not eat
	Largemouth Bass	up to 18	PCB	1 meal / week (8 ounces / week)
	White Crappie	11+	PCB	1 meal / 2months (8 ounces / 2 months)
<b>Greensburg Reservoir</b> Decatur County	Bluegill	up to 8		unrestricted
	Largemouth Bass	up to 9		unrestricted
<b>Griffy Lake</b> Monroe County	Bluegill	up to 6		unrestricted
	Largemouth Bass	13+	Hg	1 meal / month (8 ounces / month)
<b>Hamilton Lake</b> Steuben County	Black Crappie	up to 13		unrestricted
	Brown Bullhead	up to 11		unrestricted
	Largemouth Bass	up to 15		unrestricted
<b>Hanna Creek</b> Union County	Common Carp	up to 16 16+	Hg, PCB	unrestricted 1 meal / week (8 ounces / week)
<b>Hardy Lake</b> Scott County	Black Crappie	up to 9		unrestricted
	Bluegill	up to 7		unrestricted
	Channel Catfish	up to 22		unrestricted
	Common Carp	ALL	PCB	1 meal / week (8 ounces / week)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Redear Sunfish	up to 9		unrestricted
	Spotted Bass	up to 14		unrestricted
	Walleye	up to 16 22+	Hg	unrestricted 1 meal / month (8 ounces / month)
<b>Henderson Lake</b> Noble County	Bluegill	ALL 6+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 17 17+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
<b>Hominy Ridge Lake</b> Wabash County	Redear Sunfish	up to 8		unrestricted
<b>Honey Creek</b> White County	Largemouth Bass	20+	Hg, PCB	1 meal / month (8 ounces / month)
<b>Hovey Lake</b> Posey County	Channel Catfish	17-19 19+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 30 30+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Flathead Catfish	17+	PCB	1 meal / month (8 ounces / month)
	Largemouth Bass	15+	PCB	1 meal / month (8 ounces / month)
	River Carpsucker	12+	PCB	1 meal / month (8 ounces / month)
	Smallmouth Buffalo	16-19 19+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	White Bass	9-12 12+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
<b>Indian Creek (Ohio River Valley)</b> Harrison County	Flathead Catfish	up to 13		unrestricted
	Longear Sunfish	up to 6		unrestricted
<b>Indian Creek (Whitewater Basin)</b> Union County	Common Carp	up to 9 9+	Hg	unrestricted 1 meal / week (8 ounces / week)
<b>Iroquois River</b> Jasper/Newton County	Channel Catfish	up to 15		unrestricted
	Common Carp	up to 17 17-28 28+	PCB PCB	unrestricted 1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Golden Redhorse	up to 15		unrestricted
	Rock Bass	up to 8		unrestricted
	Shorthead Redhorse	up to 13		unrestricted
<b>J. Edward Roush Lake</b> Huntington County	Bigmouth Buffalo	up to 16		unrestricted
	Channel Catfish	24-28 28+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 22 22+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Freshwater Drum	up to 13		unrestricted
	White Crappie	up to 11		unrestricted

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
<b>Juday Creek</b> St. Joseph County	White Sucker	17+	PCB	1 meal / month (8 ounces / month)
<b>Kankakee River</b> Lake/LaPorte/Newton County	Bigmouth Buffalo	22+	PCB	1 meal / month (8 ounces / month)
	Black Crappie	up to 10		unrestricted
	Bluegill	up to 6		unrestricted
	Common Carp	up to 20 20+	PCB	unrestricted 1 meal / week (8 ounces / week)
	Largemouth Bass	up to 11		unrestricted
	Quillback	15+	PCB	1 meal / month (8 ounces / month)
	Rock Bass	up to 8		unrestricted
	Shorthead Redhorse	up to 13		unrestricted
	Silver Redhorse	20+	PCB	1 meal / month (8 ounces / month)
	Smallmouth Bass	up to 11		unrestricted
	Smallmouth Buffalo	22-28 28-32 32+	PCB PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months) Do not eat
	White Crappie	up to 9		unrestricted
<b>Killbuck Creek</b> Madison County	Black Crappie	up to 10		unrestricted
	Bluegill	up to 7		unrestricted
	Common Carp	up to 25 25+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Rock Bass	up to 8		unrestricted
	Smallmouth Bass	up to 13		unrestricted
	Yellow Bullhead	up to 10		unrestricted
<b>Kilmore Creek</b> Clinton County	Common Carp	up to 12 12+	PCB	unrestricted 1 meal / week (8 ounces / week)
<b>Kokomo Creek</b> Howard County	All Fish	ALL	PCB	Do not eat
<b>Kokomo Reservoir</b> Howard County	Black Crappie	up to 11		unrestricted
	Bluegill	up to 7		unrestricted
	Common Carp	up to 19 19+	PCB	unrestricted 1 meal / week (8 ounces / week)
	Walleye	up to 16		unrestricted
	White Bass	up to 10		unrestricted
	White Crappie	up to 10		unrestricted
<b>Kunkel Lake</b> Wells County	Bluegill	up to 6		unrestricted
<b>Lake Freeman</b> White County	Bluegill	up to 7		unrestricted
	Common Carp	ALL	PCB	1 meal / week (8 ounces / week)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Largemouth Bass	up to 16		unrestricted
	Longear Sunfish	up to 5		unrestricted
	River Carpsucker	up to 17 17+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Smallmouth Bass	up to 15		unrestricted
	White Crappie	up to 10		unrestricted
<b>Lake George</b> Steuben County	Redear Sunfish	up to 9		unrestricted
<b>Lake James</b> Steuben County	Northern Pike	20-36 36+	Hg Hg	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
<b>Lake Lemon</b> Monroe County	Black Crappie	up to 7		unrestricted
	Bluegill	up to 6		unrestricted
	Flathead Catfish	20+	PCB	1 meal / month (8 ounces / month)
	Redear Sunfish	up to 9		unrestricted
	White Crappie	up to 9		unrestricted
<b>Lake Maxinkuckee</b> Marshall County	Channel Catfish	21+	PCB	1 meal / month (8 ounces / month)
	Walleye	23+	Hg	1 meal / month (8 ounces / month)
<b>Lake Michigan</b> The following advice also applies to all immediate tributaries flowing into Lake Michigan. Lake/LaPorte/Porter County And all tributaries except for the Grand Calumet River/Indiana Harbor Canal	Black Crappie	7-8 8+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Bloater	ALL	PCB	1 meal / month (8 ounces / month)
	Bluegill	8+	Hg	1 meal / month (8 ounces / month)
	Brook Trout	ALL	PCB	1 meal / month (8 ounces / month)
	Brown Trout	ALL	PCB	1 meal / month (8 ounces / month)
	Channel Catfish	ALL	PCB	Do not eat
	Chinook Salmon	ALL	PCB	1 meal / month (8 ounces / month)
	Coho Salmon	ALL	PCB	1 meal / month (8 ounces / month)
	Common Carp	ALL	PCB	Do not eat
	Freshwater Drum	up to 16 16+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Lake Trout	up to 27 27+	PCB PCB	1 meal / month (8 ounces / month) Do not eat
	Lake Whitefish	ALL	PCB	1 meal / month (8 ounces / month)
	Largemouth Bass	up to 7 7+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Longnose Sucker	20+	PCB	1 meal / month (8 ounces / month)
	Northern Pike	up to 14 14+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Pink Salmon	ALL	PCB	1 meal / month (8 ounces / month)
	Quillback	20+	PCB	1 meal / month (8 ounces / month)
	Rainbow Trout	22+	PCB	1 meal / month (8 ounces / month)
	Rock Bass	9+	PCB	1 meal / month (8 ounces / month)
	Silver Redhorse	up to 25 25+	PCB PCB	1 meal / 2months (8 ounces / 2 months) Do not eat
	Smallmouth Bass	16+	PCB	1 meal / month (8 ounces / month)
	Steelhead	22+	PCB	1 meal / month (8 ounces / month)
	Walleye	17-21 21+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	White Sucker	15-23 23+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
<b>Lake of the Woods</b> LaGrange County	Bluegill	up to 6		unrestricted
Marshall County	Bluegill	up to 9		unrestricted
	Common Carp	up to 22 22+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
<b>Lake Shafer</b> White County	Bluegill	up to 7		unrestricted
	Common Carp	ALL	PCB	1 meal / week (8 ounces / week)
	Largemouth Bass	up to 16		unrestricted
	Longear Sunfish	up to 5		unrestricted
	River Carpsucker	up to 17 17+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Smallmouth Bass	up to 15		unrestricted
	White Crappie	up to 10		unrestricted
<b>Lake Shippshewana</b> LaGrange County	Common Carp	up to 30 30+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
<b>Lake Wapehani</b> Monroe County	Bluegill	up to 6		unrestricted
<b>Lake Wawasee</b> Kosciusko County	Bullhead species	15+	PCB	1 meal / month (8 ounces / month)
<b>Laughery Creek</b> Dearborn County	White Crappie	up to 10		unrestricted
Dearborn/Ohio County	Common Carp	ALL	Hg, PCB	1 meal / week (8 ounces / week)
<b>Little Barbee Lake</b> Kosciusko County	Bluegill	up to 7		unrestricted
<b>Little Blue River</b> Shelby County	Northern Hogsucker	11+	PCB	1 meal / month (8 ounces / month)
<b>Little Blue River (Ohio River Basin)</b> Crawford County	Bluegill	up to 7		unrestricted
	Channel Catfish	16+	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 23 23+	PCB	unrestricted 1 meal / week (8 ounces / week)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Freshwater Drum	18+	PCB	1 meal / month (8 ounces / month)
	Largemouth Bass	up to 10 18+	PCB	unrestricted 1 meal / month (8 ounces / month)
	Sauger	14+	PCB	1 meal / month (8 ounces / month)
	White Crappie	up to 9		unrestricted
<b>Little Calumet River</b> Lake County	Common Carp	ALL	PCB	Do not eat
	White Sucker	up to 11		unrestricted
	Yellow Bullhead	up to 10		unrestricted
Porter County	Black Buffalo	ALL	PCB	1 meal / month (8 ounces / month)
	Bluegill	up to 7		unrestricted
	Channel Catfish	ALL	PCB	1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 22 22+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Flathead Catfish	ALL	PCB	1 meal / month (8 ounces / month)
	Largemouth Bass	up to 13		unrestricted
<b>Little Mississinewa River</b> Randolph County	All Fish	ALL	PCB	Do not eat
<b>Little Pigeon Creek</b> Warrick County	Bluegill	up to 5		unrestricted
	Channel Catfish	17+	PCB	1 meal / month (8 ounces / month)
	Freshwater Drum	19+	PCB	1 meal / month (8 ounces / month)
	Largemouth Bass	11+	PCB	1 meal / month (8 ounces / month)
	Sauger	18+	PCB	1 meal / month (8 ounces / month)
<b>Little Pipe Creek</b>				
<b>Little Salt Creek</b> Lawrence County	Longear Sunfish	up to 4		unrestricted
<b>Little Sugar Creek (Wabash River Basin)</b> Montgomery County (including Walnut Fork Sugar Creek to Sugar Creek)	All Fish	ALL	PCB	Do not eat
<b>Little Sugar Creek (East Fork White River Basin)</b>				
<b>Little Wabash River</b> Allen/Huntington County	Longear Sunfish	up to 6		unrestricted
	Northern Hogsucker	up to 11		unrestricted
	White Sucker	up to 7		unrestricted
<b>Loomis Lake</b> Porter County	Bluegill	up to 8		unrestricted
<b>Loon Lake</b> Steuben County	Bluegill	up to 6		unrestricted
Whitley County	Bluegill	up to 7		unrestricted
	Largemouth Bass	up to 14		unrestricted
<b>Lower Fish Lake</b> LaPorte County	Bluegill	up to 8		unrestricted

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Channel Catfish	30+	PCB	1 meal / month (8 ounces / month)
	Walleye	18+	Hg	1 meal / month (8 ounces / month)
<b>Marquette Lagoon (east and middle basins)</b>				
Lake County Also known as the Grand Calumet lagoons or Miller Lagoons.	Bluegill	4-7	PCB	1 meal / month (8 ounces / month)
		7+	PCB	1 meal / 2months (8 ounces / 2 months)
	Largemouth Bass	12+	PCB	1 meal / month (8 ounces / month)
<b>Marquette Lagoon (west basin)</b>				
Lake County Also known as the Grand Calumet Lagoons or Miller Lagoons.	All Fish	ALL	PCB	Do not eat
<b>Maumee River</b>				
Consumption of any fish from the Maumee River in Indiana should be limited to no more than one meal per month (Group 3) for the general population and NO CONSUMPTION of any fish for the sensitive population. Exceptions to this advice for the general population are:				
Allen County	Common Carp	20+	PCB	1 meal / 2months (8 ounces / 2 months)
	River Redhorse	14+	PCB	1 meal / 2months (8 ounces / 2 months)
	Rock Bass	8+	PCB	1 meal / 2months (8 ounces / 2 months)
	Shorthead Redhorse	16+	PCB	1 meal / 2months (8 ounces / 2 months)
	Walleye	up to 21	PCB	1 meal / 2months (8 ounces / 2 months)
		21+	PCB	Do not eat
<b>McClish Lake</b>				
Steuben County	Bluegill	up to 7		unrestricted
<b>Middle Fork Wildcat Creek</b>				
Tippecanoe County	Channel Catfish	20+	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 22	PCB	1 meal / week (8 ounces / week)
		22+	PCB	1 meal / month (8 ounces / month)
	Freshwater Drum	up to 13		unrestricted
	Redhorse species	up to 13		unrestricted
<b>Mill Creek</b>				
<b>Mill Pond</b>				
Marshall County	Redear Sunfish	up to 7		unrestricted
<b>Mississinewa Reservoir</b>				
Wabash County	Bigmouth Buffalo	up to 19		unrestricted
	Bluegill	up to 7		unrestricted
	Channel Catfish	ALL	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 20	PCB	1 meal / week (8 ounces / week)
		20+	PCB	1 meal / month (8 ounces / month)
	White Crappie	up to 10		unrestricted
<b>Mississinewa River</b>				
Consumption of fish from the Mississinewa River in Randolph County should be limited to no more than one meal per month (Group 3) by the general population and NO CONSUMPTION by the sensitive population. Exceptions to this advice for the general population are listed below.				
Randolph County	Channel Catfish	ALL	PCB	Do not eat
	Common Carp	up to 19	PCB	1 meal / 2months (8 ounces / 2 months)
		19+	PCB	Do not eat
	Green Sunfish	3+	PCB	1 meal / month (8 ounces / month)
	Quillback	15+	PCB	1 meal / 2months (8 ounces / 2 months)
	White Crappie	10+	PCB	1 meal / 2months (8 ounces / 2 months)
	White Sucker	10+	PCB	1 meal / 2months (8 ounces / 2 months)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
Consumption of fish from the Mississinewa River in Delaware, Grant, and Miami counties should be limited to no more than one meal per week (Group 2) by the general population (and one meal per month by the sensitive population). Exceptions to this advice for the general population are listed below.				
Delaware/Grant County	Channel Catfish	up to 24	PCB	1 meal / month (8 ounces / month)
		24+	PCB	1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 21	PCB	1 meal / month (8 ounces / month)
		21+	PCB	1 meal / 2months (8 ounces / 2 months)
	Flathead Catfish	16+	PCB	1 meal / month (8 ounces / month)
	Quillback	15+	PCB	1 meal / 2months (8 ounces / 2 months)
White Crappie	up to 9		unrestricted	
	White Sucker	10+	PCB	1 meal / 2months (8 ounces / 2 months)
Miami County	Common Carp	15-20	PCB	1 meal / month (8 ounces / month)
		20-25	PCB	1 meal / 2months (8 ounces / 2 months)
		25+	PCB	Do not eat
<b>Monroe Reservoir</b>				
Monroe County	Bluegill	up to 7		unrestricted
	Channel Catfish	up to 18		unrestricted
	Common Carp	ALL	Hg	1 meal / week (8 ounces / week)
	Crappie species	up to 8		unrestricted
	Walleye	21+	Hg	1 meal / month (8 ounces / month)
	Yellow Bass	up to 7		unrestricted
<b>Morse Reservoir</b>				
Hamilton County	Bluegill	up to 7		unrestricted
	Common Carp	ALL		1 meal / week (8 ounces / week)
	Golden Redhorse	up to 18		unrestricted
	Largemouth Bass	up to 17		unrestricted
	River Carpsucker	up to 17		unrestricted
	White Bass	up to 16		unrestricted
	White Crappie	up to 11		unrestricted
<b>Mud Creek</b>				
Fulton County	White Sucker	up to 11		unrestricted
<b>Muddy Fork of Sand Creek</b>				
Decatur County	Bluegill	up to 6		unrestricted
	Longear Sunfish	up to 5		unrestricted
	Rock Bass	up to 6		unrestricted
	White Sucker	up to 12		unrestricted
<b>Muscatatuck River</b>				
Jackson/Washington County	Bigmouth Buffalo	26+	PCB	1 meal / month (8 ounces / month)
	Common Carp	ALL	Hg	1 meal / week (8 ounces / week)
	Freshwater Drum	17+	Hg	1 meal / month (8 ounces / month)
	Smallmouth Buffalo	23+	PCB	1 meal / month (8 ounces / month)
<b>North Chain Lake</b>				
St. Joseph County	Channel Catfish	22+	PCB	1 meal / month (8 ounces / month)
	Walleye	20+	Hg	1 meal / week (8 ounces / week)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
<b>North Fork Salt Creek</b> Brown County	Common Carp	up to 23 23+	Hg	unrestricted 1 meal / week (8 ounces / week)
	Longear Sunfish	ALL		unrestricted
<b>North Fork Vernon Fork Muscatatuck River</b> Jennings County	Common Carp	up to 20 20+	Hg	unrestricted 1 meal / week (8 ounces / week)
	Longear Sunfish	ALL		unrestricted
<b>Ohio River</b> Posey/Switzerland County ORSANCO FCA Segment 3. Belleville tailwaters to the J.T. Myers Lock and Dam(River mile 204 to 846). Switzerland County to Posey County.	Channel Catfish	up to 18  18+	PCB	1 meal / month (8 ounces / month)  1 meal / 2months (8 ounces / 2 months)
	Common Carp	ALL	PCB	1 meal / month (8 ounces / month)
	Flathead Catfish	ALL	PCB	1 meal / month (8 ounces / month)
	Freshwater Drum	ALL	PCB	1 meal / month (8 ounces / month)
	Hybrid Striped Bass	ALL	PCB	1 meal / month (8 ounces / month)
	Striped Bass	ALL	PCB	1 meal / month (8 ounces / month)
	Sucker species	ALL	PCB	1 meal / month (8 ounces / month)
	White Bass	ALL	PCB	1 meal / month (8 ounces / month)
Posey County J.T. Myers tailwaters in Posey County to the Mississippi River (River mile 846.1 to 981).	Black Bass Species	ALL	Hg	1 meal / month (8 ounces / month)
	Blue Catfish	20+	PCB	1 meal / month (8 ounces / month)
	Channel Catfish	18+	PCB	1 meal / month (8 ounces / month)
	Common Carp	22+	PCB	1 meal / month (8 ounces / month)
	Flathead Catfish	ALL	PCB	1 meal / month (8 ounces / month)
	Freshwater Drum	14+	PCB	1 meal / month (8 ounces / month)
	Hybrid Striped Bass	ALL	PCB	1 meal / month (8 ounces / month)
	Striped Bass	ALL	PCB	1 meal / month (8 ounces / month)
	White Bass	ALL	PCB	1 meal / month (8 ounces / month)
<b>Old Lake</b> Whitley County	Bluegill	up to 7		unrestricted
	Largemouth Bass	up to 14		unrestricted
<b>Olin Lake</b> LaGrange County	Common Carp	ALL	PCB	1 meal / week (8 ounces / week)
	Rainbow Trout	up to 15		unrestricted
<b>Oliver Lake</b> LaGrange County	Common Carp	ALL	PCB	1 meal / week (8 ounces / week)
<b>Otter Creek</b> Vigo County	Black Redhorse	14+	PCB	1 meal / month (8 ounces / month)
	Spotted Bass	8+	PCB	1 meal / month (8 ounces / month)
<b>Palestine Lake</b> Kosciusko County	Bluegill	8+	PCB	1 meal / month (8 ounces / month)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Largemouth Bass	12-15 15+	Hg, PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
<b>Patoka Reservoir</b> Dubois/Orange County	Bluegill	up to 7		unrestricted
	Common Carp	up to 19 19+	Hg	unrestricted 1 meal / week (8 ounces / week)
	Freshwater Drum	up to 16		unrestricted
<b>Patoka River</b> Dubois/Gibson/Pike County	Carp sucker species	14+	PCB	1 meal / month (8 ounces / month)
	Channel Catfish	up to 14 18+	PCB	unrestricted 1 meal / month (8 ounces / month)
	Common Carp	ALL	Hg, PCB	1 meal / week (8 ounces / week)
	White Crappie	up to 9		unrestricted
	Wiper	25+	PCB	1 meal / month (8 ounces / month)
<b>Paw Paw Creek</b> Miami County	White Sucker	up to 10		unrestricted
<b>Pigeon Creek (Ohio River Basin)</b> Vanderburgh County	Channel Catfish	20+	PCB	1 meal / month (8 ounces / month)
	Flathead Catfish	16+	PCB	1 meal / month (8 ounces / month)
<b>Pigeon Creek (St. Joseph River Basin)</b> Steuben County	Common Carp	up to 21 21-25 25+	PCB PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
<b>Pigeon River</b> LaGrange County	Rock Bass	up to 8		unrestricted
<b>Pike Lake</b> Kosciusko County	Largemouth Bass	ALL 13+	Hg Hg	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Walleye	14+	PCB	1 meal / month (8 ounces / month)
<b>Pipe Creek (Wabash River Basin)</b> Miami County	White Sucker	up to 10		unrestricted
<b>Pipe Creek (White River Basin)</b> Madison County	Carp	ALL	PCB	1 meal / month (8 ounces / month)
	Channel Catfish	ALL	PCB	1 meal / month (8 ounces / month)
	White Sucker	12+	PCB	1 meal / month (8 ounces / month)
<b>Pleasant Lake</b> Steuben County	Bullhead species	12+	PCB	1 meal / month (8 ounces / month)
<b>Pleasant Run Creek</b> Lawrence County	All Fish	ALL	PCB	Do not eat
<b>Prairie Creek</b>				
<b>Prairie Creek Reservoir</b> Delaware County	Bluegill	up to 8		unrestricted
	Common Carp	up to 19 19+	Hg, PCB	unrestricted 1 meal / week (8 ounces / week)
	Largemouth Bass	up to 11		unrestricted
	Smallmouth Bass	up to 11		unrestricted

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Walleye	up to 14		unrestricted
	White Crappie	up to 8		unrestricted
	Yellow Perch	up to 7		unrestricted
<b>Reservoir 29</b> Sullivan County	Bluegill	up to 9		unrestricted
	Redear Sunfish	up to 9		unrestricted
	Yellow Bullhead	up to 12		unrestricted
<b>Richland Creek</b> Consumption of any fish from Richland Creek in Greene, Monroe, and Owen counties to near Solsberry should be limited to no more than one meal per month (Group 3) by the general population and NO CONSUMPTION by the sensitive population. Exceptions for the general population are listed below. Greene/Monroe/Owen County to Newark Road near Solsberry in Greene County	Longear Sunfish	up to 5	PCB	1 meal / week (8 ounces / week)
	Rock Bass	up to 6	PCB	1 meal / week (8 ounces / week)
	Spotted Bass	up to 11	PCB	1 meal / week (8 ounces / week)
Consumption of any fish from Richland Creek from Solsberry, IN to the White River West Fork should be limited to no more than one meal per week (Group 2) by the general population and limited to one meal per month by the sensitive population. Exceptions are listed below. Greene County from Newark Road near Solsberry to its confluence with the White River West Fork	Longear Sunfish	up to 6		unrestricted
<b>Rock Creek</b> Huntington County	Common Carp	up to 20 20+	Hg	unrestricted 1 meal / week (8 ounces / week)
	Longear Sunfish	up to 4		unrestricted
<b>Rockville Lake</b> Parke County	Bluegill	up to 6		unrestricted
	Redear Sunfish	up to 9		unrestricted
<b>Salamonie Reservoir</b> Wabash County	Bluegill	up to 7		unrestricted
	Common Carp	ALL	Hg	1 meal / week (8 ounces / week)
	Freshwater Drum	up to 11		unrestricted
	White Crappie	ALL		unrestricted
<b>Salamonie River</b> Blackford/Huntington/Jay/Wabash County	Common Carp	ALL	Hg, PCB	1 meal / week (8 ounces / week)
	Freshwater Drum	up to 11		unrestricted
	Golden Redhorse	up to 11		unrestricted
	Rock Bass	up to 6		unrestricted
	Spotted Sucker	up to 10		unrestricted
	White Crappie	up to 8		unrestricted
	White Sucker	up to 7		unrestricted
<b>Salt Creek</b> The listing below is based on limited data. It should be noted that fish migrate. Fish not sampled from these waters may migrate from the confluence of Clear Creek and Salt Creek, 1.3 miles south. Salt Creek to the confluence with the East Fork White River and Clear Creek are NO CONSUMPTION waters. Monroe County tailwater of Monroe Reservoir Dam to Clear Creek	Freshwater Drum	up to 16	PCB	1 meal / 2months (8 ounces / 2 months)
		16+	PCB	Do not eat
	Striped Bass	12+	PCB	1 meal / month (8 ounces / month)
	Walleye	15-21		1 meal / month (8 ounces / month)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
		21+	PCB	1 meal / 2months (8 ounces / 2 months)
Lawrence County	All Fish	up to	PCB	Do not eat
<b>Sand Creek</b>				
Decatur/Jackson/Jennings County	Channel Catfish	up to 13		unrestricted
	Common Carp	up to 17 17+	Hg	unrestricted 1 meal / week (8 ounces / week)
	Largemouth Bass	up to 12		unrestricted
	Longear Sunfish	up to 5		unrestricted
	Northern Hogsucker	up to 8		unrestricted
	Redhorse species	up to 9		unrestricted
	River Carpsucker	up to 12		unrestricted
	Rock Bass	up to 7		unrestricted
	Smallmouth Bass	up to 12		unrestricted
	Spotted Bass	up to 12		unrestricted
	White Crappie	up to 11		unrestricted
	White Sucker	up to 12		unrestricted
	Yellow Bullhead	up to 7		unrestricted
<b>Silver Creek</b>				
Floyd County	Channel Catfish	up to 10		unrestricted
	Common Carp	up to 21 21-25 25+	PCB PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Freshwater Drum	18+	PCB	1 meal / month (8 ounces / month)
	Longear Sunfish	up to 5		unrestricted
<b>Simonton Lake</b>				
Elkhart County	Black Crappie	up to 11		unrestricted
	Walleye	up to 16		unrestricted
<b>Skinner Lake</b>				
Noble County	Black Crappie	up to 8		unrestricted
	Bluegill	up to 7		unrestricted
	Common Carp	up to 25 25+	PCB	unrestricted 1 meal / week (8 ounces / week)
	Largemouth Bass	up to 10		unrestricted
	Yellow Bullhead	up to 11		unrestricted
<b>South Fork Wildcat Creek</b>				
Consumption of fish from the South Fork of the Wildcat Creek in Clinton County should be limited to no more than one meal per month (Group 3) by the general population and NO CONSUMPTION by the sensitive population. Exceptions to this advice for the general population are below.				
Clinton County	Common Carp	up to 15 15-20 20-25 25+	PCB PCB PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months) Do not eat
Consumption of fish from the South Fork of the Wildcat Creek in Tippecanoe County should be limited to no more than one meal per week (Group 2) by the general population and one meal per month for the sensitive population. Exceptions to this advice for the general population are listed below.				
Tippecanoe County	Channel Catfish	13+	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 18 18-26	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
		26+	PCB	1 meal / 2months (8 ounces / 2 months)
	Flathead Catfish	up to 12		unrestricted
<b>Springwood Lake</b> Wayne County	Channel Catfish	ALL	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 24 24+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
<b>St. Joseph River (Lake Erie Basin)</b> Allen County	Black Crappie	9-11 11+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Black Redhorse	13-16 16+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Channel Catfish	16+	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 18 18+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Golden Redhorse	12-13 13+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Largemouth Bass	up to 14		unrestricted
	Rock Bass	7-9 9+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Spotted Sucker	up to 14		unrestricted
	White Crappie	up to 11		unrestricted
<b>St. Joseph River (Lake Michigan Basin)</b> Elkhart County	Bluegill	up to 8		unrestricted
	Channel Catfish	ALL	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 31 31+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Northern Pike	up to 24		unrestricted
	Redhorse species	17+	PCB	1 meal / month (8 ounces / month)
	Rock Bass	up to 7		unrestricted
	Smallmouth Bass	up to 13		unrestricted
	Walleye	25+	Hg, PCB	1 meal / month (8 ounces / month)
	White Sucker	up to 14		unrestricted
<b>St. Joseph County Buago Bay Area to the Twin Branch Dam.</b>	Bluegill	up to 8		unrestricted
	Channel Catfish	up to 20 20+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 15 15-20 20-25 25+	PCB PCB PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months) Do not eat
	Largemouth Bass	up to 13		unrestricted
	Rock Bass	up to 8		unrestricted
	Spotted Sucker	up to 17		unrestricted
	White Sucker	up to 14		unrestricted

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
Consumption of any fish from this portion of St. Joseph River should be limited to no more than one meal per month (Group 3) for the general population and NO CONSUMPTION of any fish for the sensitive population. Exceptions to this advice for the general population are listed below.				
St. Joseph County Twin Branch Dam to the Indiana/Michigan State Line.	Bluegill	7+	PCB	1 meal / 2months (8 ounces / 2 months)
	Channel Catfish	ALL	PCB	1 meal / 2months (8 ounces / 2 months)
	Chinook Salmon	28+	PCB	1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 15	PCB	1 meal / week (8 ounces / week)
		15-20	PCB	1 meal / month (8 ounces / month)
		20-25	PCB	1 meal / 2months (8 ounces / 2 months)
		25+	PCB	Do not eat
	Golden Redhorse	ALL	PCB	1 meal / month (8 ounces / month)
	Rock Bass	up to 8	PCB	1 meal / week (8 ounces / week)
	Smallmouth Bass	up to 12	Hg, PCB	1 meal / week (8 ounces / week)
	Steelhead	30+	PCB	1 meal / 2months (8 ounces / 2 months)
	Yellow Bullhead	up to 10	PCB	1 meal / week (8 ounces / week)
<b>St. Mary's River</b>				
Allen County	Black Redhorse	15+	PCB	1 meal / month (8 ounces / month)
	Channel Catfish	13-15	PCB	1 meal / month (8 ounces / month)
		15+	PCB	1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 20	PCB	1 meal / month (8 ounces / month)
		20+	PCB	1 meal / 2months (8 ounces / 2 months)
	Largemouth Bass	up to 15	PCB	1 meal / month (8 ounces / month)
		15+	PCB	1 meal / 2months (8 ounces / 2 months)
	Silver Redhorse	17+	PCB	1 meal / month (8 ounces / month)
	White Crappie	up to 11		unrestricted
	White Sucker	11+	PCB	1 meal / month (8 ounces / month)
<b>Starve Hollow Lake</b>				
Jackson County	Bluegill	up to 7		unrestricted
	Common Carp	up to 25		unrestricted
		25+	PCB	1 meal / week (8 ounces / week)
	Green Sunfish	up to 7		unrestricted
	Redear Sunfish	up to 8		unrestricted
	White Crappie	up to 8		unrestricted
<b>Stone Lake</b>				
LaPorte County	Black Crappie	up to 11		unrestricted
<b>Stony Creek</b>				
Consumption of any fish from Stony Creek downstream of S.R. 37 in Hamilton County should be limited to no more than one meal per month (Group 3) for the general population and NO CONSUMPTION of any fish for the sensitive population. Exceptions for the general population are listed below.				
Hamilton County downstream State Road 37 to the confluence with the West Fork White River.	Common Carp	ALL	PCB	Do not eat
	Smallmouth Bass	10+	PCB	1 meal / 2months (8 ounces / 2 months)
Consumption of any fish from Stony Creek upsteam of S.R. 37 in Hamilton County should be limited to no more than one meal per week (Group 2) by the general population and limited to one meal per month by the sensitive population. Exceptions for the general population are listed below.				
Hamilton County upstream S.R. 37	Channel Catfish	23+	PCB	1 meal / month (8 ounces / month)
	Smallmouth Bass	up to 17		unrestricted
<b>Stouts Creek</b>				
Monroe County	All Fish	ALL	PCB	1 meal / month (8 ounces / month)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group	
<b>Sugar Creek (East Fork White River Basin)</b>					
Hancock/Johnson/Shelby County	Black Redhorse	up to 13		unrestricted	
	Bluegill	up to 7		unrestricted	
	Common Carp	ALL	Hg	1 meal / week (8 ounces / week)	
	Longear Sunfish	up to 5		unrestricted	
	Northern Hogsucker	up to 11		unrestricted	
	Rock Bass	up to 7		unrestricted	
	Smallmouth Bass	up to 13		unrestricted	
<b>Sugar Creek (Middle Wabash River Basin)</b>					
All fish upstream of I-74 in Sugar Creek are located well above the known PCB contamination sources. They have been found to be much lower in PCBs. Follow the General Safe Eating Guidelines. Exceptions to this advice for the general population are listed below.					
Montgomery County Upstream of I-74	Black Redhorse	up to 13		unrestricted	
	Longear Sunfish	up to 6		unrestricted	
Consumption of any Sugar Creek fish from I-74 to SR32 in Montgomery County should be limited to no more than six meals per year (Group 4) by the general population and NO CONSUMPTION by the sensitive population. Exceptions to this advice for the general population are listed below.					
Montgomery County I-74 to State Road 32	Black Redhorse	13+	PCB	Do not eat	
	Channel Catfish	14+	PCB	Do not eat	
	Freshwater Drum	13+	PCB	Do not eat	
Consumption of any fish from Sugar Creek between SR32 and Parke County should be limited to no more than one meal per month (Group 3) by the general population and NO CONSUMPTION by the sensitive population. Exceptions to this advice for the general population are listed below.					
Montgomery County State Road 32 to Parke County including stream reaches along Shades and Turkey Run State Parks	Black Redhorse	15+	PCB	1 meal / 2months (8 ounces / 2 months)	
	Channel Catfish	20+	PCB	1 meal / 2months (8 ounces / 2 months)	
	Flathead Catfish	16+	PCB	1 meal / 2months (8 ounces / 2 months)	
	Rock Bass	ALL	PCB	1 meal / week (8 ounces / week)	
	Shorthead Redhorse		up to 13	PCB	1 meal / week (8 ounces / week)
			15+	PCB	1 meal / 2months (8 ounces / 2 months)
Consumption of any fish from Sugar Creek in Parke County should be limited to no more than one meal per week (Group 2) by the general population and one meal per month by the sensitive population. Exceptions to this advice for the general population are listed below.					
Parke County to the Wabash River	Black Redhorse	14+	PCB	1 meal / month (8 ounces / month)	
	Channel Catfish	up to 20 20+	PCB	1 meal / month (8 ounces / month)	
			PCB	1 meal / 2months (8 ounces / 2 months)	
	Flathead Catfish	up to 16 16+	PCB	1 meal / month (8 ounces / month)	
			PCB	1 meal / 2months (8 ounces / 2 months)	
	Freshwater Drum	ALL	PCB	1 meal / month (8 ounces / month)	
	Sauger	ALL	PCB	1 meal / month (8 ounces / month)	
	Smallmouth Bass	15+	PCB	1 meal / month (8 ounces / month)	
	Spotted Bass	ALL	PCB	1 meal / month (8 ounces / month)	
<b>Sugar Creek (Walnut Fork)</b>					
Consumption of all fish from the Walnut Fork of Sugar Creek above Little Sugar Creek should be limited to no more than one meal per week (Group 2) by the general population and one meal per month by the sensitive population. Exceptions for the general population are listed below.					
Montgomery County upstream of the confluence with Little Sugar Creek.	Black Redhorse	up to 14	PCB	1 meal / month (8 ounces / month)	
		14+	PCB	1 meal / 2months (8 ounces / 2 months)	
	Longear Sunfish	up to 4		unrestricted	
	Rock Bass	up to 6		unrestricted	

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
<b>Summit Lake</b> Henry County	Channel Catfish	up to 21		unrestricted
	Common Carp	up to 24 24+	PCB	unrestricted 1 meal / week (8 ounces / week)
<b>Sylvan Lake</b> Noble County	Black Bullhead	up to 13		unrestricted
	Black Crappie	up to 10		unrestricted
	Bluegill	up to 8		unrestricted
	Common Carp	up to 28 28+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Largemouth Bass	up to 12		unrestricted
	Northern Pike	up to 28		unrestricted
	Walleye	up to 18		unrestricted
	White Sucker	up to 15		unrestricted
<b>Tanners Creek</b> Dearborn County	Bluegill	up to 6		unrestricted
	Largemouth Bass	up to 13 17+	Hg, PCB	unrestricted 1 meal / month (8 ounces / month)
<b>Tippecanoe Lake</b> Kosciusko County	Largemouth Bass	12+	Hg	1 meal / month (8 ounces / month)
<b>Tippecanoe River</b> Kosciusko County Oswego to State Road 15	Bluegill	up to 5		unrestricted
	Common Carp	up to 23 23+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Longear Sunfish	up to 5		unrestricted
	Warmouth	up to 6		unrestricted
Kosciusko County Downstream of State Road 15	Common Carp	up to 29 29+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	White Sucker	up to 12		unrestricted
	Common Carp	up to 24 24+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
Fulton/Pulaski County To Lake Shafer	Longear Sunfish	up to 4		unrestricted
Follow Advisory information for Lake Freeman. White County Between Lake Shafer Dam and the headwaters of Lake Freeman	Bluegill	up to 7		unrestricted
	Common Carp	ALL	PCB	1 meal / week (8 ounces / week)
	Freshwater Drum	up to 12		unrestricted
	Largemouth Bass	up to 16		unrestricted
	Longear Sunfish	up to 5		unrestricted
	River Carpsucker	17+ up to 17	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Smallmouth Bass	up to 15		unrestricted
	White Crappie	up to 10		unrestricted

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
Carroll County From Lake Freeman Dam to the confluence with the Wabash River	Black Redhorse	up to 17		unrestricted
	Common Carp	up to 21		unrestricted
		21-22 23+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Freshwater Drum	up to 12		unrestricted
	Rock Bass	up to 7		unrestricted
<b>Trail Creek</b>				
For consumption advice on salmon caught from Trail Creek follow the Lake Michigan advice.				
LaPorte County	Common Carp	up to 23	PCB	1 meal / 2months (8 ounces / 2 months)
		23+	PCB	Do not eat
	Rock Bass	10+	PCB	1 meal / month (8 ounces / month)
	Smallmouth Bass	14-19	PCB	1 meal / month (8 ounces / month)
19+		PCB	1 meal / 2months (8 ounces / 2 months)	
Walleye	18-27	PCB	1 meal / month (8 ounces / month)	
	27+	PCB	1 meal / 2months (8 ounces / 2 months)	
<b>Travers Ditch</b>				
<b>Tucker Lake</b>				
Orange County	Warmouth	up to 7		unrestricted
	Yellow Bullhead	up to 10		unrestricted
<b>Turtle Creek Reservoir</b>				
Sullivan County	Bluegill	up to 6		unrestricted
	Channel Catfish	up to 11		unrestricted
	Redear Sunfish	up to 6		unrestricted
<b>Unnamed Tributary of Eel River</b>				
<b>Upper Fish Lake</b>				
LaPorte County	Redear Sunfish	up to 9		unrestricted
	Warmouth	up to 7		unrestricted
<b>Vernon Fork Muscatatuck River</b>				
Jennings County	Longear Sunfish	up to 6		unrestricted
	Redear Sunfish	up to 7		unrestricted
<b>Wabash River</b>				
Adams/Jay/Wells County	Channel Catfish	21+	PCB	1 meal / month (8 ounces / month)
	Freshwater Drum	up to 12		unrestricted
	Redhorse species	up to 13		unrestricted
	White Crappie	up to 9		unrestricted
Huntington/Wabash County	Blue Sucker	21-26	PCB	1 meal / month (8 ounces / month)
		26+	PCB	1 meal / 2months (8 ounces / 2 months)
	River Carpsucker	up to 14		unrestricted
	White Crappie	up to 8		unrestricted
Carroll/Cass/Miami/Tippecanoe County up stream of Lafayette	Black Redhorse	19+	PCB	1 meal / month (8 ounces / month)
	Blue Sucker	21-26	PCB	1 meal / month (8 ounces / month)
		26+	PCB	1 meal / 2months (8 ounces / 2 months)
	Carp sucker species	ALL	PCB	1 meal / month (8 ounces / month)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Channel Catfish	15+	PCB	1 meal / month (8 ounces / month)
	Freshwater Drum	16+	PCB	1 meal / month (8 ounces / month)
	Sauger	13+	PCB	1 meal / month (8 ounces / month)
	Shorthead Redhorse	15+	PCB	1 meal / month (8 ounces / month)
	Smallmouth Buffalo	up to 20 20+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	White Crappie	up to 8		unrestricted
It is illegal to take paddlefish from any waters of Indiana on a sport fishing license. Fountain/Parke/Tippecanoe/Vermillion/Warren County	Black Buffalo	ALL	PCB	1 meal / month (8 ounces / month)
	Blue Sucker	21-26	PCB	1 meal / month (8 ounces / month)
		26+	PCB	1 meal / 2months (8 ounces / 2 months)
	Carp sucker species	up to 13	PCB	1 meal / month (8 ounces / month)
		13-19	PCB	1 meal / 2months (8 ounces / 2 months)
		19+	PCB	Do not eat
	Channel Catfish	12+	PCB	1 meal / month (8 ounces / month)
	Flathead Catfish	up to 15		unrestricted
		19+	PCB	1 meal / month (8 ounces / month)
	Freshwater Drum	13+	PCB	1 meal / month (8 ounces / month)
	Sauger	14+	PCB	1 meal / month (8 ounces / month)
Smallmouth Buffalo	up to 20	PCB	1 meal / month (8 ounces / month)	
	20+	PCB	1 meal / 2months (8 ounces / 2 months)	
It is illegal to take paddlefish from any waters of Indiana on a sport fishing license. Knox/Sullivan/Vigo County	Bigmouth Buffalo	21-24	PCB	1 meal / month (8 ounces / month)
		24+	PCB	1 meal / 2months (8 ounces / 2 months)
	Blue Sucker	21-26	PCB	1 meal / month (8 ounces / month)
		26+	PCB	1 meal / 2months (8 ounces / 2 months)
	Carp sucker species	17+	PCB	1 meal / month (8 ounces / month)
	Channel Catfish	19+	PCB	1 meal / month (8 ounces / month)
	Flathead Catfish	up to 16		unrestricted
	Freshwater Drum	20+	PCB	1 meal / month (8 ounces / month)
	Sauger	17+	PCB	1 meal / month (8 ounces / month)
	Shovelnose Sturgeon	30+	PCB	1 meal / month (8 ounces / month)
	Striped Bass	10-12	PCB	1 meal / month (8 ounces / month)
		12+	PCB	1 meal / 2months (8 ounces / 2 months)
	Wiper	10-12	PCB	1 meal / month (8 ounces / month)
		12+	PCB	1 meal / 2months (8 ounces / 2 months)
Gibson/Posey County	Bigmouth Buffalo	21-24	PCB	1 meal / month (8 ounces / month)
		24+	PCB	1 meal / 2months (8 ounces / 2 months)
	Bluegill	up to 6		unrestricted
	Blue Sucker	21-26	PCB	1 meal / month (8 ounces / month)
		26+	PCB	1 meal / 2months (8 ounces / 2 months)
	Carp sucker species	17+	PCB	1 meal / month (8 ounces / month)
Channel Catfish	19+	PCB	1 meal / month (8 ounces / month)	
Flathead Catfish	up to 16		unrestricted	

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Freshwater Drum	20+	PCB	1 meal / month (8 ounces / month)
	Sauger	17+	PCB	1 meal / month (8 ounces / month)
	Shovelnose Sturgeon	30+	PCB	1 meal / month (8 ounces / month)
	Striped Bass	10-12	PCB	1 meal / month (8 ounces / month)
		12+	PCB	1 meal / 2months (8 ounces / 2 months)
	Wiper	10-12	PCB	1 meal / month (8 ounces / month)
		12+	PCB	1 meal / 2months (8 ounces / 2 months)
<b>Wea Creek</b> Tippecanoe County	All Fish	ALL	PCB	Do not eat
<b>West Fork White River</b> Randolph County	Bluegill	up to 6		unrestricted
	Channel Catfish	14-16	PCB	1 meal / month (8 ounces / month)
		16+	PCB	1 meal / 2months (8 ounces / 2 months)
	Common Carp	up to 17		unrestricted
		17+	PCB	1 meal / week (8 ounces / week)
	Largemouth Bass	up to 15		unrestricted
	Longear Sunfish	5+	PCB	1 meal / month (8 ounces / month)
	Quillback	13-18	PCB	1 meal / month (8 ounces / month)
		18+	PCB	1 meal / 2months (8 ounces / 2 months)
	Smallmouth Bass	up to 15		unrestricted
	Spotted Bass	up to 15		unrestricted
	Spotted Sucker	11-13	PCB	1 meal / month (8 ounces / month)
		13+	PCB	1 meal / 2months (8 ounces / 2 months)
Delaware/Hamilton/Madison County to Stony Creek in Noblesville	Black Bullhead	9+	PCB	1 meal / month (8 ounces / month)
	Bluegill	6+	PCB	1 meal / month (8 ounces / month)
	Channel Catfish	ALL	PCB	Do not eat
	Green Sunfish	6+	PCB	1 meal / month (8 ounces / month)
	Largemouth Bass	10-15	PCB	1 meal / month (8 ounces / month)
		15+	PCB	1 meal / 2months (8 ounces / 2 months)
	Quillback	13-18	PCB	1 meal / month (8 ounces / month)
		18+	PCB	1 meal / 2months (8 ounces / 2 months)
	Redhorse species	14+	PCB	1 meal / month (8 ounces / month)
	Spotted Sucker	11-13	PCB	1 meal / month (8 ounces / month)
		13+	PCB	1 meal / 2months (8 ounces / 2 months)
	White Sucker	15+	PCB	1 meal / month (8 ounces / month)
Hamilton/Marion County from Stony Creek to Broad Ripple Dam	Bluegill	6+	PCB	1 meal / month (8 ounces / month)
	Channel Catfish	ALL	PCB	1 meal / month (8 ounces / month)
	Largemouth Bass	ALL	PCB	1 meal / month (8 ounces / month)
	Longear Sunfish	ALL	PCB	1 meal / month (8 ounces / month)
	Quillback	13-18	PCB	1 meal / month (8 ounces / month)
		18+	PCB	1 meal / 2months (8 ounces / 2 months)
	Redhorse species	14+	PCB	1 meal / month (8 ounces / month)

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Rock Bass	9+	PCB	1 meal / month (8 ounces / month)
	Smallmouth Bass	13+	PCB	1 meal / month (8 ounces / month)
	Spotted Sucker	11-13	PCB	1 meal / month (8 ounces / month)
		13+	PCB	1 meal / 2months (8 ounces / 2 months)
	White Sucker	15+	PCB	1 meal / month (8 ounces / month)
Marion/Morgan County downstream of Broad Ripple Dam through Morgan County	Bluegill	up to 7		unrestricted
	Carp sucker species	13-17	PCB	1 meal / month (8 ounces / month)
		17+	PCB	1 meal / 2months (8 ounces / 2 months)
	Channel Catfish	up to 20	PCB	1 meal / month (8 ounces / month)
		20+	PCB	1 meal / 2months (8 ounces / 2 months)
	Common Carp	ALL	PCB	1 meal / month (8 ounces / month)
	Flathead Catfish	13-15	Hg, PCB	1 meal / month (8 ounces / month)
15+		PCB	1 meal / 2months (8 ounces / 2 months)	
Redhorse species	14+	PCB	1 meal / month (8 ounces / month)	
Spotted Sucker	11-13	PCB	1 meal / month (8 ounces / month)	
	13+	PCB	1 meal / 2months (8 ounces / 2 months)	
Daviess/Gibson/Greene/Owen/Pike County to the confluence with the Wabash River	Buffalo species	ALL	PCB	1 meal / month (8 ounces / month)
	Channel Catfish	16+	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 19	PCB	1 meal / week (8 ounces / week)
		19+	PCB	1 meal / month (8 ounces / month)
	Redhorse species	14+	PCB	1 meal / month (8 ounces / month)
	Spotted Sucker	11-13	PCB	1 meal / month (8 ounces / month)
13+		PCB	1 meal / 2months (8 ounces / 2 months)	
Walleye	up to 14	PCB	1 meal / month (8 ounces / month)	
	14+	PCB	1 meal / 2months (8 ounces / 2 months)	
<b>West Otter Lake</b> Steuben County	Bluegill	up to 6		unrestricted
	Largemouth Bass	up to 14		unrestricted
<b>White Lick Creek</b> Hendricks County	Channel Catfish	22+	PCB	1 meal / month (8 ounces / month)
	Smallmouth Bass	14+	PCB	1 meal / month (8 ounces / month)
Morgan County	Channel Catfish	22+	PCB	1 meal / month (8 ounces / month)
	Smallmouth Bass	12+	PCB	1 meal / month (8 ounces / month)
<b>Whitewater River</b> Floyd County (Greens Fork, Martindale Creek, Middle (Greens Fork, Martindale Creek, Middle Fork, Nolands Fork, West Fork) Wayne/Fayette/Franklin/ Dearborn counties	Channel Catfish	23+	PCB	1 meal / month (8 ounces / month)
	Common Carp	up to 16		unrestricted
		16-25	Hg, PCB	1 meal / week (8 ounces / week)
		25+	Hg, PCB	1 meal / month (8 ounces / month)
	Longear Sunfish	Up to 5		unrestricted
Northern Hogsucker	Up to 9		unrestricted	
Redhorse species	Up to 14		unrestricted	

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.

# Angling Indiana - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Contaminant	Group
	Walleye	Up to 13		unrestricted
	White Sucker	Up to 10		unrestricted
<b>Wildcat Creek</b> Howard County Upstream of the Waterworks Dam in Kokomo	Bluegill	up to 6		unrestricted
	Common Carp	up to 19 19+	PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
	Longear Sunfish	up to 5		unrestricted
	Rock Bass	up to 7		unrestricted
Carroll/Howard County Downstream of the Waterworks Dam in Kokomo through Howard and Carroll counties.	All Fish	ALL	PCB	Do not eat
Consumption of fish from the Wildcat Creek in Tippecanoe County should be limited to no more than one meal per month (Group 3) for the general population and NO CONSUMPTION for the sensitive population. Exceptions to this advice for the general population are listed below.				
Tippecanoe County	Channel Catfish	14+	PCB	1 meal / 2months (8 ounces / 2 months)
	Common Carp	ALL	PCB	Do not eat
	Flathead Catfish	14+	PBDE	1 meal / 2months (8 ounces / 2 months)
	Redhorse species	15+	PCB	1 meal / 2months (8 ounces / 2 months)
	River Carpsucker	16+	PCB	1 meal / 2months (8 ounces / 2 months)
<b>Wilson Ditch</b> Miami County	Northern Hogsucker	10+	PCB	1 meal / month (8 ounces / month)
<b>Winona Lake</b> Kosciusko County	Bluegill	up to 8		unrestricted
	Common Carp	up to 24 24-26 26+	PCB PCB PCB	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Largemouth Bass	12+	PCB	1 meal / month (8 ounces / month)
	Walleye	24+	Hg, PCB	1 meal / month (8 ounces / month)
	White Bass	15-16 16+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	Yellow Bullhead	19+	PCB	1 meal / month (8 ounces / month)
	Yellow Perch	up to 8		unrestricted
<b>Wolf Lake</b> Lake County	Largemouth Bass	13-17 17+	PCB PCB	1 meal / month (8 ounces / month) 1 meal / 2months (8 ounces / 2 months)
	White Bass	13+		1 meal / month (8 ounces / month)
<b>Worster Lake</b> St. Joseph County	Black Crappie	up to 8		unrestricted
	Bluegill	up to 7		unrestricted
	Brown Bullhead	up to 13		unrestricted
	Largemouth Bass	up to 15		unrestricted
	Redear Sunfish	up to 11		unrestricted

General Population

\*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

\*\*The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.