

Sensitive Population - FISH CONSUMPTION ADVISORY

Location	Species	Fish Size	Maximum Amount for Adults to Eat
Iroquois River Jasper/Newton County	Channel Catfish	up to 15	1 meal / week (8 ounces / week)
	Common Carp	up to 17 17-28 28+	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month) Do not eat
	Golden Redhorse	up to 15	1 meal / week (8 ounces / week)
	Rock Bass	up to 8	1 meal / week (8 ounces / week)
	Shorthead Redhorse	up to 13	1 meal / week (8 ounces / week)
	Kankakee River Lake/LaPorte/Newton County	Bigmouth Buffalo	22+
Black Crappie		up to 10	1 meal / week (8 ounces / week)
Bluegill		up to 6	1 meal / week (8 ounces / week)
Common Carp		up to 20 20+	1 meal / week (8 ounces / week) 1 meal / month (8 ounces / month)
Largemouth Bass		up to 11	1 meal / week (8 ounces / week)
Quillback		15+	Do not eat
Rock Bass		up to 8	1 meal / week (8 ounces / week)
Shorthead Redhorse		up to 13	1 meal / week (8 ounces / week)
Silver Redhorse		20+	Do not eat
Smallmouth Bass		up to 11	1 meal / week (8 ounces / week)
Smallmouth Buffalo		22-28 28-32 32+	Do not eat Do not eat Do not eat
White Crappie		up to 9	1 meal / week (8 ounces / week)

Sensitive Population

*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

**The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.