



Indiana State Department of Health

Epidemiology Resource Center

Quick Facts

About...Influenza

What is influenza (flu)?

Flu is an illness caused by flu viruses that infect the respiratory tract. The illness can be mild to severe and can cause death in some people. Although anyone can become infected with flu, the elderly, young children, or anyone with other health problems are at more risk in getting worse. Every year 3,000 -49,000 people die of influenza and the problems of the disease.

Flu is not a reportable disease so the number of cases is not tracked. However, there are between 10-100 influenza associated deaths reported on death certificates or report forms.

What are the symptoms of influenza?

Symptoms usually include:

- Fever
- Chills
- Headache
- Cough
- Sore throat
- Muscle aches
- Sometimes diarrhea and nausea occurs in children.

Symptoms usually start about 1-4 days after being exposed and last 2-7 days.

How is influenza spread?

Flu is spread by close contact with persons who are sick with flu or touch surfaces or objects that have flu virus on them. Infection can occur when influenza viruses contact the eyes, mouth, or nose, and through breathing in droplets from a sneeze or cough. People may be able to spread the virus to others about one day before they show symptoms and up to seven days after becoming sick. **That means that**

you may be able to spread the flu to someone else before you even know you are sick, as well as while you are sick.

Who is at risk for getting influenza?

In the United States, on average 5% to 20% of the population gets the flu and more than 200,000 people are hospitalized from seasonal flu-related complications. Flu seasons are all different and can be bad. Some people, such as older people, young children, pregnant women, and [people with certain health conditions](#), are at high risk for serious flu complications.

How do I know if I have influenza?

A health care professional usually can tell if influenza by looking at your symptoms. Sometimes your nose will be swabbed and tested for the influenza virus.

How is influenza treated?

Flu is usually treated with medicine to bring down fever, throat or cough drops, water, and plenty of rest. If the diagnosis is made at the very beginning of the illness, a doctor may prescribe antiviral medicine.

How is influenza prevented?

The best way not to get flu is to get a flu shot every year before the flu season starts. Since flu viruses change over time, it is important to get a shot each year. Each year the vaccine is remade to include the types of flu viruses scientist think will be around to cause illness during the flu season. The vaccine begins to protect you within a few days after you get the flu shot, but the vaccine is not fully effective until about 14 days after the shot. Good respiratory hygiene is important to prevent the spread of ALL respiratory infections, including influenza.

- Use your elbow or upper arm, instead of your hands, or a tissue to cover your mouth and nose or when you cough or sneeze. Immediately throw used tissues into the trash can. Try not to touch your eyes, nose, or mouth. Many diseases often spread this way.
- To clean your hands after coughing or sneezing, wash with soap and water, or clean with alcohol-based hand cleaner if water is not available.
- Avoid close contact with people who are sick.
- If you get flu, stay home from work, school, and social gatherings. This will help others from catching your illness and gives your body the rest it needs to get better.

All information presented is intended for public use. For more information, please refer to: <http://www.cdc.gov/flu/> or the ISDH influenza website located at <http://www.in.gov/isdh/25462.htm>.

This page was last reviewed June 30, 2014.