

Readoption Review

Metrology Lab Fees Rules 410 IAC 12-2

IC 4-22-2.5-3.1(c) requires an agency to conduct a review to consider whether there are alternative methods of achieving the purpose of the rule that are less costly or less intrusive, or that would minimize the economic impact of the proposed rule on small business.

Description of Rule:

Under IC 16-19-5-1 the Indiana State Department of Health (ISDH) adopted to establish fees for services performed by the state metrology laboratory under IC 24-6.

Readoption Analysis:

1) Is there a continued need for this rule?

Yes, there is a continued need for this rule. The fees generated through this rule help pay the cost of the services provided by the state metrology laboratory.

2) What is the nature of any complaints or comments received from the public, including small business, concerning the rule or the implementation of the rule by the agency?

There have been no complaints or comments received from the public or small business concerning this rule or the implementation of this rule by the ISDH.

3) Examine the complexity of the rule, including difficulties encountered by the agency in administering the rule and small businesses in complying with the rule.

The ISDH is not aware of any difficulties in administration of or compliance with this rule.

4) To what extent does the rule overlap, duplicate, or conflict with other federal, state, or local laws, rules, regulations, or ordinances?

This rule does not overlap, duplicate, or conflict with any other federal, state, or local laws, rules, regulations, or ordinances.

5) When was the last time the rule was reviewed under this section or otherwise evaluated by the agency, and the degree to which technology, economic conditions, or other factors have changed in the area affected by this rule since that time?

The rule was reviewed by the agency through the rule readoption process in 2006. Technology, economic conditions and other factors have not changed significantly in the area affected by this rule since the last review.

