Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

Establishment Name HEINE BROTHERS' COFFEE							Telephone Number 812-590-1732	Date of Inspection	ID#	
Address 414 W. DAISY LN, NEW ALBANY IN 47150						Ow	ⁿ 502-608-0465	11/14/2023		
Owner HEINE BROTHERS' COFFEE							Purpose X Routine	Follow Up 12/05/2023	Released 11/14/2023	
Owner's Address 1301 W. MAIN ST LOUISVILLE, KY 40203							——Follow-up Complaint			
Person in Charge EMILY JECKER							Pre-Operational			
Responsible Person's Email TBOWLES@HEINEBROSCOFFEE.COM							Temporary HACCP	Menu Type 1 2 _X 3	4 _ 5 _	
Certified Food Handler NATALIE JONES							Other (list)			
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"										
Section #	C NC R Narrative To Be Corrected								orrected	
324	Х		Observed leaks under 3-compartment sink and dump sink. Observed an 3 WEEKS uncapped sewer pipe in the espresso/oven cabinet.							
334	34 X Observed a chemical dispenser, connected to a y-valve, connected to a mop 3 WEEKS sink with an atmospheric vacuum breaker.									
415 431	X Observed fruit flies by the 3-compartment sink. 3 WEEKS X X Observed biofilm under the 3-compartment sink. 3 WEEKS									
Summary of Violations C <u>3</u> NC <u>1</u> R <u>1</u>							4			
Received by (name and title printed): TAYLOR BOWLES							Inspected by (name and title printed): John Klem EHS			
Received by (signature):							Inspected by (signature):			
cc:					cc:			cc:		