# Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

| Establishment Name | Telephone Number | Date of Inspection | ID# |
|---|---|---|---|
| STARBUCKS COFFEE #6670 | Est | 06/05/2023 | |
| **Address** 4401 CHARLESTOWN RD, NEW ALBANY IN 47150 | Own | | |

| Owner | Purpose | Follow Up | Released |
|---|---|---|---|
| STARBUCKS COFFEE | X Routine | | 06/01/2023 |
| **Owner's Address** PO BOX 34442-TAX2 SEATTLE, WA 98124 | ___Follow-up | | |
| **Person in Charge** AMELIA NALL | ___Complaint | | |
| | ___Pre-Operational | | |
| **Responsible Person's Email** US36898531@GMAIL.COM | ___Temporary | **Menu Type** | |
| | ___HACCP | 1 __ 2 X 3 __ 4 __ 5 __ | |
| **Certified Food Handler** | ___Other (list) | | |

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"

| Section # | C | NC | R | Narrative | To Be Corrected |
|---|---|---|---|---|---|
| 294 | X | | | Observed quat sanitizer with a concentration greater than 400ppm. CORRECTION : Sanitizer was diluted with water to an appropriate concentration. | CORRECTED |
| 107 | | X | | Observed no publicly posted health department permit. | 10 DAYS |
| 218 | | X | | Observed ice build-up in the sandwich freezer. | 3 WEEKS |
| 324 | | X | | Observed a broken handle on the 3-compartment sink. | 3 WEEKS |

**Summary of Violations** C 1 NC 3 R 0 4

| Received by (name and title printed): | Inspected by (name and title printed): John Klem EHS |
|---|---|
| Received by (signature): | Inspected by (signature): John Klem |

| cc: | cc: | cc: |
|---|---|---|