Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

Establishment Name WILD EGGS Address 223 W. 5TH ST, NEW ALBANY IN 47150 Owner WILD EGGS OPERATIONS, LLC Owner's Address 1211 HERR LN STE 290 LOUISVILLE, KY 40222 Person in Charge ANGELICA WEIN Responsible Person's Email JOSE@WILDEGGS.COM Certified Food Handler							Telephone Number 502-409-7848 Purpose X Routine Follow-up Complaint Pre-Operational Temporary HACCP Other (list)	Date of Inspection 11/03/2023 Follow Up Menu Type 1 _ 2 _ 3 _	Released 11/03/2023	
ANGELICA WEIN										
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"										
Section #	C	NC	R	Narrative		To Be Corrected				
218 284 430		X X X		Observed ice build-up on the walk-in freezer door. Observed temperature display of wine cooler not securely attached. Observed dishwasher washing temp at 150F. Observed dishwasher washing temp at 150F. Observed broken and missing ceiling tiles. OBSERVED THE MOP SINK FAUCET HAD LINE TO A CHEMICAL DISPENSER. THE ATMOSPHERIC VACUUM BREAKER ON THE FAUCET IS NOT DESIGNED FOR CONSTANT PRESSURE. FCHD RECOMMENDS INSTALLING A BLEEDER VALVE TO THE FAUCET OR CONNECTING THE DISPENSER TO AN INDEPENDENT WATER LINE. THE HOSES MAY ALSO BE DISCONNECTED BETWEEN USES IN THE MEANTIME.						
Summary of Viol		(0 NC .	3 R <u>0</u>			3		
Received by (name and title printed): JOSE CRUZ							Inspected by (name and title printed): John Klem EHS			
Received by (signature):						In	Inspected by (signature):			
cc:					cc:			cc:		