Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

					_			1	
Establishment Name CHINA HOUSE BUFFET						Telephone Number 812-948-8877	Date of Inspection	ID#	
Address 3300 GRANT LINE RD. SUITE 100, NEW ALBANY IN 4						812-948-8877	01/12/2024		
Owner BAO LONG LIN						Purpose X Routine	Follow Up	Released 01/22/2024	
Owner's Address 3300 GRANT LINE RD. SUITE 100 NEW ALBANY, IN 47150-						Follow-up			
Person in Charge EN LIN						ComplaintPre-Operational			
Responsible Person's Email						Temporary HACCP	Menu Type 1 2 3	4 X 5	
CHINAHOUSE3300@GMAIL.COM Certified Food Handler EN JIAN LIN						Other (list)	1 _ 2 _ 3 _	. - A 3 <u> </u>	
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"									
Section #	C	NC	R	Narrative			То Ве С	orrected	
254		Х		Observed the reach-in coolers thermome			4 days		
234		Х	Χ	was measured at 38F. Replace the thermometer with a more accurate one. Observed scoops in bins without handles. Bowls were being used. Observed a rusted spot inside the middle of the microwave. Clean off rust 4 days					
218		Χ							
433		X		and repair or replace microwave. Observed the mop not hung to dry. Observed no designated hook or area to hang mop. Measure light intensity in service area at 5-10 ftc. The chandalier only contained 1 light bulb. Measured lighting in both restrooms at 15 ftc. There was only one bulb in each restroom. Add an additional bulb in restroom and some in chandalier. Lighting should be at least 20 ftc in all areas.					
411		X							
Summary of Viol Received by (nan EN JIAN LIN Received by (sign	ne and ti		C _	0 NC <u>5</u> R <u>1</u>	Т	nspected by (name and title phomas Snider CFS nspected by (signature):	·	Per-	
					\perp	Tam		Per	
cc:				cc:			cc:		