

# Retail Food Inspection Report


Floyd County Health Department  
Telephone (812) 948-4726

<b>Establishment Name</b> POPEYE'S	<b>Telephone Number</b> Est 812-920-0307 Own 901-679-4198	<b>Date of Inspection</b> 04/11/2024	<b>ID#</b>
<b>Address</b> 2170 STATE ST, NEW ALBANY IN 47150			
<b>Owner</b> ACE BRANDS IN LLC	<b>Purpose</b> <input type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input checked="" type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b>	<b>Released</b>
<b>Owner's Address</b> 2509 PLANTSIDE DR LOUISVILLE, KY 40299		<b>Menu Type</b> 1 _ 2 _ 3 <u>X</u> 4 _ 5 _	
<b>Person in Charge</b> CYNTHIA OWENS			
<b>Responsible Person's Email</b> LACSLOAN04@GMAIL.COM			
<b>Certified Food Handler</b> CRYSTAL SLOAN			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
109	X			The establishment must discontinue their use of their fryers due to the amount of oil vapor being released into the air of the kitchen and dining room. After speaking with the person in charge they elected to close the business if unable to use the fryers. Floyd County Health Dept. must inspect the establishment before they can restart the use of their fryers.	Immediately/complied
309		X		Observed the mechanical ventilation above the fryers unable to keep the establishment free of vapor. Person in charge stated one of the two fans in the fumehood system was not working.	before frying

**Summary of Violations** C 1 NC 1 R 0 **2**

Received by (name and title printed): BROOKE WHEAT	Inspected by (name and title printed): Thomas Snider CFS	
Received by (signature):	Inspected by (signature): 	
cc:	cc:	cc: