

# Retail Food Inspection Report

Floyd County Health Department  
Telephone (812) 948-4726


<b>Establishment Name</b> TAQUERÍA EL TACO FELIZ	<b>Telephone Number</b> Est 812-987-3127 Own 502-987-3127	<b>Date of Inspection</b> 02/13/2024	<b>ID#</b>
<b>Address</b>			
<b>Owner</b> CELIFORA QUINTAS CARMOA, LLC	<b>Purpose</b> <input type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input checked="" type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b>	<b>Released</b> 02/13/2024
<b>Owner's Address</b>		<b>Menu Type</b> 1 __ 2 __ 3 <u>X</u> 4 __ 5 __	
<b>Person in Charge</b> CELIFORA QUINTAS			
<b>Responsible Person's Email</b>			
<b>Certified Food Handler</b>			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
373		X		Waste water from the truck must be disposed of into the sewer through a hose to a sewerline cleanout. This can be done at a home if the home is on city sewer. It is not allowed if the home is on a septic system.	1 day
346		X		Observed no dish or handsoap.	1 day
347		X		Observed no handtowels at handsink.	1 day
256		X		Observed no thermometer in refrigerator with glass door.	1 day
304		X		Observed no drying rack for pots, pans and utensils.	1 day
294	X			Observed no chlorine bleach for sanitizing pots, pans and utensils.	1 day
291		X		Observed no chlorine test strips to measure bleach solution concentration.	1 day
246		X		Observed no single use gloves. Gloves must be used when handling ready to eat foods like tortillas.	1 day
205		X		Observed no bucket or funnel for transporting water into food truck. Bucket and funnel must be food grade. A food grade hose could be used as well. The bucket and funnel should be cleaned and sanitized with bleach solution before each use.	1 day
392		X		Observed the dumpster lid open.	today

IF THE ESTABLISHMENT PROVIDES RECEIPTS OF THEIR AT-HOME WATER SOURCE THEY CAN FILL UP THE CLEAN WATER TANK AT HOME BUT ONLY IF THEY USE A FOOD GRADE HOSE AND AN OUTSIDE WATER FAUCET. 2) ESTABLISHMENT CAN PLUG IN FOOD TRUCK TO ELECTRIC AT HOME. 3) ABSOLUTELY NO FOOD PREPARATION OR FOOD STORAGE CAN BE DONE IN A HOME.

<b>Summary of Violations</b>	C <u>1</u>	NC <u>9</u>	R <u>0</u>	<b>10</b>
------------------------------	------------	-------------	------------	-----------

Received by (name and title printed): CELIFORA QUINTAS	Inspected by (name and title printed): Thomas Snider CFS
Received by (signature):	Inspected by (signature): 
cc:	cc: