## **Retail Food Inspection Report**

Floyd County Health Department Telephone (812) 948-4726

Establishment Name TUMBLEWEED  Address 718 HIGHLANDER POINT, FLOYDS KNOBS IN 47119  Owner MATT HIGGINS  Owner's Address 2301 RIVER ROAD SUITE 200 LOUISVILLE, KY 40206  Person in Charge							Telephone Number  Est 812-923-6011  Own 502-618-8357  Purpose  X Routine  Follow-up  Complaint  Pre-Operational	Date of ID# ID# ID# IO/03/2024 Follow Up Released		
DANA MCGREW  Pagnargible Paggar's Empil						$\dashv$	Temporary	Мепи Туре		
Responsible Person's Email HIGHLANDERPOINT@TUMBLEWEEDINC.NET							НАССР	1 _ 2 _ 3 <u>X</u> 4 _ 5 _		
Certified Food Handler ERICA BIFFEL JOEY HODGES							Other (list)			
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"										
Section #	С	NC	R	Narrative				То Ве С	orrected	
199 324 295 419 431 399 309 295	x	X X X X		Observed fish thawing in vacuum sealed bags. This increase the risk of corrected Boutulism. Bags should be opened to thaw. Read and follow instruction on packaging.  Observed the AVB backflow device on the mop sink leaking. Repair or level replace.  Observed metal shavings and food debris on the can opener.  Observed Mineral Oil laxative on a shelf in the back food prep station.  Observed the floors under the fryer and under the front prep line to be in leading.  Observed newly poured concrete under the bar's 3 compartment that was levels weeks not smooth and easily cleabable. This area should be tiled or sealed.  Observed the exhaust fans in the men's and woman's restroom not running.  Observed rust forming on a wire rack in the bar's prep cooler. Rust should levels be removed and wire repainted, reconditioned or replaced.  THE MOP SINK FAUCETS SHOULD BE TURNED OFF WHEN NOT IN USE AND PRESSURE RELEASED FROM HOSES. THIS PROTECTS THE AVB BACKFLOW VALVE.						
Summary of Violations C2 NC6 R0								8		
Received by (name and title printed):  ERICA BIFFEL NOE						Inspected by (name and title printed): Thomas Snider CFS				
Received by (signature):							Inspected by (signature):			
cc:					cc:	_	,	cc:		