

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 012132	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 12/28/2018
--	---	---	---

NAME OF PROVIDER OR SUPPLIER VIBRA HOSPITAL OF FORT WAYNE	STREET ADDRESS, CITY, STATE, ZIP CODE 2200 RANDALLIA DRIVE 5TH FLOOR FORT WAYNE, IN 46805
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
S 000	<p>INITIAL COMMENTS</p> <p>This visit was for investigation of a state licensure hospital complaint.</p> <p>Complaint Number: IN00226616</p> <p>Unsubstantiated: Lack of sufficient evidence.</p> <p>Survey Date: 12/27-28/18</p> <p>Facility Number: 012132</p> <p>Vibra Hospital of Fort Wayne is in compliance with 410 IAC 15-1.5-5, Medical Staff, Hospital Licensure Rules.</p> <p>QA: 1/11/19</p>	S 000		

Indiana State Department of Health LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------