

State Prevalence Rankings: BRFSS, 2006

State:	Current Smokers		Overweight Based on BMI		Obese Based on BMI		No Mammogram in Past 2 Years (40+)		Ever Told You Have Diabetes		Never Had Sigmoidoscopy or Colonoscopy (50+)		Never had Pneumonia Shot (65+)	
	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank
Alabama	23.2	9	34.5	49	30.5	3	22.8	28	10.0	4	46.7	9	40.3	2
Alaska	24.0	6	38.0	10	26.2	18	26.6	15	5.9	47	44.8	13	40.1	3
Arizona	18.2	37	36.7	20	22.9	38	22.6	31	8.5	12	43.4	23	33.5	23
Arkansas	23.7	7	36.9	17	26.9	14	30.0	6	8.1	17	47.4	5	35.6	13
California	14.9	50	35.5	40	23.3	34	21.5	36	8.2	15	42.9	25	40.0	4
Colorado	17.9	41	36.7	20	18.2	51	28.0	12	5.3	51	42.8	27	27.1	50
Connecticut	17.0	48	38.2	7	20.6	48	18.0	48	6.4	42	31.3	50	31.9	30
Delaware	21.7	17	37.8	12	26.0	20	16.3	49	8.1	17	31.6	49	34.4	18
District of Co.	17.9	41	32.1	51	22.5	42	18.2	46	8.1	17	35.3	42	48.0	1
Florida	21.0	21	36.5	25	23.1	36	22.0	35	8.5	12	41.1	32	37.1	9
Georgia	19.9	28	34.6	48	27.1	12	21.4	37	9.1	9	43.0	24	36.9	10
Hawaii	17.5	46	35.5	40	20.6	48	22.7	30	8.2	15	45.9	11	31.2	36
Idaho	16.8	49	35.6	39	24.1	32	32.7	1	6.8	37	45.8	12	37.2	8
Illinois	20.5	24	36.6	23	25.1	25	25.4	19	8.1	17	44.4	15	40.0	4
Indiana	24.1	5	35.0	46	27.8	10	28.4	11	8.1	17	43.6	20	36.2	12
Iowa	21.4	20	37.2	15	25.7	22	22.5	32	7.3	32	44.2	16	28.9	45
Kansas	20.0	27	36.4	28	25.9	21	25.4	19	7.3	32	43.5	21	30.5	40
Kentucky	28.5	1	38.4	5	28.0	9	24.9	21	9.9	6	41.4	30	35.4	15
Louisiana	23.4	8	35.9	35	27.1	12	24.2	23	9.2	8	50.2	1	33.6	21
Maine	20.9	22	36.6	23	23.1	36	18.2	46	6.9	36	35.8	41	32.1	29
Maryland	17.7	45	35.8	37	24.9	28	20.2	43	7.9	23	33.3	47	34.0	20
Massachusetts	17.8	44	35.2	45	20.3	50	15.2	51	6.4	42	33.7	46	29.2	44
Michigan	22.4	12	36.0	31	28.8	5	20.1	44	9.0	11	33.9	45	32.4	27
Minnesota	18.3	36	38.0	10	24.7	30	18.6	45	5.7	49	31.8	48	28.9	45
Mississippi	25.1	3	35.3	44	31.4	1	32.2	3	10.9	2	49.6	2	31.3	35
Missouri	23.2	9	35.7	38	27.2	11	28.9	10	7.4	27	42.2	28	32.2	28
Montana	18.9	32	38.1	8	21.2	46	27.8	13	6.4	42	47.1	7	28.5	47
Nebraska	18.7	33	37.0	16	26.9	14	26.7	14	7.4	27	48.6	3	31.7	31
Nevada	22.2	15	38.6	4	25.0	27	29.3	8	7.5	25	44.8	13	30.9	38
New Hampshire	18.7	33	38.3	6	22.4	43	21.0	38	7.4	27	36.4	37	31.6	32
New Jersey	18.0	39	37.3	13	22.6	41	22.1	33	7.5	25	41.7	29	33.6	21
New Mexico	20.1	26	36.9	17	22.9	38	30.0	6	7.3	32	47.1	7	35.5	14
New York	18.2	37	35.4	43	22.9	38	20.7	40	7.6	24	36.1	39	39.0	6
North Carolina	22.1	16	36.2	30	26.6	16	20.8	39	9.1	9	38.2	35	31.5	33
North Dakota	19.5	29	39.1	2	25.4	23	22.8	28	6.7	38	43.5	21	30.6	39
Ohio	22.4	12	35.5	40	28.4	8	23.3	27	6.7	38	42.9	25	31.5	33
Oklahoma	25.1	3	36.0	31	28.8	5	32.3	2	10.0	4	48.3	4	29.8	43
Oregon	18.5	35	35.9	35	24.8	29	23.5	25	6.7	38	39.3	34	25.3	51
Pennsylvania	21.5	19	37.3	13	24.0	33	24.3	22	8.5	12	41.2	31	31.2	36
Rhode Island	19.2	31	39.6	1	21.4	45	15.5	50	7.4	27	30.8	51	27.5	49
South Carolina	22.3	14	36.0	31	29.4	4	25.5	17	9.6	7	40.5	33	38.5	7
South Dakota	20.3	25	38.7	3	25.4	23	25.8	16	6.5	41	44.1	17	35.0	16
Tennessee	22.6	11	36.5	25	28.8	5	20.6	42	10.7	3	43.8	18	33.5	23
Texas	17.9	41	36.3	29	26.1	19	29.0	9	8.0	22	43.7	19	36.3	11
Utah	9.8	51	33.0	50	21.9	44	31.8	4	5.7	49	37.3	36	34.1	19
Vermont	18.0	39	34.8	47	21.2	46	20.7	40	5.9	47	35.2	43	33.1	26
Virginia	19.3	30	36.7	20	25.1	25	23.5	25	7.4	27	34.7	44	33.2	25
Washington	17.1	47	36.5	25	24.2	31	24.0	24	7.1	35	36.3	38	30.4	41
West Virginia	25.7	2	36.0	31	31.0	2	25.5	17	12.1	1	46.6	10	34.6	17
Wisconsin	20.8	23	36.8	19	26.6	16	22.1	33	6.2	46	36.0	40	28.1	48
Wyoming	21.6	18	38.1	8	23.3	34	31.4	5	6.4	42	47.4	5	30.3	42
Range	9.8-28.5		32.1-39.6		18.2-31.4		15.2-32.7		5.3-12.1		30.8-50.2		25.3-48.0	
Median	20.1		36.5		25.1		23.5		7.5		42.9		33.1	

NOTE: Each percent has a different standard error and confidence interval.

Because of this, rankings are not truly meaningful.

Unknown and refused responses are not included.

A ranking between 1 and 25 (above the median value) implies poor status relative to other states.