

State Prevalence Rankings*: BRFSS, 2013

State	Current Smokers		No Health Care Coverage**		Obese Based on BMI		Adults with less than 150 min. phys. Activity/week		Diabetes		Binge Drinking***		Adults Ages 65+ w/ flu shot in past 12 months	
	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank
Alabama	21.5	13	21.2	19	32.4	8	54.6	9	13.8	1	11.2	49	37.1	27
Alaska	22.6	9	20.2	25	28.4	28	44.7	41	7.1	49	19.5	9	47.4	2
Arizona	16.3	43	25.3	9	26.8	34	48.1	28	10.7	15	13.4	41	40.1	19
Arkansas	25.9	3	28.3	3	34.6	3	58.8	3	11.5	7	12.6	46	42.0	14
California	12.5	50	20.3	24	24.1	46	43.7	44	10.2	21	17.4	17	37.5	24
Colorado	17.7	34	20.0	26	21.3	51	39.6	50	6.5	51	18.5	13	32.2	44
Connecticut	15.5	48	12.3	47	25.0	43	49.1	27	8.3	43	18.2	15	36.4	31
Delaware	19.6	21	14.3	42	31.1	13	50.3	22	11.1	10	17.0	24	34.2	37
District of Columbia	18.8	28	9.9	50	22.9	49	42.3	46	7.8	45	22.4	3	41.5	15
Florida	16.8	38	29.1	2	26.4	37	49.8	24	11.2	9	15.6	33	45.4	4
Georgia	18.8	28	27.3	5	30.3	18	49.2	26	10.8	14	13.1	43	45.4	4
Hawaii	13.3	49	10.0	49	21.8	50	39.8	49	8.4	41	18.3	14	30.1	47
Idaho	17.2	37	24.1	12	29.6	23	46.1	37	8.4	41	14.9	37	43.4	9
Illinois	18.0	32	19.4	27	29.4	25	47.6	30	9.9	23	21.8	4	41.4	16
Indiana	21.9	12	20.9	21	31.8	9	56.0	6	11.0	11	15.0	36	42.4	13
Iowa	19.5	23	12.7	45	31.3	12	53.1	11	9.3	30	21.7	5	32.6	43
Kansas	20.0	20	20.8	22	30.0	19	50.9	18	9.6	27	15.4	34	35.2	33
Kentucky	26.5	2	22.0	17	33.2	5	54.0	10	10.6	17	13.4	41	34.4	36
Louisiana	23.5	7	26.0	8	33.1	6	54.9	7	11.6	6	16.3	30	33.7	41
Maine	20.2	19	15.3	39	28.9	27	46.4	34	9.7	26	17.2	19	36.6	30
Maryland	16.4	42	15.5	38	28.3	29	51.4	15	9.8	24	14.2	40	33.1	42
Massachusetts	16.6	39	7.2	51	23.6	48	45.5	39	8.5	40	19.4	10	33.9	39
Michigan	21.4	14	17.4	34	31.5	11	46.9	32	10.4	19	18.9	12	43.2	10
Minnesota	18.0	32	12.9	44	25.5	41	47.3	31	7.4	48	21.0	6	34.0	38
Mississippi	24.8	4	28.1	4	35.1	1	62.6	1	12.9	3	12.4	47	37.0	28
Missouri	22.1	10	18.8	30	30.4	16	51.4	15	9.6	27	17.2	19	30.5	46
Montana	19.0	26	21.5	18	24.6	45	42.2	47	7.7	47	20.8	7	38.9	22
Nebraska	18.5	31	17.6	33	29.6	23	49.9	23	9.2	32	20.0	8	33.8	40
Nevada	19.4	24	27.3	5	26.2	40	46.4	34	9.6	27	15.2	35	48.4	1
New Hampshire	16.2	44	15.6	37	26.7	35	44.6	43	9.2	32	16.8	25	36.3	32
New Jersey	15.7	47	19.4	27	26.3	39	49.5	25	9.2	32	16.3	30	42.8	11
New Mexico	19.1	25	26.2	7	26.4	37	45.0	40	10.7	15	14.5	39	44.4	6
New York	16.6	39	17.0	35	25.4	42	52.7	12	10.6	17	17.4	17	37.8	23
North Carolina	20.3	18	24.2	11	29.4	25	51.4	15	11.4	8	13.0	44	29.1	48
North Dakota	21.2	15	12.4	46	31.0	14	54.8	8	8.9	37	23.8	1	41.0	17
Ohio	23.4	8	16.7	36	30.4	16	50.5	21	10.4	19	17.1	22	37.4	25
Oklahoma	23.7	6	22.6	16	32.5	7	56.1	5	11.0	11	12.7	45	31.3	45
Oregon	17.3	36	25.0	10	26.5	36	35.9	51	9.2	32	16.5	29	43.8	8
Pennsylvania	21.0	16	15.2	40	30.0	19	52.2	14	10.1	22	17.2	19	40.6	18
Rhode Island	17.4	35	18.7	31	27.3	31	50.9	18	9.3	30	17.8	16	36.9	29
South Carolina	22.0	11	23.9	13	31.7	10	50.9	18	12.5	4	14.9	37	34.6	35
South Dakota	19.6	21	14.9	41	29.9	21	46.3	36	9.1	36	19.2	11	28.7	49
Tennessee	24.3	5	21.2	19	33.7	4	62.3	2	12.2	5	9.6	51	26.6	50
Texas	15.9	46	32.8	1	30.9	15	57.9	4	11.0	11	16.7	27	39.0	21
Utah	10.3	51	19.2	29	24.1	46	44.7	41	7.1	49	12.3	48	42.6	12
Vermont	16.6	39	11.5	48	24.7	44	41.2	48	7.8	45	17.1	22	35.0	34
Virginia	19.0	26	18.4	32	27.2	32	48.1	28	9.8	24	16.0	32	37.2	26
Washington	16.1	45	20.6	23	27.2	32	43.7	44	8.6	38	16.8	25	39.2	20
West Virginia	27.3	1	23.7	14	35.1	1	52.4	13	13.0	2	11.2	49	26.1	51
Wisconsin	18.7	30	14.2	43	29.8	22	46.6	33	8.2	44	22.5	2	45.6	3
Wyoming	20.6	17	23.6	15	27.8	30	45.8	38	8.6	38	16.6	28	44.3	7
Range	10.3-27.3		7.2-32.8		21.3-35.1		35.9-62.6		6.5-13.8		9.6-23.8		26.1-48.4	
National Median	19.0		20.0		29.4		49.2		9.7		16.8		37.2	

*Prevalence weighted to landline and cellphone households. BRFSS data from 2011-2013 are not directly comparable to previous years.

NOTES:

**Adults 18-64 years of age

***Males having five or more drinks on one occasion, females having four or more drinks on one occasion

Each percent has a different standard error and confidence interval.

Because of this, rankings are not truly meaningful.

Unknown and refused responses are not included.

A ranking between 1 and 25 (above the median value) implies poor status relative to other states.

Data obtained from CDC BRFSS Prevalence and Trends Data accessed [October 3, 2014](#)