

August 25, 2019

Arcelor Mittal USA, Inc.  
250 W US Highway 12  
Burns Harbor, IN 46304-9745

Work Order No.: 19H1565

Re: Daily

Dear Teri Kirk:

Microbac Laboratories, Inc. - Chicagoland Division received 6 sample(s) on 8/25/2019 10:00:00AM for the analyses presented in the following report as Work Order 19H1565.

The enclosed results were obtained from and are applicable to the sample(s) as received at the laboratory. All sample results are reported on an "as received" basis unless otherwise noted.

All data included in this report have been reviewed and meet the applicable project specific and certification specific requirements, unless otherwise noted. A qualifications page is included in this report and lists the programs under which Microbac maintains certification.

This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of Microbac Laboratories.

We appreciate the opportunity to service your analytical needs. If you have any questions, please contact your project manager. For any feedback, please contact Ron Misiunas, Division Manager, at [ron.misiunas@microbac.com](mailto:ron.misiunas@microbac.com).

Sincerely,  
Microbac Laboratories, Inc.



Carey Gadzala  
Project Manager



**WORK ORDER SAMPLE SUMMARY**

**Date:** *Sunday, August 25, 2019*

**Client:** Arcelor Mittal USA, Inc.  
**Project:** Daily  
**Lab Order:** 19H1565

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
19H1565-01	011-Composite	011	08/24/2019 00:00	8/25/2019 10:00:00AM
19H1565-02	011-Grab	011	08/25/2019 00:00	8/25/2019 10:00:00AM
19H1565-03	001-Composite	001	08/24/2019 00:00	8/25/2019 10:00:00AM
19H1565-04	001-Grab	001	08/25/2019 00:00	8/25/2019 10:00:00AM
19H1565-05	002-Composite	002	08/24/2019 00:00	8/25/2019 10:00:00AM
19H1565-06	002-Grab	002	08/25/2019 00:00	8/25/2019 10:00:00AM

Microbac Laboratories, Inc.

250 West 84<sup>th</sup> Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | [www.microbac.com](http://www.microbac.com)

## Field Results

Date: Sunday, August 25, 2019

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order:</b>	19H1565
<b>Client Project:</b>	Daily		
<b>Client Sample ID:</b>	011-Grab	<b>Work Order/ID:</b>	19H1565-02
<b>Sample Description:</b>	011	<b>Sampled:</b>	08/25/2019 00:00
<b>Matrix:</b>	Aqueous	<b>Received:</b>	08/25/2019 10:00

Analyses	Result	Units
FLD_CL_TITR	0.00	mg/L
pH	7.7	pH Units

<b>Client Sample ID:</b>	001-Grab	<b>Work Order/ID:</b>	19H1565-04
<b>Sample Description:</b>	001	<b>Sampled:</b>	08/25/2019 00:00
<b>Matrix:</b>	Aqueous	<b>Received:</b>	08/25/2019 10:00

Analyses	Result	Units
FLD_CL_TITR	0.00	mg/L
pH	7.8	pH Units

## Analytical Results

Date: Sunday, August 25, 2019

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1565-01
<b>Client Project:</b>	Daily	<b>Sampled:</b>	08/24/2019 0:00
<b>Client Sample ID:</b>	011-Composite	<b>Received:</b>	08/25/2019 10:00
<b>Sample Description:</b>	011		
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
Method: EPA 200.7 Rev 4.4									
Analyst: BTM									
Prep Date/Time: 08/25/2019 11:10									
<b>Total Recoverable Metals by ICP</b>									
Lead	ejj	A	ND	0.0033	0.0075	U	mg/L	1	08/25/2019 13:44
Zinc	ejj	A	0.0085	0.0073	0.020		mg/L	1	08/25/2019 13:44
Method: SM 4500-CN C/E-1999									
Analyst: EF									
Prep Date/Time: 08/25/2019 14:35									
<b>Total Cyanide</b>									
Cyanide, Total	ejj	A	ND	0.0020	0.0050	U	mg/L	1	08/25/2019 16:59
Method: SW-846 9014									
Analyst: lachat4									
Prep Date/Time: 08/25/2019 10:07									
<b>Free Cyanide</b>									
Free Cyanide		A	ND		0.0062		mg/L	1	08/25/2019 12:33
Method: EPA 350.1 Rev 2.0									
Analyst: EF									
Prep Date/Time: 08/25/2019 12:49									
<b>Nitrogen, Ammonia as N</b>									
Nitrogen, Ammonia (As N)	ei	A	0.27	0.054	0.10		mg/L	1	08/25/2019 14:27
Method: EPA 420.4 Rev 1.0									
Analyst: EF									
Prep Date/Time: 08/25/2019 12:01									
<b>Total Phenolics</b>									
Phenolics, Total Recoverable	ejj	A	ND	0.0060	0.010	U	mg/L	1	08/25/2019 13:33
Method: SM 2540 D-1997									
Analyst: JBS									
Prep Date/Time: 08/25/2019 11:11									
<b>Total Suspended Solids</b>									
Total Suspended Solids	ejj	A	12	1.0	1.0		mg/L	1	08/25/2019 12:47

## Analytical Results

Date: *Sunday, August 25, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1565-02
<b>Client Project:</b>	Daily	<b>Sampled:</b>	08/25/2019 0:00
<b>Client Sample ID:</b>	011-Grab	<b>Received:</b>	08/25/2019 10:00
<b>Sample Description:</b>	011		
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
Method: EPA 1664B					Analyst: JBS				
<b>Oil &amp; Grease (HEM) by SPE</b>									
Oil & Grease (HEM)	ejj	A	ND	1.4	5.0	U	mg/L	1	08/25/2019 14:41

## Analytical Results

Date: Sunday, August 25, 2019

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1565-03
<b>Client Project:</b>	Daily	<b>Sampled:</b>	08/24/2019 0:00
<b>Client Sample ID:</b>	001-Composite	<b>Received:</b>	08/25/2019 10:00
<b>Sample Description:</b>	001		
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
Method: EPA 200.7 Rev 4.4									
Analyst: BTM									
Prep Date/Time: 08/25/2019 11:10									
<b>Total Recoverable Metals by ICP</b>									
Lead	ejj	A	ND	0.0033	0.0075	U	mg/L	1	08/25/2019 13:58
Zinc	ejj	A	0.0077	0.0073	0.020		mg/L	1	08/25/2019 13:58
Method: SM 4500-CN C/E-1999									
Analyst: EF									
Prep Date/Time: 08/25/2019 14:35									
<b>Total Cyanide</b>									
Cyanide, Total	ejj	A	ND	0.0020	0.0050	U	mg/L	1	08/25/2019 17:00
Method: SW-846 9014									
Analyst: lachat4									
Prep Date/Time: 08/25/2019 10:07									
<b>Free Cyanide</b>									
Free Cyanide		A	ND		0.0062		mg/L	1	08/25/2019 12:42
Method: EPA 350.1 Rev 2.0									
Analyst: EF									
Prep Date/Time: 08/25/2019 12:49									
<b>Nitrogen, Ammonia as N</b>									
Nitrogen, Ammonia (As N)	ei	A	0.28	0.054	0.10		mg/L	1	08/25/2019 14:35
Method: EPA 420.4 Rev 1.0									
Analyst: EF									
Prep Date/Time: 08/25/2019 12:01									
<b>Total Phenolics</b>									
Phenolics, Total Recoverable	ejj	A	ND	0.0060	0.010	U	mg/L	1	08/25/2019 13:38
Method: SM 2540 D-1997									
Analyst: JBS									
Prep Date/Time: 08/25/2019 11:11									
<b>Total Suspended Solids</b>									
Total Suspended Solids	ejj	A	5.2	1.0	1.0		mg/L	1	08/25/2019 12:47

## Analytical Results

Date: Sunday, August 25, 2019

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1565-04
<b>Client Project:</b>	Daily	<b>Sampled:</b>	08/25/2019 0:00
<b>Client Sample ID:</b>	001-Grab	<b>Received:</b>	08/25/2019 10:00
<b>Sample Description:</b>	001		
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
Method: EPA 1664B					Analyst: JBS				
<b>Oil &amp; Grease (HEM) by SPE</b>									
Oil & Grease (HEM)	ejj	A	ND	1.4	5.0	U	mg/L	1	08/25/2019 14:41

## Analytical Results

Date: Sunday, August 25, 2019

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1565-05
<b>Client Project:</b>	Daily	<b>Sampled:</b>	08/24/2019 0:00
<b>Client Sample ID:</b>	002-Composite	<b>Received:</b>	08/25/2019 10:00
<b>Sample Description:</b>	002		
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed	
			Method: SM 4500-CN C/E-1999				Analyst: EF			
<b>Total Cyanide</b>										
Prep Date/Time: 08/25/2019 14:35										
Cyanide, Total	ejj	A	ND	0.0020	0.0050	U	mg/L	1	08/25/2019 17:02	



## Analytical Results

Date: *Sunday, August 25, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1565-06
<b>Client Project:</b>	Daily	<b>Sampled:</b>	08/25/2019 0:00
<b>Client Sample ID:</b>	002-Grab	<b>Received:</b>	08/25/2019 10:00
<b>Sample Description:</b>	002		
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
Method: EPA 1664B					Analyst: JBS				
<b>Oil &amp; Grease (HEM) by SPE</b>									
Oil & Grease (HEM)	ejj	A	ND	1.4	5.0	U	mg/L	1	08/25/2019 14:41

---

**ANALYTE TYPES: (AT)**

A, B = Target Analyte

I = Internal Standard

M = Summation Analyte

S = Surrogate

T = Tentatively Identified Compound (TIC, concentration estimated)



---

**QC SAMPLE IDENTIFICATIONS**

BLK = Method Blank

DUP = Method Duplicate

BS = Method Blank Spike

MS = Matrix Spike

ICB = Initial Calibration Blank

CCB = Continuing Calibration Blank

CRL = Client Required Reporting Limit

PDS = Post Digestion Spike

QCS = Quality Control Standard

ICSA = Interference Check Standard "A"

ICSAB = Interference Check Standard "AB"

BSD = Method Blank Spike Duplicate

MSD = Matrix Spike Duplicate

ICV = Initial Calibration Verification

CCV = Continuing Calibration Verification

OPR = Ongoing Precision and Recovery Standard

SD = Serial Dilution

---

**CERTIFICATIONS (Certs)**

*Below is a list of certifications maintained by the Microbac Merrillville Laboratory. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. Complete lists of individual analytes pursuant to each certification below are available upon request.*

d Illinois EPA drinking water, wastewater and solid waste analysis (#200064)

i Kansas Dept Health &amp; Env. NELAP (#E-10397)

j Kentucky Wastewater Laboratory Certification Program (#108202)

---

**FLAGS, FOOTNOTES AND ABBREVIATIONS (as needed)****MDL:** Minimum Detection Limit**RL:** Reporting Limit**RPD:** Relative Percent Difference**U:** The analyte was analyzed for but was not detected above the reported quantitation limit. The quantitation limit has been adjusted for any dilution or concentration of the sample.

## Cooler Receipt Log

Cooler ID: Default Cooler

Temp: °C  
 MICROBAC®

---

### Cooler Inspection Checklist

Ice Present or not required?	Yes
Shipping containers sealed or not required?	Yes
Custody seals intact or not required?	Yes
Chain of Custody (COC) Present?	Yes
COC includes customer information?	Yes
Relinquished and received signature on COC?	Yes
Sample collector identified on COC?	Yes
Sample type identified on COC?	Yes
Correct type of Containers Received	Yes
Correct number of containers listed on COC?	Yes
Containers Intact?	Yes
COC includes requested analyses?	Yes
Enough sample volume for indicated tests received?	Yes
Sample labels match COC (Name, Date & Time?)	Yes
Samples arrived within hold time?	Yes
Correct preservatives on COC or not required?	Yes
Chemical preservations checked or not required?	Yes
Preservation checks meet method requirements?	Yes
VOA vials have zero headspace, or not recd.?	Yes

---

Microbac Laboratories, Inc.

250 West 84<sup>th</sup> Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | [www.microbac.com](http://www.microbac.com)

CHAIN OF CUSTODY RECORD



Number **152279**  
Instructions on back

TO BE COMPLETED BY MICROBAC  
Temperature Upon Receipt (°C) **6.1**  
Therm ID **-0.3**  
Holding Time **5.8**  
Samples Received on Ice?  Yes  No  N/A  
Custody Seals Intact?  Yes  No  N/A

Turnaround Time  
 Routine (5 to 7 business days)  
 RUSH\* (notify lab) (needed by)

Report Type  
 Results Only  Level 1  Level 2  Level 3  Level 4  EDD  
 Mail  Fax  e-mail (address)

Lab Report Address  
Client Name: **Arcelor Mittal**  
Address:  
City, State, Zip:  
Contact: **T Rirk**  
Telephone No.:

Send Invoice via:  Mail  Fax  e-mail (address)  
Project: **9H1565** Carey Gadzala  
Location: **Warren Howard**  
Compliance Monitoring?  Yes  No  
Agency/Program

Sampler Signature: **Warren Howard** Sampler Phone No.:  
\* Matrix Types: Soil/Solid (S); Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)  
\* Preservative Types: (1) HNO3, (2) H2SO4, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **	REQUESTED ANALYSIS									
							Ammonia	TSS	Phenol	Zn	Cu	Pb	FDS	PH	RSCl	Additional Notes
001	8/24/19		2		C		X	X	X	X	X	X	X	X	X	1941565
001	8/25/19		3		G		X	X	X	X	X	X	X	X	X	-01
011	8/24/19		2		C		X	X	X	X	X	X	X	X	X	-02
011	8/25/19		3		G		X	X	X	X	X	X	X	X	X	-03
002	8/24/19		1		C		X	X	X	X	X	X	X	X	X	-04
002	8/25/19		2		G		X	X	X	X	X	X	X	X	X	-05
Legend Channel Inlet	8/25/19		1		G		X	X	X	X	X	X	X	X	X	-06
South Bayou Inlet	8/25/19		1		G		X	X	X	X	X	X	X	X	X	
011	8/25/19		1		G		X	X	X	X	X	X	X	X	X	

Possible Hazard Identification  
 Hazardous  Non-Hazardous  Radioactive  Sample Disposition  Dispose as appropriate  Return  Archive

Comments  
001 PH = 7.75  
011 PH = 7.73

Relinquished By (signature) **[Signature]** Date/Time **8/25/19 0800**  
Relinquished By (signature) **[Signature]** Date/Time **8/25/19 0900**  
Relinquished By (signature) **[Signature]** Date/Time **8/25/19 0900**