

ORIGINAL

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

Commissioner	Yes	No	Not Participating
Huston	√		
Bennett	√		
Freeman	√		
Veleta	√		
Ziegner	√		

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: MAR 05 2025

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: MAR 05 2025

**I hereby certify that the above is a true
and correct copy of the Order as approved.**

**Dana Kosco
Secretary of the Commission**



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Ziese & Sons Excavating, Inc.
Case Number: 32811
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/26/2024
Damage Location: 1900 Lucas Parkway Building, Bowling Alley, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Low Voltage Industries, Inc.
Case Number: 33279
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/30/2024
Damage Location: 3422 West 61st Avenue, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Accu-Dig, Inc.
Case Number: 32878
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/22/2024
Damage Location: 400 East 1st Street, Reynolds

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: C S U, Inc.
Case Number: 32914
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/14/2024
Damage Location: 250 South and 300 East, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: G & B Directional Boring LLC
Case Number: 33001
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/13/2024
Damage Location: 11465 East Island Road, Walkerton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 33004
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/16/2024
Damage Location: 50936 Kenilworth Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 33014
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/21/2024
Damage Location: 19948 Constance Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Area Plumbing & Sewer Co., Inc.
Case Number: 33029
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/26/2024
Damage Location: 2065 Hidden Valley Drive, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Milestone Contractors, L.P.
Case Number: 33121
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/22/2024
Damage Location: 2121 Gettler Street, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: I & R Communications LLC
Case Number: 33122
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/30/2024
Damage Location: 5369 West 575 South, Rossville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Verita Telecommunications Corp.
Case Number: 33127
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/3/2024
Damage Location: 2926 Paul Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: G & B Directional Boring LLC
Case Number: 33131
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/4/2024
Damage Location: 102 East Hobart Street, Ashley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Grimmer Construction Inc.
Case Number: 33135
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/5/2024
Damage Location: 500 North Lake Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Specialties Co. LLC
Case Number: 33145
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/9/2024
Damage Location: 13024 Illinois Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Miller Pipeline, LLC
Case Number: 33159
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/13/2024
Damage Location: 1922 North Buckeye Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Dyer Construction Co., Inc.
Case Number: 33233
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/14/2024
Damage Location: 5800 West 45th Avenue, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Techno Drill, LLC
Case Number: 33244
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/19/2024
Damage Location: 3551 South State Road 29, Burlington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Fence Masters Inc.
Case Number: 33246
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/19/2024
Damage Location: 11477 Georgia Street, Lot 63, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Selge Construction Co., Inc.
Case Number: 33247
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/19/2024
Damage Location: 417 West Franklin Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith & Dickie**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Gary Material Supply LLC
Case Number: 33254
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/20/2024
Damage Location: 119th Street and Schrage Avenue, Whiting

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Hammond
Case Number: 33262
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/24/2024
Damage Location: 1726 Brown Avenue, Whiting

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 33273
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/26/2024
Damage Location: 53451 East Cobus Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: ACE Underground Services LLC
Other Party: Northern Indiana Public Service Company
Case Number: 32808
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/26/2024
Damage Location: 115 West Orange Street, Cromwell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fleming Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 32890
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/6/2024
Damage Location: 5310 Old Mill Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fleming Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 32919
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/15/2024
Damage Location: 9302 Hosler Road, Leo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.
Other Party: Northern Indiana Public Service Company
Case Number: 32894
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/6/2024
Damage Location: 1028 Notre Dame Avenue, Lot B, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.
Other Party: CenterPoint Energy Indiana
Case Number: 33305
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/7/2024
Damage Location: 9 Lincoln Street, Williamsport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.
Other Party: CenterPoint Energy Indiana
Case Number: 33322
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/11/2024
Damage Location: 415 North 8th Street, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rodriguez Landscaping & Construction Inc
Other Party: Northern Indiana Public Service Company
Case Number: 32776
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/17/2024
Damage Location: 1319 West King Street, Garrett

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rodriguez Landscaping & Construction Inc
Other Party: Northern Indiana Public Service Company
Case Number: 32794
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/23/2024
Damage Location: 400 South Johnson Street, Garrett

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ana Mireles
Other Party: Northern Indiana Public Service Company
Case Number: 33149
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/9/2024
Damage Location: 2522 South Anthony Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chris Mathus
Other Party: Citizens Gas
Case Number: 32938
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/29/2024
Damage Location: 2142 North Park Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Vaught
Other Party: CenterPoint Energy Indiana
Case Number: 33198
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/23/2024
Damage Location: 3910 West 100 North, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dennis Schmucker
Other Party: Northern Indiana Public Service Company
Case Number: 32334
Date of Advisory Meeting: 1/16/2025
Date of Damage: 5/24/2024
Damage Location: 9515 Spurwood Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dereck Ross
Other Party: Northern Indiana Public Service Company
Case Number: 33034
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/27/2024
Damage Location: 8734 East Lewisburg Road, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Frank Whitney
Other Party: Citizens Gas
Case Number: 33218
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/2/2024
Damage Location: 6733 Homestead Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED: _____

James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Guadalupe Perez
Other Party: Northern Indiana Public Service Company
Case Number: 32905
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/9/2024
Damage Location: 201 West 11th Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Heath Grissom
Other Party: Indiana Natural Gas Corporation
Case Number: 33457
Date of Advisory Meeting: 1/16/2025
Date of Damage: 11/13/2024
Damage Location: 1158 South Unionville Road, Paoli

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff Miazgowicz
Other Party: Northern Indiana Public Service Company
Case Number: 33026
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/25/2024
Damage Location: 5369 North 700 East, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jerry Rowe
Other Party: City of Linton Municipal Gas
Case Number: 33171
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/5/2024
Damage Location: 389 NE G Street, Linton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jim Chalfant
Other Party: Citizens Gas
Case Number: 33057
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/10/2024
Damage Location: 4140 Stonecrest Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jim Hale
Other Party: CenterPoint Energy Indiana
Case Number: 32977
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/26/2024
Damage Location: 230 Watt Street, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jose Garcia-Hernandez
Other Party: Northern Indiana Public Service Company
Case Number: 33005
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/17/2024
Damage Location: 1421 Smead Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josh Hahn
Other Party: Fountaintown Gas Company, Inc
Case Number: 33417
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/25/2024
Damage Location: 603 West Shel Lyn Court, Fountaintown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Juan Gaspar
Other Party: CenterPoint Energy Indiana
Case Number: 33115
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/14/2024
Damage Location: 614 South Lynn Street, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kyle Stinson
Other Party: Ohio Valley Gas Corporation
Case Number: 33281
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/6/2024
Damage Location: 501 West Sycamore Street, Connersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Oscar Palma
Other Party: Northern Indiana Public Service Company
Case Number: 33022
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/24/2024
Damage Location: 3401 Monroe Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sean Whitsett
Other Party: Northern Indiana Public Service Company
Case Number: 32904
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/9/2024
Damage Location: 415 Williams Street, Angola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stan Middlesworth
Other Party: Northern Indiana Public Service Company
Case Number: 33015
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/22/2024
Damage Location: 11288 East 200 North, Greentown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steve Little
Other Party: CenterPoint Energy Indiana
Case Number: 32992
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/29/2024
Damage Location: 4123 Covert Ave, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steven Beauchamp
Other Party: Citizens Gas
Case Number: 33223
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/7/2024
Damage Location: 8819 Birkdale Circle, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wayne Baxter
Other Party: Sycamore Gas Company
Case Number: 32944
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/2/2024
Damage Location: 728 Wilson Street, Rising Sun

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 32814
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/29/2024
Damage Location: 105 Oak Drive, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A-1 Site Services LLC
Other Party: Northern Indiana Public Service Company
Case Number: 32880
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/1/2024
Damage Location: 6373 Jasmine Avenue, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Hammond
Other Party: Northern Indiana Public Service Company
Case Number: 32887
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/6/2024
Damage Location: 3804 Torrence Avenue, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dyer Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 32895
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/6/2024
Damage Location: 1406 Harrison Avenue, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gatlin Plumbing & Heating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 32903
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/9/2024
Damage Location: 115 North Wood Street, Griffith

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lelaren LLC
Other Party: Northern Indiana Public Service Company
Case Number: 32793
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/23/2024
Damage Location: 207 Leeds Drive, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rolling Communications LLC
Other Party: Northern Indiana Public Service Company
Case Number: 32898
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/7/2024
Damage Location: 29211 Quinn Road, North Liberty

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: William Eric Group, LLC d/b/a Smith Projects, Inc.
Other Party: Citizens Gas
Case Number: 32928
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/14/2024
Damage Location: 5329 South Emerson Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cory Foster
Other Party: Northern Indiana Public Service Company
Case Number: 33140
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/6/2024
Damage Location: 112 Southwind Drive, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jaylon Western
Other Party: CenterPoint Energy Indiana
Case Number: 32979
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/26/2024
Damage Location: 420 North Leland Street, Fortville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

A handwritten signature in black ink, appearing to read "James R. Surd".

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Citizens Energy Group - Water
Case Number: 32929
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/16/2024
Damage Location: 515 Manhattan Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Citizens Energy Group - Water
Case Number: 33222
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/4/2024
Damage Location: 1468 Galway Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corporation
Other Party: Coon Landscaping & Excavating
Case Number: 33280
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/2/2024
Damage Location: 376 East County Road 215 South, Connersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corporation
Other Party: Peercy's Construction, Inc.
Case Number: 33413
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/23/2024
Damage Location: 918 East Washington Street, Winchester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corporation
Other Party: Frey Drainage & Excavating LLC
Case Number: 33414
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/23/2024
Damage Location: 290 East IN Route 48, Shelburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corporation
Other Party: Standard Optic General Services Corporation
Case Number: 33416
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/29/2024
Damage Location: 922 East Howard Road, Connersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Accu-Dig, Inc.
Case Number: 32804
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/25/2024
Damage Location: 620 Coyote Trail, Kouts

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Natural Gas Corporation
Other Party: Hege Farm & Fence LLC DBA Made-Rite Fence
Case Number: 32873
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/29/2024
Damage Location: 11581 W Grandview Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Setser Cable Construction LLC
Case Number: 32965
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/21/2024
Damage Location: 5050 West Cheyenne Avenue, West Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: M & M Underground Construction, Inc.
Case Number: 32993
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/29/2024
Damage Location: 503 South Jackson Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Natural Gas Corporation
Other Party: Longshot Utility Consultants LLC
Case Number: 33049
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/9/2024
Damage Location: 551 North Coffey Hill Road, Nashville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Intren, LLC
Case Number: 33094
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/9/2024
Damage Location: 2804 South 1st Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: MAC Construction & Excavating, Inc.
Case Number: 33107
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/11/2024
Damage Location: 5817 West Tipton Street, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: 3D Company, Inc.
Case Number: 33179
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/17/2024
Damage Location: 731 South Main Street, Upland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Sure Clean, Inc.
Case Number: 33191
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/20/2024
Damage Location: 14 North 2nd Street, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: R & R Plumbing
Case Number: 33194
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/21/2024
Damage Location: 1436 Juniper Drive, Sheridan

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 33314
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/10/2024
Damage Location: 2622 East Memorial Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Jerry Aigner Construction, Inc.
Case Number: 33340
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/4/2024
Damage Location: 8411 Telephone Road, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Q C Communications, Inc.
Case Number: 33449
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/28/2024
Damage Location: 907 Roosevelt Avenue, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Bayer's Plumbing Inc
Case Number: 33452
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/29/2024
Damage Location: 1718 Hawthorne Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: C T S I, LLC
Case Number: 33534
Date of Advisory Meeting: 1/16/2025
Date of Damage: 11/11/2024
Damage Location: 5373 East Dayhuff Road, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vision Demolition & Excavating LLC
Other Party:
Case Number: 32257
Date of Advisory Meeting: 1/16/2025
Date of Damage: 6/11/2024
Damage Location: 7031 Mayflower Park Drive, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-19(c)

The Advisory Committee recommends the following civil penalty:

\$500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A A A Lawn Irrigation, Inc.
Other Party: Midwest Natural Gas Corporation
Case Number: 33120
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/3/2024
Damage Location: 305 Jennings Street, North Vernon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Goshen
Other Party: Northern Indiana Public Service Company
Case Number: 33144
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/9/2024
Damage Location: 209 Denver Avenue, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Underground Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33109
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/11/2024
Damage Location: 10 East Mechanic Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Warrick County Stormwater Department
Other Party: CenterPoint Energy Indiana
Case Number: 33188
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/19/2024
Damage Location: 2611 Conestoga Court, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Concrete Specialties, Inc.
Case Number: 31918
Date of Advisory Meeting: 1/16/2025
Date of Damage: 3/22/2024
Damage Location: 182 Chariot Drive, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Richards Turf Management Inc
Case Number: 32739
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/24/2024
Damage Location: 9019 Boberg Road, Wadesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Broadband of Indiana LLC
Case Number: 32862
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/14/2024
Damage Location: 16601 Boyle Lane, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Daviess County Highway
Case Number: 32953
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/19/2024
Damage Location: 4016 North Private Road 1180 East, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 32959
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/21/2024
Damage Location: 2404 East 5th Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: S & G Excavating Inc
Case Number: 32980
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/26/2024
Damage Location: 200 North 6th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Yarberry Landscape Excavating
Case Number: 32983
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/27/2024
Damage Location: 425 Walnut Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Phillips Etex LLC
Case Number: 32986
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/27/2024
Damage Location: 6429 West 400 South, Farmland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Precision Trenching, Inc.
Case Number: 33074
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/3/2024
Damage Location: 168 Hutchinson Lane, Madison

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Howard Companies, Inc
Case Number: 33075
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/3/2024
Damage Location: 219 North West Street, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Fryman Land Service LLC
Case Number: 33080
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/4/2024
Damage Location: 2160 West 1300 South, Haubstadt

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: J B G Contractors LLC
Case Number: 33085
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/5/2024
Damage Location: 5225 Magnolia Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Case Construction, Inc.
Case Number: 33089
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/6/2024
Damage Location: 718 North Indiana Avenue, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 33095
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/9/2024
Damage Location: 700 East Fordice Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Always Underground, Inc.
Case Number: 33103
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/10/2024
Damage Location: 509 Atlas Drive, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dave O'Mara Contractor, Inc.
Case Number: 33106
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/11/2024
Damage Location: 800 West Second Street, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 33117
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/12/2024
Damage Location: 1648 Cottage Avenue, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Total Development Systems, LLC
Case Number: 33182
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/17/2024
Damage Location: 2020 North Salisbury Street, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Tactical Boring Solutions
Case Number: 33185
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/18/2024
Damage Location: 1216 East Second Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Setser Cable Construction LLC
Case Number: 33201
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/23/2024
Damage Location: 3521 Sedgemoor Circle, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Kings Trucking & Excavation, Inc.
Case Number: 33202
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/24/2024
Damage Location: 2033 East County Road 800 South, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 33204
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/25/2024
Damage Location: 3501 East Lloyd Expressway, Evansville

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 7 N T Engineering LLC
Other Party: Citizens Gas
Case Number: 33069
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/5/2024
Damage Location: 1125 South Keystone Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aaron Landscaping & Irrigation Inc
Other Party: Citizens Gas
Case Number: 32931
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/22/2024
Damage Location: 2829 Mcpherson Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bullseye Directional Boring, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32738
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/23/2024
Damage Location: 2279 Charleston Place, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Saltsgaver Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 32859
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/14/2024
Damage Location: 12405 Hermitage Trail, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sunrise Telecom Inc.
Other Party: Ohio Valley Gas Corporation
Case Number: 32939
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/17/2024
Damage Location: 3886 East 450 South, St. Anthony

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tactical Boring Solutions
Other Party: CenterPoint Energy Indiana
Case Number: 32843
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/7/2024
Damage Location: 718 North Indiana Avenue, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Warweg & Company Inc
Other Party: Citizens Gas
Case Number: 33062
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/12/2024
Damage Location: 5868 Arabian Run, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 5 Brothers Yard Squad
Other Party: Citizens Gas
Case Number: 33061
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/12/2024
Damage Location: 315 North Mickley Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Allisonville Nursery by Sullivan LLC
Other Party: Citizens Gas
Case Number: 33053
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/4/2024
Damage Location: 1470 East 77th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Camelot Excavating LLC
Other Party: Citizens Gas
Case Number: 33070
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/16/2024
Damage Location: 1158 Temperance Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Frazier Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33076
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/3/2024
Damage Location: 340 Stadium Drive, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G L S, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 32998
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/20/2024
Damage Location: 181st Street & Dartown Road, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Home & Hauling Solutions LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32734
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/23/2024
Damage Location: 474 South 24th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Premier Homes
Other Party: CenterPoint Energy Indiana
Case Number: 32610
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/2/2024
Damage Location: Parkland Trail, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pure Air Environmental LLC
Other Party: Citizens Gas
Case Number: 33219
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/2/2024
Damage Location: 5401 Graceland Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R C A Properties LLC
Other Party: Citizens Gas
Case Number: 33065
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/17/2024
Damage Location: 2008 Southeastern Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Runnebohm Construction Co Inc
Other Party: Citizens Gas
Case Number: 33064
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/17/2024
Damage Location: 2450 North Raceway Road, Building 5, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Valiant Group Inc
Other Party: Citizens Gas
Case Number: 33067
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/18/2024
Damage Location: 9140 East McGregor Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Delello & Sons
Other Party: CenterPoint Energy Indiana
Case Number: 33301
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/1/2024
Damage Location: 4724 Harvestor Lane, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ideal Electric, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 32871
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/6/2024
Damage Location: 4520 Venice Way, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Setser Septic, Inc.
Other Party: Indiana Natural Gas Corporation
Case Number: 33050
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/14/2024
Damage Location: 1406 Annandale Drive, Nashville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & C Concrete Company, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 32968
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/21/2024
Damage Location: 1453 Lake Haven Lane, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Setser Cable Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32989
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/27/2024
Damage Location: 8265 North Candlewick Place, West Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Key Concrete, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 32795
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/24/2024
Damage Location: 4121 Oakleaf Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Key Concrete, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 32806
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/25/2024
Damage Location: 3821 Fernbank Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 32984
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/27/2024
Damage Location: 6010 Middle Mount Vernon Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mid Ohio Utilities LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33119
Date of Advisory Meeting: 1/16/2025
Date of Damage: 1/2/2024
Damage Location: 381 West Broadway Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bell Concrete LLC dba Badger Concrete
Other Party: CenterPoint Energy Indiana
Case Number: 33105
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/11/2024
Damage Location: 19 Briar Patch Road, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C & E Excavating
Other Party: Northern Indiana Public Service Company
Case Number: 33045
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/29/2024
Damage Location: 1815 East Hively Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 32972
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/23/2024
Damage Location: 25 East College Avenue, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C & E Excavating
Other Party: Northern Indiana Public Service Company
Case Number: 32805
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/25/2024
Damage Location: 547 West 7th Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosier Edison Line Company LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32969
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/22/2024
Damage Location: 301 Folkston Way, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Abes Plumbing Co, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33003
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/16/2024
Damage Location: 1602 East Day Road, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.
Other Party: Citizens Gas
Case Number: 32936
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/28/2024
Damage Location: 1134 Comer Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 32974
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/23/2024
Damage Location: 1541 Walnut Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hoosier Edison Line Company LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33309
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/7/2024
Damage Location: 5891 Aleppo Lane, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Longenberger Excavation LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33007
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/19/2024
Damage Location: 1828 Kensington Drive, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Scott Andry
Other Party: Indiana Natural Gas Corporation
Case Number: 33228
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/9/2024
Damage Location: 1010 South SR 145, Birdseye

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lance Hotopp
Other Party: Ohio Valley Gas Corporation
Case Number: 33415
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/26/2024
Damage Location: 26064 Easyway Drive, Guilford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Black's Lawn & Maintenance
Other Party: Northern Indiana Public Service Company
Case Number: 32897
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/7/2024
Damage Location: 851 North Broadway Street, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Graber Steel Specialties LLC
Other Party: Northern Indiana Public Service Company
Case Number: 32899
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/8/2024
Damage Location: 10264 North Price Road Building Dryer, Milford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J B Wagner Septic Inc
Other Party: Northern Indiana Public Service Company
Case Number: 32906
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/9/2024
Damage Location: 14247 County Road 38, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Green Piping Systems LLC
Other Party: Northern Indiana Public Service Company
Case Number: 32908
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/12/2024
Damage Location: 5296 Stone Avenue, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Abrajan Tree & Complete Landscaping
Other Party: Northern Indiana Public Service Company
Case Number: 33032
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/26/2024
Damage Location: 741 Cottage Grove Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Simpson Farms LLC
Other Party: Indiana Utilities Corporation
Case Number: 33227
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/5/2024
Damage Location: 5454 Rogers Campground Road South, Elizabeth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Artisan Outdoor Craftsman LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33336
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/15/2024
Damage Location: 1040 Shoreline Drive, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Canadian National Railroad
Other Party: Northern Indiana Public Service Company
Case Number: 32893
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/6/2024
Damage Location: 3610 Canal Street, East Chicago

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tim Klenck Demolition LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32954
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/19/2024
Damage Location: 6011 US Highway 41 North, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: District 6 Market LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32973
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/23/2024
Damage Location: 10160 North Vine Street, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Koorsen Fire Protection
Other Party: Citizens Gas
Case Number: 32932
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/26/2024
Damage Location: 1722 East Riverside Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northwest Fence Inc
Other Party: Northern Indiana Public Service Company
Case Number: 33030
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/26/2024
Damage Location: 226 Willow Street, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michael Enterprises LLC dba Michael Landscaping
Other Party: Northern Indiana Public Service Company
Case Number: 32883
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/2/2024
Damage Location: 1114 West Wayne Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Custom Fence Co.
Other Party: Northern Indiana Public Service Company
Case Number: 32900
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/8/2024
Damage Location: 2301 Lincoln Way, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dennis Trucking Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 32981
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/26/2024
Damage Location: Seabury Ave & 13th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B & B Roofing & Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33276
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/27/2024
Damage Location: 72990 County Road 101, Nappanee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B L Wilson Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33019
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/23/2024
Damage Location: 3287 South State Road 1, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J M & Sons Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33009
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/21/2024
Damage Location: 2027 Glastonbury Row, Lot 18, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of South Bend
Other Party: Northern Indiana Public Service Company
Case Number: 32796
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/24/2024
Damage Location: 1626 Magnolia Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infinite Energy Services
Other Party: Northern Indiana Public Service Company
Case Number: 32911
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/13/2024
Damage Location: 668 East 871 North, Burrows

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rippe Well Service, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 32915
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/14/2024
Damage Location: 143 North 500 West Building Trailer, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Huntington
Other Party: CenterPoint Energy Indiana
Case Number: 33332
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/15/2024
Damage Location: 277 Whitestone Street, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Land Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33319
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/9/2024
Damage Location: 322 East 1st Street, Warren

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Howard Companies, Inc
Other Party: CenterPoint Energy Indiana
Case Number: 32976
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/24/2024
Damage Location: 240 North West Street, Bargersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Electricom, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33306
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/7/2024
Damage Location: 577 West Center Cross Street, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lazer Excavating Company
Other Party: CenterPoint Energy Indiana
Case Number: 33084
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/5/2024
Damage Location: 1074 Gatewick Court, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Price Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33320
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/11/2024
Damage Location: 1803 Eastwood Drive, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cedar Mountain Fence Company
Other Party: Northern Indiana Public Service Company
Case Number: 32708
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/15/2024
Damage Location: 5449 Woodland Drive, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Helebo Trenching, Inc.
Case Number: 33212
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/25/2024
Damage Location: 9343 West 180 South, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Electricom, Inc.
Case Number: 33289
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/1/2024
Damage Location: 11813 Highway 60, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Standard Optic General Services Corporation
Case Number: 33296
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/4/2024
Damage Location: 425 North Jackson Street, Rushville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Mr. Fence, Inc.
Case Number: 33302
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/7/2024
Damage Location: 12400 Big Cynthiana Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Conexco Inc.
Case Number: 33303
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/7/2024
Damage Location: 1780 East US Highway 40, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Q C Communications, Inc.
Case Number: 33304
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/7/2024
Damage Location: 3101 North Benton Road, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dave O'Mara Contractor, Inc.
Case Number: 33330
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/14/2024
Damage Location: 112 West Lewis and Clark Parkway, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dotson Construction, Inc.
Case Number: 33421
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/17/2024
Damage Location: 302 Riverbed Court, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Richmond Guttering Company
Case Number: 33422
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/17/2024
Damage Location: 5699 Darlene Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Cirque Entertainment LLC
Case Number: 33429
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/21/2024
Damage Location: 1251 US Highway 31 North, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Johnson County REMC
Case Number: 33431
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/21/2024
Damage Location: East County Road 100 South, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Recreation Unlimited, Inc.
Case Number: 33438
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/25/2024
Damage Location: 137 Audubon Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Milldrill, LLC
Case Number: 33439
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/25/2024
Damage Location: 1815 North Old Bruceville Road, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):


IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: L & D Communication LLC
Case Number: 33531
Date of Advisory Meeting: 1/16/2025
Date of Damage: 11/8/2024
Damage Location: 2200 Coopers Lane, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: N P B Drilling LLC
Case Number: 32825
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/31/2024
Damage Location: West Division and North Cressy Avenue, Remington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: All Seasons Underground Construction, Inc.
Case Number: 32891
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/6/2024
Damage Location: 2132 John Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Fort Wayne
Case Number: 33002
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/14/2024
Damage Location: 409 West Pontiac Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Milenium, Inc.
Case Number: 33011
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/21/2024
Damage Location: 19934 Wentland Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: N P B Drilling LLC
Case Number: 33232
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/11/2024
Damage Location: 109 South Illinois Street, Remington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Infinite Energy Services
Case Number: 33255
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/20/2024
Damage Location: 1075 East 884 North, Burrows

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: K V Electric, Inc
Case Number: 33260
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/23/2024
Damage Location: 9133 Freeport Lane, Lot 109, DeMotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Michigan City Department of Waterworks
Case Number: 33261
Date of Advisory Meeting: 1/16/2025
Date of Damage: 9/23/2024
Damage Location: 1026 Lake Shore Drive, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bart W Bunn Trucking Inc
Other Party: Northern Indiana Public Service Company
Case Number: 32818
Date of Advisory Meeting: 1/16/2025
Date of Damage: 7/30/2024
Damage Location: 4636 Adams Center Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: One Source Remodeling LLC
Other Party: Northern Indiana Public Service Company
Case Number: 32907
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/12/2024
Damage Location: 2666 North Kuchar Drive Pole Barn, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: McIntyre Brothers LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32951
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/19/2024
Damage Location: 120 Teke Burton Drive, Mitchell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C J Construction
Other Party: CenterPoint Energy Indiana
Case Number: 32964
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/21/2024
Damage Location: 4641 Autumn Ridge Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: East Central Contractors LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33291
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/2/2024
Damage Location: 1403 West 10th Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Todobuild LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32853
Date of Advisory Meeting: 1/16/2025
Date of Damage: 8/12/2024
Damage Location: 2453 Stony Creek Drive, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 33454
Date of Advisory Meeting: 1/16/2025
Date of Damage: 10/30/2024
Damage Location: 4628 Peerless Road, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Banta
Other Party: Northern Indiana Public Service Company
Case Number: 31731
Date of Advisory Meeting: 7/18/2024
Date of Damage: 2/9/2024
Damage Location: 4075 East 850 North, Rome City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 31617
Date of Advisory Meeting: 6/20/2024
Date of Damage: 1/11/2024
Damage Location: 207 Linden Lane, Chesterfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000; training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brysons Exterior Renovations LLC
Other Party: Citizens Gas
Case Number: 31455
Date of Advisory Meeting: 5/16/2024
Date of Damage: 11/22/2023
Damage Location: 1210 North Alabama Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman