

ORIGINAL

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

Commissioner	Yes	No	Not Participating
Huston	√		
Bennett	√		
Freeman	√		
Veleta	√		
Ziegner	√		

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: APR 16 2025

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: APR 16 2025

I hereby certify that the above is a true
and correct copy of the Order as approved.

Dana Kosco
Secretary of the Commission



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chris Harmon
Other Party: CenterPoint Energy Indiana
Case Number: 33317
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/10/2024
Damage Location: 10350 Browning Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joshua Broshears
Other Party: CenterPoint Energy Indiana
Case Number: 33072
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/1/2024
Damage Location: 22 East Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ruben Martinez
Other Party: Northern Indiana Public Service Company
Case Number: 33398
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/10/2024
Damage Location: 1314 North Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Andy Klee
Other Party: CenterPoint Energy Indiana
Case Number: 33337
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/15/2024
Damage Location: 2014 South K Street, Elwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brayden Trimpe
Other Party: CenterPoint Energy Indiana
Case Number: 33192
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/20/2024
Damage Location: 4253 North Melvin Lane, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Caleb Fischer
Other Party: CenterPoint Energy Indiana
Case Number: 33199
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/18/2024
Damage Location: 782 Bloor Woods Court, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Clifton Beezley
Other Party: CenterPoint Energy Indiana
Case Number: 33325
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/13/2024
Damage Location: 4231 West State Road 44, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cortney Adkins
Other Party: CenterPoint Energy Indiana
Case Number: 33116
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/15/2024
Damage Location: 615 West Green Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dakota Gibbs
Other Party: Community Natural Gas Inc
Case Number: 33354
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/15/2024
Damage Location: 2791 East Hwy 46, Spencer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

A handwritten signature in black ink, appearing to read "James R. Surd".

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hunter Raborn
Other Party: Citizens Gas
Case Number: 33513
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/29/2024
Damage Location: 4026 Senour Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff Epperson
Other Party: CenterPoint Energy Indiana
Case Number: 33073
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/3/2024
Damage Location: 611 North Meridian Street, Ingalls

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jesse Hayes
Other Party: Citizens Gas
Case Number: 33350
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/22/2024
Damage Location: 7040 E 45th, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Daughtery
Other Party: CenterPoint Energy Indiana
Case Number: 33307
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/7/2024
Damage Location: 306 West 22nd Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Maria Maldonado
Other Party: Northern Indiana Public Service Company
Case Number: 33047
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/29/2024
Damage Location: 1427 Sherman Street, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

A handwritten signature in black ink, appearing to read "James R. Surd".

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mark Barrickman
Other Party: Citizens Gas
Case Number: 33344
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/15/2024
Damage Location: 8152 Alan Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Matt Haaga
Other Party: CenterPoint Energy Indiana
Case Number: 33174
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/16/2024
Damage Location: 2222 Lakes Edge Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Roger Rouhselang
Other Party: Northern Indiana Public Service Company
Case Number: 33141
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/7/2024
Damage Location: 517 Webster Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shad Williams
Other Party: CenterPoint Energy Indiana
Case Number: 33092
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/8/2024
Damage Location: 678 Historic Pleasant Street, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Spenser Taylor
Other Party: CenterPoint Energy Indiana
Case Number: 33196
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/22/2024
Damage Location: 402 Center Park Drive, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steve Reicher
Other Party: Northern Indiana Public Service Company
Case Number: 33128
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/3/2024
Damage Location: 3665 North Dana Drive, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thomas Zuckley
Other Party: Northern Indiana Public Service Company
Case Number: 33130
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/3/2024
Damage Location: 6311 Jackson Avenue Apartment RH, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33287
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/1/2024
Damage Location: 9 West College Avenue, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B Cardenas Construction Co Inc
Other Party: CenterPoint Energy Indiana
Case Number: 32999
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/27/2024
Damage Location: 1028 Caiman Court, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Home Comfort Experts
Other Party: Northern Indiana Public Service Company
Case Number: 33607
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/13/2024
Damage Location: 603 Obispo Street, Culver

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: McCalister Brothers, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33651
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/27/2024
Damage Location: 1716 Chestnut Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Meade Industries, Inc. - Electric
Other Party: Northern Indiana Public Service Company
Case Number: 33577
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/6/2024
Damage Location: 186 McNeil Street, Wheatfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Patriot Plumbing Heating & Air LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33599
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/11/2024
Damage Location: 1115 East Dayton Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Picket Ridge Fencing LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33039
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/29/2024
Damage Location: 23571 Grant Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: H & G Underground Utilities, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33042
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/29/2024
Damage Location: 27330 State Road 4, North Liberty

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Campos Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 32918
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/14/2024
Damage Location: 3012 South Clinton Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infinicom Group LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33363
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/2/2024
Damage Location: 1011 Mariners Drive, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rensselaer Municipal Gas System, City of
Other Party: D & S Underground Construction LLC
Case Number: 33613
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/8/2024
Damage Location: 1025 W Sunset Dr, Rensselaer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Watson Excavating, Inc. (Redkey)
Case Number: 32524
Date of Advisory Meeting: 2/27/2025
Date of Damage: 6/26/2024
Damage Location: 1626 Mason Boulevard, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Milenium, Inc.
Case Number: 33545
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/14/2024
Damage Location: 3363 Eden Village Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 33546
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/14/2024
Damage Location: 2633 North Smith Pike, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Vincent Monhollen
Case Number: 33552
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/15/2024
Damage Location: 507 East Summit Street, Attica

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: SouthMid Fiber LLC
Case Number: 33629
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/18/2024
Damage Location: 4744 West State Route 66 B, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: K W K Construction LLC
Case Number: 33633
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/19/2024
Damage Location: 102 West Washington Street, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Hack Excavating, Inc.
Case Number: 33639
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/20/2024
Damage Location: 2205 Powder House Lane, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Standard Optic General Services Corp
Case Number: 33640
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/22/2024
Damage Location: 5100 National Road East, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Matthew Bingham
Case Number: 33645
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/25/2024
Damage Location: 1803 Cottage Avenue, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Precision Fiber Solutions LLC
Case Number: 33649
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/27/2024
Damage Location: 600 Petersburg Road, Lynnville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Midwest Paving LLC
Case Number: 33688
Date of Advisory Meeting: 2/27/2025
Date of Damage: 12/2/2024
Damage Location: 2427 Grant Boulevard, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Prince Excavating, LLC
Case Number: 33701
Date of Advisory Meeting: 2/27/2025
Date of Damage: 12/9/2024
Damage Location: 7950 North Old State Road 37, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: J D H Contracting, Inc.
Case Number: 33705
Date of Advisory Meeting: 2/27/2025
Date of Damage: 12/9/2024
Damage Location: 8895 East 116th Street, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Sontag**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: United Construction Services LLC
Case Number: 33706
Date of Advisory Meeting: 2/27/2025
Date of Damage: 12/9/2024
Damage Location: 1372 South 10th Street, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: T S W Utility Solutions, Inc.
Case Number: 33711
Date of Advisory Meeting: 2/27/2025
Date of Damage: 12/11/2024
Damage Location: 850 Cedar Lane, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Vertical Underground LLC
Case Number: 33720
Date of Advisory Meeting: 2/27/2025
Date of Damage: 12/14/2024
Damage Location: 1406 South Washington Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Key Concrete, Inc.
Case Number: 33509
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/31/2024
Damage Location: 723 Growth Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Crider & Crider Construction
Case Number: 33542
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/8/2024
Damage Location: 201 East Washington Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Mark Morron Excavating, LLC
Case Number: 33553
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/12/2024
Damage Location: 3519 South 600 West, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 33708
Date of Advisory Meeting: 2/27/2025
Date of Damage: 12/10/2024
Damage Location: 352 Shady Brook Heights, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Hoosier Underground Utilities LLC
Case Number: 33721
Date of Advisory Meeting: 2/27/2025
Date of Damage: 12/10/2024
Damage Location: 12625 South Point Drive, Loogootee

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fox Contractors Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 33156
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/12/2024
Damage Location: 1522 Spring Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fox Contractors Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 33236
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/17/2024
Damage Location: 1619 Spring Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33078
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/4/2024
Damage Location: 3205 South Brotherton Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33209
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/30/2024
Damage Location: 803 Merry Lane, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33419
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/17/2024
Damage Location: 407 East Anderson Street, Rockville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R L M Underground
Other Party: Northern Indiana Public Service Company
Case Number: 33150
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/10/2024
Damage Location: 3361 South County Road 210, Knox

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R L M Underground
Other Party: Northern Indiana Public Service Company
Case Number: 33376
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/4/2024
Damage Location: 5690 South State Road 10, Knox

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33139
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/6/2024
Damage Location: 11066 McKinley Highway, Osceola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mt. Carmel Stabilization Group, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33295
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/4/2024
Damage Location: 2030 East 500 North, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mt. Carmel Stabilization Group, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33294
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/4/2024
Damage Location: 2052 East 500 North, Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 32886
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/2/2024
Damage Location: 10384 McKinley Highway, Suite A, Osceola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Anthony Houston
Other Party: Northern Indiana Public Service Company
Case Number: 33597
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/10/2024
Damage Location: 2650 Calhoun Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Diego Camarillo
Other Party: Northern Indiana Public Service Company
Case Number: 33148
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/9/2024
Damage Location: 3820 Gill Street, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eric Hoover
Other Party: Northern Indiana Public Service Company
Case Number: 33380
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/7/2024
Damage Location: 450 North 325 West, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Frank Casto
Other Party: Northern Indiana Public Service Company
Case Number: 33165
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/14/2024
Damage Location: 322 Maid Marion Drive North, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hugo Jacobo
Other Party: Northern Indiana Public Service Company
Case Number: 33048
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/31/2024
Damage Location: 4422 South Wayne Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: James Kline
Other Party: Northern Indiana Public Service Company
Case Number: 33502
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/29/2024
Damage Location: 7316 West Olson Road, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jason Marshall
Other Party: Northern Indiana Public Service Company
Case Number: 33406
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/12/2024
Damage Location: 6734 West 500 South, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeremiah Terry
Other Party: Northern Indiana Public Service Company
Case Number: 33372
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/4/2024
Damage Location: 62 East South Street, Rossville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeremy Post
Other Party: Northern Indiana Public Service Company
Case Number: 33251
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/20/2024
Damage Location: 10980 Cougar Drive, Granger

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jerrad Gerber
Other Party: Northern Indiana Public Service Company
Case Number: 33583
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/7/2024
Damage Location: 2291 East US Highway 224, Ossian

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Maciejko
Other Party: Northern Indiana Public Service Company
Case Number: 33362
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/1/2024
Damage Location: 415 South Lincoln Street, Morocco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jose Luis Montes
Other Party: Citizens Gas
Case Number: 33515
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/6/2024
Damage Location: 710 South Mount St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kerry Richards
Other Party: Northern Indiana Public Service Company
Case Number: 33143
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/8/2024
Damage Location: 412 South Wood Sage Street, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kevin Hoobyar
Other Party: Northern Indiana Public Service Company
Case Number: 33155
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/11/2024
Damage Location: 321 Tyler Avenue, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Krzysztof Petuchow
Other Party: Northern Indiana Public Service Company
Case Number: 33258
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/21/2024
Damage Location: 5310 Osage Avenue, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lukas Vanhorn
Other Party: Northern Indiana Public Service Company
Case Number: 33123
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/1/2024
Damage Location: 415 South Wabash Street, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Macy Thompson
Other Party: Northern Indiana Public Service Company
Case Number: 33595
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/9/2024
Damage Location: 123 East 12th Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robert Clark
Other Party: CenterPoint Energy Indiana
Case Number: 33653
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/22/2024
Damage Location: 7 Orchard Lane, Floyds Knobs

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Doug Driskell
Other Party: CenterPoint Energy Indiana
Case Number: 32982
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/26/2024
Damage Location: 105 East Church Street, Decker

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aaron Buis
Other Party: CenterPoint Energy Indiana
Case Number: 33440
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/25/2024
Damage Location: 12500 Shelborne Road, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cameron Electric
Other Party: Citizens Gas
Case Number: 33351
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/22/2024
Damage Location: 5422 Judith Anne Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nate Harvey
Other Party: Citizens Gas
Case Number: 33518
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/7/2024
Damage Location: 210 N Exeter Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Schwartz Plumbing & Heating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33573
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/5/2024
Damage Location: 19207 Tarman Road, New Paris

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hasse Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33154
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/11/2024
Damage Location: 1941 Summer Street, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Parker Excavating LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32387
Date of Advisory Meeting: 2/27/2025
Date of Damage: 6/12/2024
Damage Location: 1103 South Main Street, Princeton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C & E Excavating
Other Party: Northern Indiana Public Service Company
Case Number: 33157
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/12/2024
Damage Location: 315 Union Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lantech Communications
Other Party: Northern Indiana Public Service Company
Case Number: 33151
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/10/2024
Damage Location: 17168 Nightingale Place, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 5 Star Electric, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32628
Date of Advisory Meeting: 2/27/2025
Date of Damage: 7/9/2024
Damage Location: Hoosier Village Road & West 96th Street, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Watson Excavating, Inc. (Redkey)
Other Party: CenterPoint Energy Indiana
Case Number: 33099
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/10/2024
Damage Location: 804 South Western Avenue, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Delta Foundations Inc
Other Party: CenterPoint Energy Indiana
Case Number: 32970
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/22/2024
Damage Location: 103 East Washington Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tim Graber
Other Party: Midwest Natural Gas Corporation
Case Number: 32872
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/26/2024
Damage Location: 9258 E 875 N, Odon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Veedersburg
Other Party: CenterPoint Energy Indiana
Case Number: 33082
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/5/2024
Damage Location: 807 East 9th Street, Veedersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crown Concrete Cutting & Coring, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32512
Date of Advisory Meeting: 2/27/2025
Date of Damage: 6/22/2024
Damage Location: 589 Yorktown Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Anderson
Other Party: CenterPoint Energy Indiana
Case Number: 33187
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/19/2024
Damage Location: 2227 West 28th Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E & B Paving, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33206
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/26/2024
Damage Location: 1223 North Wabash Avenue, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J G Case Construction, Inc.
Other Party: Citizens Gas
Case Number: 33346
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/16/2024
Damage Location: 8301 Rawles Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nature's Link Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33086
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/6/2024
Damage Location: 2836 East Pointe Cove Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Callen Electrical LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33207
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/28/2024
Damage Location: 2227 West 9th Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Complete Flooring & Handyman Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33335
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/15/2024
Damage Location: 1440 Plum Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Davenport Construction Corp.
Other Party: Citizens Gas
Case Number: 32659
Date of Advisory Meeting: 2/27/2025
Date of Damage: 7/23/2024
Damage Location: 1101 Winfield Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Design to Done LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32988
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/28/2024
Damage Location: 848 Bennett Court, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dick McCalister & Sons, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33110
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/11/2024
Damage Location: 2011 2nd Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J N Electric
Other Party: CenterPoint Energy Indiana
Case Number: 33311
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/8/2024
Damage Location: 10468 Olio Road, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M I B Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33081
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/5/2024
Damage Location: 18799 Whitcomb Place, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Marco's Pool Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33176
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/16/2024
Damage Location: 630 Morningside Drive, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Priority Plumbing Services, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33175
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/16/2024
Damage Location: 824 Cohen Street, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Galdamez Guillen
Other Party: Citizens Gas
Case Number: 33220
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/3/2024
Damage Location: 9197 Hibben Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Reclamation & Excavating, Inc.
Other Party: Citizens Gas
Case Number: 33059
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/11/2024
Damage Location: 201 S 6th Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED: _____

James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greenwald Enterprises, Inc.
Other Party: Citizens Gas
Case Number: 33353
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/24/2024
Damage Location: 11631 Fox Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED: _____

James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & M Underground LLC
Other Party: Citizens Gas
Case Number: 33217
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/26/2024
Damage Location: 5439 Drum Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shuck Corporation
Other Party: Citizens Gas
Case Number: 33068
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/19/2024
Damage Location: 8335 Shelby St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Swinney Brothers Excavating, Inc.
Other Party: Citizens Gas
Case Number: 33352
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/24/2024
Damage Location: 320 N Tibbs Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED: _____

James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Harmon Plumbing
Other Party: Citizens Gas
Case Number: 33345
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/15/2024
Damage Location: 1504 Manhattan Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff Keesling
Other Party: Citizens Gas
Case Number: 33622
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/26/2024
Damage Location: 10424 Rainbow Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwestern Electric LLC
Other Party: Citizens Gas
Case Number: 33624
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/26/2024
Damage Location: 2857 Lafayette Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Atlas Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 32995
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/29/2024
Damage Location: Park Dr & Lafontaine Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reed & Sons Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 32987
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/28/2024
Damage Location: 4755 West State Road 48, Building 17, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Concrete Tailors LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33628
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/18/2024
Damage Location: 865 Rosemary Gardens, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Creative Design & Construction
Other Party: Northern Indiana Public Service Company
Case Number: 33013
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/21/2024
Damage Location: 4616 Millford Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & M Concrete Const LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33248
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/19/2024
Damage Location: 1835 Alabama Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Century Heating & Cooling LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33146
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/9/2024
Damage Location: 30368 County Road 38, Wakarusa

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dave's Landscaping
Other Party: Northern Indiana Public Service Company
Case Number: 33027
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/26/2024
Damage Location: 7340 North 1160 West, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lucio Castillo Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33420
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/17/2024
Damage Location: 5048 West US Highway 52, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mager Enterprises LLC
Other Party: Citizens Gas
Case Number: 33514
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/1/2024
Damage Location: 5815 E Troy Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mid-States Concrete & General Construction Co Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33626
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/18/2024
Damage Location: 8909 West State Road 67, Redkey

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Redeem Landscapes
Other Party: Northern Indiana Public Service Company
Case Number: 33582
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/7/2024
Damage Location: 11171 Albany Ridge Drive, Osceola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fixer Pros LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32991
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/29/2024
Damage Location: 330 North 2nd Street, Elberfeld

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Shepard's Gas Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33077
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/4/2024
Damage Location: 79 Southridge Road, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G I Power Contractor
Other Party: Northern Indiana Public Service Company
Case Number: 33166
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/14/2024
Damage Location: 1910 Faith Avenue, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Moreland Construction LLC
Other Party: Citizens Gas
Case Number: 33348
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/18/2024
Damage Location: 2702 Caroline Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J M Underground Utilities LLC
Other Party: Northern Indiana Public Service Company
Case Number: 32125
Date of Advisory Meeting: 2/27/2025
Date of Damage: 4/19/2024
Damage Location: 5076 East 1100 North, DeMotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Franco Landscaping, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33101
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/10/2024
Damage Location: 241 1st Avenue Northwest, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Friends Landscaping
Other Party: Northern Indiana Public Service Company
Case Number: 32920
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/15/2024
Damage Location: 1925 Borneman Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lake Park Estates
Other Party: Northern Indiana Public Service Company
Case Number: 33592
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/9/2024
Damage Location: 706 Jenna Street, South Whitley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bore-It Corporation
Other Party: Northern Indiana Public Service Company
Case Number: 33259
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/23/2024
Damage Location: 114 North 641 West, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L & A Fiber Utility LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33290
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/2/2024
Damage Location: 3340 Carolina Street, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Always Underground, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33200
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/20/2024
Damage Location: East Main Street and Elm Street, Ladoga

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dyer Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33167
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/14/2024
Damage Location: 5821 West 45th Avenue, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana American Water Co. DBA Indiana American
Other Party: Northern Indiana Public Service Company
Case Number: 33164
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/13/2024
Damage Location: 4613 Maryland Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33158
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/12/2024
Damage Location: 1204 Emerick Drive, Walkerton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & C Concrete Company, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33641
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/22/2024
Damage Location: 19715 Cordova Street, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: P & R Cable Corp.
Other Party: CenterPoint Energy Indiana
Case Number: 33210
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/30/2024
Damage Location: 1007 West Countryside Lane, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Woodruff & Sons, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33133
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/4/2024
Damage Location: Sunrise Avenue & Carmen Street, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Premier Directional Boring Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33239
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/18/2024
Damage Location: 53165 Chachalaca Trace, Lot 11, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Greenleaf Landscape
Other Party: CenterPoint Energy Indiana
Case Number: 33178
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/17/2024
Damage Location: 911 Briar Patch Lane, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Richards Turf Management Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33186
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/18/2024
Damage Location: 4600 Ford Road North, Mount Vernon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Other

Abstentions:

Additional Information: **Violation found - \$0 penalty recommended by UPPAC.**

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Steven Kirkwood
Other Party: CenterPoint Energy Indiana
Case Number: 33197
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/23/2024
Damage Location: 4500 South 500 East, Gas City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lamb Excavating LLC
Other Party: Westfield Gas Corporation
Case Number: 33221
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/4/2024
Damage Location: 864 Arkansas Ct, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Outdoor Environments Group LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33162
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/13/2024
Damage Location: 11 Trailside Drive, Winona Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nate's Landscaping LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33234
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/16/2024
Damage Location: 6500 West 129th Avenue, Lot 11, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ortiz Rentals
Other Party: Northern Indiana Public Service Company
Case Number: 33379
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/6/2024
Damage Location: 2209 East Market Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: PerezProperties LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33277
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/27/2024
Damage Location: 4920 Bull Rapids Road, Woodburn

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rico's Landscape & Hardscape, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33160
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/13/2024
Damage Location: 14 EMS T24 Lane, Leesburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sunrise Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33370
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/4/2024
Damage Location: 6095 North 675 West, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Todd Wise Sand & Gravel
Other Party: Northern Indiana Public Service Company
Case Number: 33378
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/5/2024
Damage Location: 5090 East McJunkin Street, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Premier Directional Boring Inc.
Case Number: 33355
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/1/2024
Damage Location: Wakefield and Riley, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Neri's Fencing & Welding
Case Number: 33360
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/1/2024
Damage Location: 10670 Keystone Lane, Lot 11, Winfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: O'Neal Excavating & Construction, Inc.
Case Number: 33373
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/4/2024
Damage Location: 3498 Brantley Drive, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Fox Contractors Corp.
Case Number: 33377
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/4/2024
Damage Location: 1117 High Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Fort Wayne
Case Number: 33382
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/7/2024
Damage Location: 1829 Dawn Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Hipkind Concrete Corp
Case Number: 33396
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/10/2024
Damage Location: 10011 Saint Clairs Retreat, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: American Electric Power DBA Indiana Michigan Power
Case Number: 33459
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/16/2024
Damage Location: 32845 Early Road, New Carlisle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Northwest Indiana Fence Co.
Case Number: 33486
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/22/2024
Damage Location: 8057 West Dianne Court, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Northeastern REMC
Case Number: 33498
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/29/2024
Damage Location: 13822 Liberty Mills Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Anveri Construction Corp
Case Number: 33503
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/29/2024
Damage Location: 20456 County Road 19, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: Nobis Technology LLC
Case Number: 33516
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/6/2024
Damage Location: 7808 Tanager Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: M G L Strategies, LLC
Case Number: 33561
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/1/2024
Damage Location: 406 Killarney Lane, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Malott Contracting, Inc.
Case Number: 33562
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/1/2024
Damage Location: 3325 Merrimack Place, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Elkhart
Case Number: 33578
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/6/2024
Damage Location: 3003 South East Lake Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Phil Hardesty
Case Number: 33594
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/9/2024
Damage Location: 457 Woodlawn Avenue, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas
Other Party: J E W Inc., d/b/a Weber Concrete Construction
Case Number: 33623
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/26/2024
Damage Location: 1715 North Alabama Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Environmental Quality Management, Inc.
Case Number: 33359
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/1/2024
Damage Location: 1213 Liberty Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of South Bend
Case Number: 33389
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/8/2024
Damage Location: 1505 Tudor Lane, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Shade Trees Unlimited
Case Number: 33392
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/9/2024
Damage Location: 16619 Pine Ridge Pass, Leo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Lowe Construction Co
Case Number: 33394
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/9/2024
Damage Location: 8317 East Tillman Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Actin, Inc.
Case Number: 33458
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/10/2024
Damage Location: 1301 Johnson Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B & B Site Maintenance, Inc.
Other Party: Citizens Gas
Case Number: 33343
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/9/2024
Damage Location: 320 N Tibbs Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Yarberry Landscape Excavating
Other Party: CenterPoint Energy Indiana
Case Number: 32990
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/28/2024
Damage Location: 330 Anderson Road, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hipskind Concrete Corp
Other Party: Northern Indiana Public Service Company
Case Number: 33125
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/3/2024
Damage Location: 909 Calverton Court, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.
Other Party: Northern Indiana Public Service Company
Case Number: 33576
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/6/2024
Damage Location: 911 Wall Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.
Other Party: Northern Indiana Public Service Company
Case Number: 33608
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/14/2024
Damage Location: Ridgewood Drive & Parkhill Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: AmeriFence, Inc.
Other Party: Citizens Gas
Case Number: 33214
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/25/2024
Damage Location: 1126 Jefferson Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S & J Excavation & Concrete LLC
Other Party: Citizens Gas
Case Number: 33066
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/18/2024
Damage Location: 8750 E 10th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jimmie Scott
Other Party: Northern Indiana Public Service Company
Case Number: 33570
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/5/2024
Damage Location: 105 East South Street, Buffalo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joshua Vernon
Other Party: Northern Indiana Public Service Company
Case Number: 33129
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/3/2024
Damage Location: 227 East Homer Street, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.
Other Party: Citizens Gas
Case Number: 33054
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/5/2024
Damage Location: 7801 S Meridian, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Andrew Rosen
Other Party: CenterPoint Energy Indiana
Case Number: 33646
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/25/2024
Damage Location: 900 Anderson Frankton Road, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Edward Bormes
Other Party: Northern Indiana Public Service Company
Case Number: 33023
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/24/2024
Damage Location: 4600 Central Avenue, Lake Station

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Oscar Lechuga
Other Party: Northern Indiana Public Service Company
Case Number: 33142
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/7/2024
Damage Location: 7104 West 350 North, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: William Langdon
Other Party: CenterPoint Energy Indiana
Case Number: 33098
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/10/2024
Damage Location: 6941 Lakeshore Drive, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brian Connolly
Other Party: Northern Indiana Public Service Company
Case Number: 33275
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/26/2024
Damage Location: 733 South 33rd Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sandra Miles
Other Party: CenterPoint Energy Indiana
Case Number: 33108
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/11/2024
Damage Location: 646 Storey Drive, Washington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kings Trucking & Excavation, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 32836
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/5/2024
Damage Location: 1849 First Avenue, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Specialties Co. LLC
Other Party: Northern Indiana Public Service Company
Case Number: 32888
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/6/2024
Damage Location: 7001 West 140th Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Quality Excavating Corp
Other Party: Northern Indiana Public Service Company
Case Number: 33136
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/5/2024
Damage Location: 418 East Angela Boulevard, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rock Solid Stabilization & Reclamation, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33147
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/9/2024
Damage Location: 5463 East 107th Place, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K & S Engineers
Other Party: Northern Indiana Public Service Company
Case Number: 33270
Date of Advisory Meeting: 2/27/2025
Date of Damage: 9/25/2024
Damage Location: 9715 Kennedy Avenue, Highland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kronk Landscaping
Other Party: Northern Indiana Public Service Company
Case Number: 33038
Date of Advisory Meeting: 2/27/2025
Date of Damage: 8/28/2024
Damage Location: 31095 Tyler Road, Walkerton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Super T
Other Party: CenterPoint Energy Indiana
Case Number: 33298
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/5/2024
Damage Location: 8530 Brae Court, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: West Indy Concrete LLC
Other Party: CenterPoint Energy Indiana
Case Number: 32389
Date of Advisory Meeting: 2/27/2025
Date of Damage: 6/12/2024
Damage Location: 801 West Main Street, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Lantech Communications
Case Number: 33397
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/10/2024
Damage Location: 5154 Stone Avenue, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Anveri Construction Corp
Case Number: 33484
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/22/2024
Damage Location: 8680 Winding Trail, Lot 14, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Rex Construction Company, Inc.
Case Number: 33488
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/23/2024
Damage Location: 1437 West 25th Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Premier Directional Boring Inc.
Case Number: 33500
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/29/2024
Damage Location: 24101 Eagle Ridge Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: NIPSCO - Gas
Case Number: 33605
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/12/2024
Damage Location: 601 East Beardsley Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Lantech Communications
Case Number: 33606
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/12/2024
Damage Location: 3299 Hickory Street, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D R Watson Co Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33313
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/9/2024
Damage Location: 3174 West Keepsake Lane, Monrovia

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hirt & Ellco, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33338
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/9/2024
Damage Location: 510 North Edward Drive, Greensburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Site Worx Services LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33579
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/6/2024
Damage Location: 105 East Main Street, Winamac

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Underground Contractors, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33367
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/3/2024
Damage Location: 6224 Bluffton Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D S & Sons LLC
Other Party: Ohio Valley Gas Corp
Case Number: 33654
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/27/2024
Damage Location: 953 Danny Dr, Sullivan

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ferguson's Backhoe
Other Party: Midwest Natural Gas Corporation
Case Number: 33172
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/4/2024
Damage Location: 240 English Ave, Austin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Flagship Underground LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33318
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/10/2024
Damage Location: 515 East First Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Herzog Lawn Care LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33437
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/24/2024
Damage Location: 1518 Laurel Oak Drive, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indy Twenty Four Seven
Other Party: CenterPoint Energy Indiana
Case Number: 33326
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/11/2024
Damage Location: 11799 North College Avenue, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jirk Swope Enterprises Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33308
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/8/2024
Damage Location: 1201 South Bedford Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Retain - It Landscaping Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33432
Date of Advisory Meeting: 2/27/2025
Date of Damage: 10/21/2024
Damage Location: 4665 North US Highway 31, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Seth Besse
Other Party: Northern Indiana Public Service Company
Case Number: 33565
Date of Advisory Meeting: 2/27/2025
Date of Damage: 11/3/2024
Damage Location: 325 Pine Ridge Circle, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman