

Commissioner	Yes	No	Not Participating
Huston	V		
Bennett	V		
Freeman	V		
Veleta			V
Ziegner	٧		

# STATE OF INDIANA

#### INDIANA UTILITY REGULATORY COMMISSION

)

)

#### IN THE MATTER OF AN ORDER APPROVING ADVISORY COMMITTEE RECOMMENDATIONS PURSUANT TO INDIANA CODE CHAPTER 8-1-26.

#### APPROVED: MAY 15 2024

#### **ORDER OF THE COMMISSION**

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division ("Division") of the Indiana Utility Regulatory Commission ("Commission") investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission's Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission's Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

#### IT IS SO ORDERED.

#### HUSTON, BENNETT, FREEMAN, AND ZIEGNER CONCUR; VELETA ABSENT:

#### APPROVED: MAY 15 2024

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	M G L Strategies, LLC
Case Number:	31385
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/10/2023
Damage Location:	6888 Prairie Run Avenue Lot 10, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Milenium, Inc.
Case Number:	31424
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/16/2023
Damage Location:	4123 West 1350 South, Hanna

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Blankenberger Brothers, Inc.
Case Number:	31472
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/1/2023
Damage Location:	3004 East Walnut Street, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Indiana American Water Co. DBA Indiana American
Case Number:	30978
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/20/2023
Damage Location:	1604 Melanie Lane Building 1, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Aron Martinez
Case Number:	31349
Date of Advisory Meeting:	3/14/2024
Date of Damage:	10/26/2023
Damage Location:	1733 South Michigan Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Joink LLC
Case Number:	31505
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/14/2023
Damage Location:	4714 Harrison Denham Way, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Axis Fiber Solutions
Case Number:	31556
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/18/2023
Damage Location:	7300 South Carlisle Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ohio Valley Gas Corp
Other Party:	Larry Smith Inc
Case Number:	31597
Date of Advisory Meeting:	3/14/2024
Date of Damage:	1/22/2024
Damage Location:	203 Kuebel Street, Sunman

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	The Robert Henry Corporation
Case Number:	31364
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/6/2023
Damage Location:	4901 Hoagland Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Milenium, Inc.
Case Number:	31390
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/15/2023
Damage Location:	6952 East Harrold Place, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	S & S Fiberoptics Corp
Case Number:	31412
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/30/2023
Damage Location:	932 North Fairview Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Northern Indiana Public Service Company
Indiana American Water Co. DBA Indiana American
31437
3/14/2024
11/21/2023
820 Tennessee Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Voorhies Contracting, LLC
Case Number:	31471
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/1/2023
Damage Location:	890 North Main Street, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Dan Cristiani Excavating Co., Inc.
Case Number:	31508
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/15/2023
Damage Location:	1513 Horn Street, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Darrell Johnson
Other Party:	CenterPoint Energy Indiana
Case Number:	30790
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/2/2023
Damage Location:	11430 South State Road 61, Spurgeon

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Darrell Johnson
Other Party:	CenterPoint Energy Indiana
Case Number:	30799
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/7/2023
Damage Location:	11430 South State Road 61, Oakland City

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	F H Paschen, S N Nielsen & Associates LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31261
Date of Advisory Meeting:	3/14/2024
Date of Damage:	10/26/2023
Damage Location:	11301 West 93rd Avenue, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	L G S Plumbing, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30848
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/1/2023
Damage Location:	726 North 3rd Street, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Calumet Civil Contractors, Inc.
Other Party:	Citizens Gas
Case Number:	31293
Date of Advisory Meeting:	3/14/2024
Date of Damage:	10/30/2023
Damage Location:	3420 Garden Grove Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000; training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Calumet Civil Contractors, Inc.
Other Party:	Citizens Gas
Case Number:	31296
Date of Advisory Meeting:	3/14/2024
Date of Damage:	10/25/2023
Damage Location:	5830 Tybalt Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	F H Paschen, S N Nielsen & Associates LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31359
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/4/2023
Damage Location:	11301 West 93rd Avenue, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Howard Companies, Inc
Other Party:	Citizens Gas
Case Number:	31286
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/14/2023
Damage Location:	60 N Bazil Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rieth-Riley Construction Co., Inc.
Other Party:	Citizens Gas
Case Number:	31026
Date of Advisory Meeting:	3/14/2024
Date of Damage:	10/3/2023
Damage Location:	1937 Cornell Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Brackney, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31327
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/9/2023
Damage Location:	309 North Center Street, Eaton

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	David Price Excavating, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31338
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/15/2023
Damage Location:	404 East Market Street, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	TSWT Acquisition, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31400
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/17/2023
Damage Location:	3995 Highway 56, Petersburg

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	George Thompson
Other Party:	CenterPoint Energy Indiana
Case Number:	31307
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/4/2023
Damage Location:	2502 North Lafayette Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Greg Brouilette
Other Party:	Northern Indiana Public Service Company
Case Number:	31428
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/17/2023
Damage Location:	2854 East 700 South, Oxford

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Feutz Contractors, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31415
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/30/2023
Damage Location:	2740 East County Road 900 South, Cloverdale

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Crosby Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31015
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/29/2023
Damage Location:	975 North Seminary Street, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

### \$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dyer Construction Co., Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31141
Date of Advisory Meeting:	3/14/2024
Date of Damage:	10/10/2023
Damage Location:	36 East 3rd Street, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

#### \$4,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	ACE Underground Services LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31000
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/26/2023
Damage Location:	209 East Jefferson Street, Albion

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

#### Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Five Star Concrete and Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31387
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/13/2023
Damage Location:	601 East 11th Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

#### Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

James R. Surd for Ben Warren

APPROVED: Ben Warren, Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ian Kettering
Other Party:	Northern Indiana Public Service Company
Case Number:	31438
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/22/2023
Damage Location:	53115 Faith Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	B & A Underground Solutions
Other Party:	Community Natural Gas Inc
Case Number:	31276
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/10/2023
Damage Location:	5988 Gentry Rd., Freedom

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Acculevel, Inc.
Other Party:	Citizens Gas
Case Number:	31292
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/1/2023
Damage Location:	603 Greenlee Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Energy Group - Water
Other Party:	Citizens Gas
Case Number:	31295
Date of Advisory Meeting:	3/14/2024
Date of Damage:	10/27/2023
Damage Location:	7113 Fairwood Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Electricom, Inc.
Other Party:	Ohio Valley Gas Corp
Case Number:	31418
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/11/2023
Damage Location:	101 Broad Street, Kennard

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Austin Biggerstaff Excavating, LLC
Other Party:	Citizens Gas
Case Number:	31289
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/10/2023
Damage Location:	5155 Plantation Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Greendale
Other Party:	Sycamore Gas Company
Case Number:	31343
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/4/2023
Damage Location:	310 Probasco Street, Greendale

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Christian Allebach
Other Party:	Citizens Gas
Case Number:	31283
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/16/2023
Damage Location:	1650 English Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Grandman, LLC
Other Party:	Citizens Gas
Case Number:	31029
Date of Advisory Meeting:	3/14/2024
Date of Damage:	10/3/2023
Damage Location:	5629 Norwaldo Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Cooper Concrete Inc
Other Party:	Midwest Natural Gas Corporation
Case Number:	31222
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/16/2023
Damage Location:	301 East Bard Street, Crothersville

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Countryscapes & Gardens
Other Party:	Northern Indiana Public Service Company
Case Number:	31432
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/20/2023
Damage Location:	305 Bridge Street, Ligonier

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	MLC Plumbing dba Bud's Plumbing service Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31502
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/14/2023
Damage Location:	1658 Edson Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Stehlin Construction Inc
Other Party:	Sycamore Gas Company
Case Number:	31596
Date of Advisory Meeting:	3/14/2024
Date of Damage:	1/11/2024
Damage Location:	219 1st Street, Lawrenceburg

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Optimum Home Builder LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31440
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/25/2023
Damage Location:	8100 Olson Road, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bruce Jourdan
Other Party:	CenterPoint Energy Indiana
Case Number:	31554
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/16/2023
Damage Location:	7055 Sharon Road, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training; concealment escalation - additional \$1,500

Abstentions:

Additional Information:

**APPROVED:** 

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Javelina Construction Inc.
Other Party:	Citizens Gas
Case Number:	31298
Date of Advisory Meeting:	3/14/2024
Date of Damage:	10/17/2023
Damage Location:	S 7658 Trophy Club Dr S, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### \$3,000; no ticket escalation - additional \$1,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	All Type Fence Company
Other Party:	Northern Indiana Public Service Company
Case Number:	31430
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/20/2023
Damage Location:	7903 Jefferson Avenue, Munster

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

**APPROVED:** 

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	All Seasons Underground Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31445
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/29/2023
Damage Location:	2338 John Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

**APPROVED:** 

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31012
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/29/2023
Damage Location:	1623 Kendall Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Key Concrete, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31353
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/1/2023
Damage Location:	4026 Beaverbrook Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C & P Installations, Inc.
Other Party:	Citizens Gas
Case Number:	30777
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/21/2023
Damage Location:	8651 Robbins Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	McIndy Plumbing & Drains Service, LLC
Other Party:	Citizens Gas
Case Number:	31299
Date of Advisory Meeting:	3/14/2024
Date of Damage:	10/16/2023
Damage Location:	3423 Hillside Ave, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Miller Pipeline, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31379
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/10/2023
Damage Location:	25600 County Road 4, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Key Concrete, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31426
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/17/2023
Damage Location:	3417 Beaver Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Denney Excavating
Other Party:	Citizens Gas
Case Number:	31468
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/12/2023
Damage Location: Indianapolis	3502 North White River Parkway North Drive,

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

#### Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

**APPROVED:** 

James R. Surd for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Florez Excavation LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30557
Date of Advisory Meeting:	3/14/2024
Date of Damage:	8/11/2023
Damage Location:	918 Oak Park Drive, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Topper Masonry
Other Party:	CenterPoint Energy Indiana
Case Number:	30947
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/25/2023
Damage Location:	7166 Abell Lane, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	H Bury and Bore
Other Party:	CenterPoint Energy Indiana
Case Number:	31300
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/1/2023
Damage Location:	1140 West Baseline Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

**APPROVED:** 

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Greenstreet Residential Maintenance
Other Party:	CenterPoint Energy Indiana
Case Number:	31301
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/1/2023
Damage Location:	12536 Pebblepointe Pass, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ashley Pedro-Campos
Other Party:	CenterPoint Energy Indiana
Case Number:	31308
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/4/2023
Damage Location:	517 Grant Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lugar Construction Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	31325
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/10/2023
Damage Location:	1612 South Birch Lane, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	L & D Communication LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	31322
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/8/2023
Damage Location:	2609 East Nora Hill Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Asher's Construction LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	31399
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/16/2023
Damage Location:	724 Doran Avenue, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Penhall Co.
Other Party:	CenterPoint Energy Indiana
Case Number:	31404
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/20/2023
Damage Location: Haute	Percopo Hall, Rose Hulman Institute Road, Terre

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

**APPROVED:** 

James R. Surd for Ben Warren

Ben Warren, Chairman

\_\_\_\_\_



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Uriel Hernandez
Other Party:	CenterPoint Energy Indiana
Case Number:	31416
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/29/2023
Damage Location:	2124 West 6th Street, Marion

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:Aventus Group LLCOther Party:CenterPoint Energy IndianaCase Number:31476Date of Advisory Meeting:3/14/2024Date of Damage:12/2/2023Damage Location:895 West Pine Street, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Marlow Concrete
Other Party:	CenterPoint Energy Indiana
Case Number:	31492
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/11/2023
Damage Location:	2116 J Street, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Patton Plumbing LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30314
Date of Advisory Meeting:	3/14/2024
Date of Damage:	7/10/2023
Damage Location:	20 Greenwood Trail North Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

## IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dotson Construction, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	30811
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/12/2023
Damage Location:	600 Southeast 2nd Street, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Walker Irrigation Systems, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31332
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/11/2023
Damage Location:	11000 Stockdale Street, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

**APPROVED:** 

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fox Contractors Corp.
Other Party:	CenterPoint Energy Indiana
Case Number:	31336
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/15/2023
Damage Location:	8780 East County Road 700 North, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:R L M UndergroundOther Party:CenterPoint Energy IndianaCase Number:31411Date of Advisory Meeting:3/14/2024Date of Damage:11/29/2023Damage Location:716 Eastmont Drive, Gas City

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	K & K Excavating, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31480
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/6/2023
Damage Location:	4000 North Green River Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Q C Communications, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31567
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/29/2023
Damage Location:	2666 East 500 North, New Whiteland

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Specialties Co. LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	31401
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/16/2023
Damage Location:	208 East 6th Street, Sheridan

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

#### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Riverbend Electric Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	30750
Date of Advisory Meeting:	3/14/2024
Date of Damage:	8/28/2023
Damage Location:	61500 1/2 Poppy Road, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Big Dawg Contractors Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30983
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/21/2023
Damage Location:	1445 Brandywine Drive, Munster

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fiberwizard Installation LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	30994
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/25/2023
Damage Location:	1746 East 300 North, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Macdougall Pierce Construction Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	31250
Date of Advisory Meeting:	3/14/2024
Date of Damage:	10/23/2023
Damage Location:	3727 East Market Street, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	North Fork Excavating
Other Party:	Sycamore Gas Company
Case Number:	31346
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/16/2023
Damage Location:	753 North Dearborn Road, West Harrison

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Tri-State Concrete Sawing, Inc.
Other Party:	Sycamore Gas Company
Case Number:	31348
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/9/2023
Damage Location:	707 Nowlin Avenue, Greendale

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Deck & Fence Solutions LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31357
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/4/2023
Damage Location:	1714 Valley Court, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	E.G. Renovations LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31374
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/8/2023
Damage Location:	4712 Oak Tree Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	United Excavating & General Contracting, Inc.
Other Party:	Westfield Gas Corporation
Case Number:	31282
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/17/2023
Damage Location:	862 Bedwell Bay Rd, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Warren

Additional Information:

**APPROVED:** 

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	C & S Concrete Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31372
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/8/2023
Damage Location:	1018 East Summit Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

**APPROVED:** 

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Austgen Electric, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31421
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/16/2023
Damage Location:	801 East Main Street Building 16-5, Griffith

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

# \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

**APPROVED:** 

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Miller Building, L.L.C.
Other Party:	Northern Indiana Public Service Company
Case Number:	31423
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/16/2023
Damage Location:	3168 South 500 West, Russiaville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

**APPROVED:** 

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	William Noland & Son Excavating, Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	31369
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/7/2023
Damage Location:	3200 Timber Valley Drive, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	L J Z Excavating LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31382
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/10/2023
Damage Location:	305 Main Street, North Judson

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Telecom Placement, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31405
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/20/2023
Damage Location:	4244 Cook Avenue, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Curt Dickey
Other Party:	Northern Indiana Public Service Company
Case Number:	31389
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/13/2023
Damage Location:	3709 South State Road 119, Star City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Temple & Temple Excavating & Paving Inc.
Midwest Natural Gas Corporation
31419
3/14/2024
12/18/2023
221 Tarr Avenue, Salem

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	H & G Underground Utilities, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31434
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/20/2023
Damage Location:	67585 County Road 13, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bullseye Directional Boring, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31444
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/28/2023
Damage Location:	Feighner Road and Timothy Lane, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

#### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milenium, Inc.
Other Party:	Citizens Gas
Case Number:	30518
Date of Advisory Meeting:	3/14/2024
Date of Damage:	8/10/2023
Damage Location:	2817 Coopersmith Court, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milenium, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31007
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/27/2023
Damage Location:	21200 Clover Hill Court, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

#### \$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Concrete Specialties, Inc.
Case Number:	31306
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/3/2023
Damage Location:	1814 Roundhill Drive, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	S & S Fiberoptics Corp
Case Number:	31333
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/14/2023
Damage Location:	303 North Hopewell Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Lineal Contracting, Inc.
Case Number:	31334
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/15/2023
Damage Location:	250 Ferguson Drive, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Meade Industries, Inc Electric
Case Number:	31367
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/6/2023
Damage Location: Lake	10541 West 129th Avenue Building Garage, Cedar

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

Additional Information:

**APPROVED:** 

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Kankakee Valley REMC
Case Number:	31375
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/9/2023
Damage Location:	93 Cambe Court, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Infrasource Construction, LLC
Case Number:	31377
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/9/2023
Damage Location:	11507 North 450 East, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Lelaren LLC
Case Number:	31386
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/10/2023
Damage Location:	703 Jefferson Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Slusser's Green Thumb
Case Number:	31427
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/17/2023
Damage Location:	809 North 5th Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Aptim Environmental & Infrastructure LLC
Case Number:	31475
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/5/2023
Damage Location:	1513 Southeast Riverside Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Cassady Electric
Case Number:	31478
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/6/2023
Damage Location:	2611 East 3rd Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	T C S Communications, LLC
Case Number:	31483
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/1/2023
Damage Location:	11180 South State Road 67, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Dan Cristiani Excavating Co., Inc.
Case Number:	31493
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/12/2023
Damage Location:	5908 Juniper Court, Charleston

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	City of Petersburg
Case Number:	31501
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/14/2023
Damage Location:	1022 East Sarah Street, Petersburg

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

#### \$1,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milenium, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	30979
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/20/2023
Damage Location:	938 West Caroline Court, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milenium, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31378
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/9/2023
Damage Location:	319 Crestline Court, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milenium, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31435
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/20/2023
Damage Location:	27288 County Road 4, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000; training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Alec Zandstra
Other Party:	Northern Indiana Public Service Company
Case Number:	30886
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/13/2023
Damage Location:	15708 Chestnut Street, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	United Infrastructure, LLC
Other Party:	Westfield Gas Corporation
Case Number:	31287
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/13/2023
Damage Location:	18326 Spring Mill Rd, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	United Infrastructure, LLC
Other Party:	Westfield Gas Corporation
Case Number:	31284
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/14/2023
Damage Location:	18326 Spring Mill Rd, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED:

James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jason Parry
Other Party:	Indiana Natural Gas Corporation
Case Number:	31280
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/29/2023
Damage Location:	8661 West Georgetown Road, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ronnie Hayes
Other Party:	CenterPoint Energy Indiana
Case Number:	31309
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/5/2023
Damage Location:	6733 North State Road 59, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kevin Reinhard
Other Party:	Northern Indiana Public Service Company
Case Number:	31368
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/6/2023
Damage Location:	145 South 300 East, Decatur

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Chad Eldridge
Other Party:	Northern Indiana Public Service Company
Case Number:	31439
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/22/2023
Damage Location:	603 East Elizabeth Street, Flora

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Townline Mennonite Church
Other Party:	Northern Indiana Public Service Company
Case Number:	31381
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/10/2023
Damage Location:	2165 South 1000 West, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Daniel Mcghee
Other Party:	CenterPoint Energy Indiana
Case Number:	31319
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/7/2023
Damage Location:	4900 Daylight Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ryan Mays
Other Party:	CenterPoint Energy Indiana
Case Number:	31331
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/13/2023
Damage Location:	722 S 9th Street, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

#### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	David Majda
Other Party:	Northern Indiana Public Service Company
Case Number:	31352
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/1/2023
Damage Location:	2302 Bartz Road, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Cole Fielder
Other Party:	Northern Indiana Public Service Company
Case Number:	31355
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/4/2023
Damage Location:	19255 Arthur Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Billy Myers
Other Party:	Northern Indiana Public Service Company
Case Number:	31361
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/5/2023
Damage Location:	2403 North US Highway 31, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Leonardo Guadian
Other Party:	Northern Indiana Public Service Company
Case Number:	31384
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/10/2023
Damage Location:	1471 West Eastbrook Street, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Buddy Rickly
Other Party:	CenterPoint Energy Indiana
Case Number:	31510
Date of Advisory Meeting:	3/14/2024
Date of Damage:	12/12/2023
Damage Location:	476 Autumn Lane, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Flipz Renovations LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30921
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/22/2023
Damage Location:	2518 Running Stream Court, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

### Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Complete Fence, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31451
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/30/2023
Damage Location:	9139 Beech Avenue, Munster

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milestone Contractors, L.P.
Other Party:	Northern Indiana Public Service Company
Case Number:	31016
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/30/2023
Damage Location:	307 East Lasalle Avenue, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000; training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	City of Elkhart
Other Party:	Northern Indiana Public Service Company
Case Number:	31425
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/16/2023
Damage Location:	130 North Corona Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

#### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Gordon Engineering
Other Party:	Northern Indiana Public Service Company
Case Number:	30977
Date of Advisory Meeting:	3/14/2024
Date of Damage:	9/20/2023
Damage Location:	Woodford Trail Lots 22 and 23, Granger

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

### \$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bunn Excavating, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31403
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/20/2023
Damage Location:	State Road 22, Gas City

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

#### \$3,000

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Merv Knepp
Other Party:	Midwest Natural Gas Corporation
Case Number:	31281
Date of Advisory Meeting:	3/14/2024
Date of Damage:	11/30/2023
Damage Location:	6349 North 900 East, Montgomery

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

#### Warning letter

Abstentions:

Additional Information:

APPROVED:

James R. Surd for Ben Warren