

Commissioner	Yes	No	Not Participating
Huston	٧		
Bennett	٧		
Freeman	٧		
Veleta	٧		
Ziegner	٧		

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)	
APPROVING ADVISORY COMMITTEE)	APPROVED: JUL 31 2024
RECOMMENDATIONS PURSUANT TO)	
INDIANA CODE CHAPTER 8-1-26.)	

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division ("Division") of the Indiana Utility Regulatory Commission ("Commission") investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission's Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission's Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: JUL 31 2024

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lantech Communications

Other Party: Northern Indiana Public Service Company

Case Number: 31738

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/15/2024

Damage Location: 647 Parkwood Drive, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana

Other Party: Flow Pro Plumbing & Drain Service LLC

Case Number: 31753

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/19/2024

Damage Location: 131 Champ Ulysses Street, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana

Other Party: Vieria Brothers, Inc

Case Number: 31755

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/19/2024

Damage Location: 187 South 1200 East, Oakland City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
-------------	----------------------------

Other Party: Wabash Utilities, Inc.

Case Number: 31766

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/26/2024

Damage Location: 1403 Busseron Street, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Other Party: 5 Star Electric, LLC

Case Number: 31771

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/28/2024

Damage Location: 12269 Brompton Road, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
-------------	----------------------------

Other Party: Miller Pipeline, LLC

Case Number: 31773

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/26/2024

Damage Location: 314 South Water Street, Chesterfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Indiana Underg	ground Plant Protection Advisory Committee
Respondent:	Midwest Natural Gas Corporation
Other Party:	City of Salem
Case Number:	31777
Other Party:	City of Salem

5/16/2024

3/11/2024

Damage Location: 104 North Water Street, Salem

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

Date of Advisory Meeting:

Date of Damage:

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
-------------	----------------------------

Other Party: Indiana Underground Construction, Inc.

Case Number: 31814

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/4/2024

Damage Location: 979 East Morris Avenue, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana

Other Party: Helebo Trenching, Inc.

Case Number: 31831

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/11/2024

Damage Location: 764 Newton Drive, Danville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
-------------	----------------------------

Other Party: SouthMid Fiber LLC

Case Number: 31843

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/13/2024

Damage Location: 10610 Greenleaf Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana

Other Party: Utility Management and Construction LLC

Case Number: 31845

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/15/2024

Damage Location: 4712 East County Road 750 North, Pittsboro

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
-------------	----------------------------

Other Party: Environmental Construction, Inc.

Case Number: 31752

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/16/2024

Damage Location: 2240 West 11th Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
-------------	----------------------------

Other Party: R L M Underground

Case Number: 31772

Date of Advisory Meeting: 5/16/2024
Date of Damage: 2/29/2024

Damage Location: 1012 South 4th Street, Gas City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Plant Protection Advisory Committee
CenterPoint Energy Indiana
Town of Hope
31816

5/16/2024

3/4/2024

Damage Location: 208 Washington Street, Hope

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

Date of Advisory Meeting:

Date of Damage:

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana

Other Party: City of Anderson

Case Number: 31827

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/11/2024

Damage Location: 1910 Broadway Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A-1 Sanitary Sewer & Drain Company

Other Party: Northern Indiana Public Service Company

Case Number: 29470

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/20/2023

Damage Location: 809 East Paulding Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infinite Energy Services

Other Party: CenterPoint Energy Indiana

Case Number: 29890

Date of Advisory Meeting: 5/16/2024

Date of Damage: 5/19/2023

Damage Location: 1504 Washington Street, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Infinite Energy Services

Other Party: Northern Indiana Public Service Company

Case Number: 30270

Date of Advisory Meeting: 5/16/2024

Date of Damage: 6/28/2023

Damage Location: 261 North Columbia City Parkway, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A-1 Sanitary Sewer & Drain Company

Other Party: Northern Indiana Public Service Company

Case Number: 30502

Date of Advisory Meeting: 5/16/2024

Date of Damage: 7/31/2023

Damage Location: 3406 Vessy Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.

Other Party: Citizens Gas

Case Number: 30627

Date of Advisory Meeting: 5/16/2024

Date of Damage: 9/5/2023

Damage Location: 3520 Evergreen Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.

Other Party: Citizens Gas

Case Number: 31572

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/29/2023

Damage Location: 1902 2 West Morris Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.

Other Party: Citizens Gas

Case Number: 31581

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/11/2024

Damage Location: 1115 South Whitcomb Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Riviera Group, LLC

Other Party: Citizens Gas

Case Number: 31463

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/8/2023

Damage Location: 4225 Kinglsey Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lantech Communications

Other Party: Northern Indiana Public Service Company

Case Number: 31536

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/8/2023

Damage Location: 6251 Lute Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mr. Fence It, Assumed Business Name of Green T

Fencing, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31254

Date of Advisory Meeting: 5/16/2024

Date of Damage: 10/24/2023

Damage Location: 10883 North Ravinia Boulevard, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mr. Fence It, Assumed Business Name of Green T

Fencing, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31256

Date of Advisory Meeting: 5/16/2024

Date of Damage: 10/25/2023

Damage Location: 10883 North Ravinia Boulevard, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$4,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Probead Welding

Other Party: Westfield Gas Corporation

Case Number: 31452

Date of Advisory Meeting: 5/16/2024

Date of Damage: 11/20/2023

Damage Location: 2090 Egbert Road, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brysons Exterior Renovations LLC

Other Party: Citizens Gas

Case Number: 31455

Date of Advisory Meeting: 5/16/2024

Date of Damage: 11/22/2023

Damage Location: 1210 North Alabama Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vincent Concrete Contractors

Other Party: Northern Indiana Public Service Company

Case Number: 31532

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/7/2023

Damage Location: 520 South Union Street, Russiaville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Good News Mission

Other Party: Citizens Gas

Case Number: 31570

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/20/2023

Damage Location: 2709 East Washington Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Desabatine Brothers Excavating

Other Party: Northern Indiana Public Service Company

Case Number: 31582

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/16/2023

Damage Location: 116 1/2 East Madison Street, Winamac

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information: additional \$1,500 escalation because the excavator engaged in self-repair of the gas line with tape and concealed the damage from the gas utility. Penalty is \$4,000 total, or repondent can complete training with a \$2,500 penalty.

APPROVED:

/for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Expert Lawn & Landscape LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31594

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/29/2023

Damage Location: 5974 North 00 Eastwest, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lengacher Brothers Commercial Roofing

Other Party: Northern Indiana Public Service Company

Case Number: 31629

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/5/2024

Damage Location: 414 3rd Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S A R Excavating

Other Party: Northern Indiana Public Service Company

Case Number: 31630

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/8/2024

Damage Location: 12886 South State Road 14, Akron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Specialties Co. LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31634

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/10/2024

Damage Location: 12701 Cuba Road, Grabill

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eicher Creations

Other Party: Northern Indiana Public Service Company

Case Number: 31727

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/8/2024

Damage Location: 3827 Murvihill Rpad, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Marion Yoder (Middlebury)

Other Party: Northern Indiana Public Service Company

Case Number: 31728

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/9/2024

Damage Location: 10668 County Road 16, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Perfect Patch

Other Party: Citizens Gas

Case Number: 31743

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/18/2024

Damage Location: 6404 Myrtle Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reyes Roofing LLC

Other Party: Citizens Gas

Case Number: 31746

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/28/2024

Damage Location: 953 Lexington Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joseph Werle

Other Party: Citizens Gas

Case Number: 30355

Date of Advisory Meeting: 5/16/2024

Date of Damage: 7/23/2023

Damage Location: 8425 East 42nd Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nicholas Jastreboski

Other Party: Northern Indiana Public Service Company

Case Number: 30477

Date of Advisory Meeting: 5/16/2024

Date of Damage: 7/20/2023

Damage Location: 11230 State Street, Winfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & A Utilities LLC

Other Party: Northern Indiana Public Service Company

Case Number: 30478

Date of Advisory Meeting: 5/16/2024

Date of Damage: 7/21/2023

Damage Location: 220 Lane 282 Hamilton Lake, Lot 130, Hamilton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J C Excavating

Other Party: Citizens Gas

Case Number: 31290

Date of Advisory Meeting: 5/16/2024

Date of Damage: 11/8/2023

Damage Location: 541 North Gray Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eubanks Fencing LLC

Other Party: Citizens Gas

Case Number: 31457

Date of Advisory Meeting: 5/16/2024

Date of Damage: 11/27/2023

Damage Location: 827 Haymount Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Spotts Garden Services

Other Party: Citizens Gas

Case Number: 31458

Date of Advisory Meeting: 5/16/2024

Date of Damage: 11/28/2023

Damage Location: 1417 Marlow Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Foundation Service, Inc.

Other Party: Citizens Gas

Case Number: 31459

Date of Advisory Meeting: 5/16/2024

Date of Damage: 11/29/2023

Damage Location: 2442 North Olney Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wills Excavating, Inc.

Other Party: Westfield Gas Corporation

Case Number: 31464

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/13/2023

Damage Location: 17942 Cunning Drive, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B K M Directional Drilling LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31533

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/7/2023

Damage Location: 5620 Plaza Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hole in the Wall Egress Windows LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31538

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/8/2023

Damage Location: 612 Street Road 331, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Copper Valley Concrete

Other Party: Northern Indiana Public Service Company

Case Number: 30388

Date of Advisory Meeting: 5/16/2024

Date of Damage: 7/14/2023

Damage Location: 3641 Orchid Drive, Dyer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northwestern Indiana Telephone Co.

Other Party: Northern Indiana Public Service Company

Case Number: 31366

Date of Advisory Meeting: 5/16/2024

Date of Damage: 11/6/2023

Damage Location: 11471 North State Road 10, Demotte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Construction Development

Other Party: Citizens Gas

Case Number: 31465

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/9/2023

Damage Location: 1118 South High School Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S & S Fiberoptics Corp

Other Party: CenterPoint Energy Indiana

Case Number: 31474

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/5/2023

Damage Location: 621 West 17th Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Excavation Nation LLC

Other Party: Citizens Gas

Case Number: 31740

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/13/2024

Damage Location: 6450 Gateway Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rock N Dirt Excavating, LLC

Other Party: CenterPoint Energy Indiana

Case Number: 31514

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/11/2023

Damage Location: 49 Point West, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NWI Concrete and Excavation LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31517

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/4/2023

Damage Location: 2198 Foley Street, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Integrity Services, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31518

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/4/2023

Damage Location: 924 Hayden Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Mishawaka

Other Party: Northern Indiana Public Service Company

Case Number: 31637

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/12/2024

Damage Location: 330 Ironworks Avenue, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Petry Excavating, Inc.

Other Party: Citizens Gas

Case Number: 31297

Date of Advisory Meeting: 5/16/2024

Date of Damage: 10/23/2023

Damage Location: 8120 Southport Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Techno Drill, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31729

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/9/2024

Damage Location: 11403 Waters Edge, Wheatfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crosby Excavating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31733

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/13/2024

Damage Location: 111 West Washington Street, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.

Other Party: Citizens Gas

Case Number: 31025

Date of Advisory Meeting: 5/16/2024

Date of Damage: 10/4/2023

Damage Location: 1837 West 96th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crosby Excavating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31624

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/3/2024

Damage Location: 7711 Illinois Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Reclamation & Excavating, Inc.

Other Party: Citizens Gas

Case Number: 31705

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/1/2024

Damage Location: 2920 Broadway Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Selge Construction Co., Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31737

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/15/2024

Damage Location: 7083 Kalorama Road, Leesburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Dickie & Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Meade, Inc. - Gas

Other Party: Northern Indiana Public Service Company

Case Number: 31721

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/6/2024

Damage Location: North Hobart Road/East Cleveland Avenue, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rams Underground Group LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31739

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/7/2024

Damage Location: 2020 Chieftain Row, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R C Underground, LLC

Other Party: Citizens Gas

Case Number: 30349

Date of Advisory Meeting: 5/16/2024

Date of Damage: 7/17/2023

Damage Location: 1404 Delbrook Circle, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

C C Equipment Solutions LLC dba C C Concrete and Excavation Solutions		
CenterPoint Energy Indiana		
30904		
5/16/2024		
9/28/2023		
5648 Dellwood Way, Noblesville		
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(3)(b) The Advisory Committee recommends the following civil penalty: \$3,000		
Additional Information:		

PPROVED: /for Ben Warren
Ben Warren, Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Meade, Inc. - Gas

Other Party: Northern Indiana Public Service Company

Case Number: 31666

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/27/2024

Damage Location: 4673 Arthur Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Temple & Temple Excavating & Paving Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31402

5/16/2024

Date of Advisory Meeting: Date of Damage: 11/17/2023

Damage Location: 123 Miller Street, Shoals

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bunn Enterprises, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 31484

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/7/2023

Damage Location: 8190 East 146th Street, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A I Excavating LLC

Other Party: CenterPoint Energy Indiana

Case Number: 30039

Date of Advisory Meeting: 5/16/2024

Date of Damage: 6/13/2023

Damage Location: 1225 West Rex Street, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Teracom, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 30946

Date of Advisory Meeting: 5/16/2024

Date of Damage: 9/18/2023

Damage Location: 371 South Davis Street, Universal

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$5,000; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Voils Concrete

Other Party: Indiana Natural Gas Corporation

Case Number: 30773

Date of Advisory Meeting: 5/16/2024

Date of Damage: 9/23/2023

Damage Location: 2472 Greasy Creek Road, Nashville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Central Construction Company LLC

Other Party: CenterPoint Energy Indiana

Case Number: 30906

Date of Advisory Meeting: 5/16/2024

Date of Damage: 9/27/2023

Damage Location: 1005 5th Street, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Daviess-Martin County REMC Community Fu	und, Inc	٤.
---	----------	----

Other Party: CenterPoint Energy Indiana

Case Number: 31408

Date of Advisory Meeting: 5/16/2024

Date of Damage: 11/28/2023

Damage Location: East 200 North, Montgomery

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Concrete Contractors Inc

Other Party: CenterPoint Energy Indiana

Case Number: 31603

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/2/2024

Damage Location: 625 West Carmel Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rogers Remodeling LLC

Other Party: CenterPoint Energy Indiana

Case Number: 31611

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/8/2024

Damage Location: 5075 North Union Valley Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Resp	oondent:	\mathbf{M}	ahurin	Bore	Pro,	Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 31684

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/7/2024

Damage Location: 10776 Onyx Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sub Surface of Indiana, Inc

Other Party: CenterPoint Energy Indiana

Case Number: 31692

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/12/2024

Damage Location: 528 South Yeagy Court, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Landscape Industries Inc

Other Party: CenterPoint Energy Indiana

Case Number: 31839

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/13/2024

Damage Location: 3083 South Rogers Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: River Town Construction, LLC

Other Party: CenterPoint Energy Indiana

Case Number: 31212

Date of Advisory Meeting: 5/16/2024

Date of Damage: 10/31/2023

Damage Location: 2 West Main Street, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Millers Stump Grinding

Other Party: Ohio Valley Gas Corp

Case Number: 31672

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/5/2024

Damage Location: 112 Pennsylvania Street, Shirley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Fredrick

Other Party: CenterPoint Energy Indiana

Case Number: 31825

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/9/2024

Damage Location: 1806 Gutford Road, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: B M B, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 31495

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/12/2023

Damage Location: 5666 Autumn Ridge Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lasso Company

Other Party: Citizens Gas

Case Number: 31574

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/2/2024

Damage Location: 338 North Audubon Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T P I Utility Construction, LLC

Other Party: CenterPoint Energy Indiana

Case Number: 31512

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/14/2023

Damage Location: 513 Pheasant Run, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Before & After LLC

Other Party: Citizens Gas

Case Number: 31747

Date of Advisory Meeting: 5/16/2024
Date of Damage: 2/29/2024

Damage Location: 8331 Mockingbird Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Underground Construction, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 31761

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/20/2024

Damage Location: 309 North Harrison Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nobis Technology LLC

Other Party: Citizens Gas

Case Number: 31575

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/3/2024

Damage Location: 7711 Crooked Meadows Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Morphey Construction, Inc.

Other Party: Citizens Gas

Case Number: 31577

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/5/2024

Damage Location: 932 East Market Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: W A R Entals Inc.

Other Party: Citizens Gas

Case Number: 31579

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/5/2024

Damage Location: 10050 East 38th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Super Cutz

Other Party: Boonville Natural Gas Corporation

Case Number: 31639

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/5/2024

Damage Location: 755 Birkshire Avnue, Chandler

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Double K Underground, Inc.
Other Party: CenterPoint Energy Indiana

Case Number: 31674

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/1/2024

Damage Location: 2810 Pippin North Court, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hydromax Plumbing, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 31756

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/19/2024

Damage Location: 204 East Old Petersburgh Road, Princeton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Erickson Construction Inc

Other Party: CenterPoint Energy Indiana

Case Number: 30651

Date of Advisory Meeting: 5/16/2024

Date of Damage: 8/17/2023

Damage Location: 1109 West Market Street, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NHTP LLC

Other Party: CenterPoint Energy Indiana

Case Number: 31207

Date of Advisory Meeting: 5/16/2024

Date of Damage: 10/30/2023

Damage Location: 4417 Bridgestone Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Strawser Bros. Construction, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31521

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/5/2023

Damage Location: 5590 South 980 East, Wolcottville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Homer Tree Service, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31528

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/7/2023

Damage Location: 4401 Roosevelt Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Service Experts Heating & Air Conditioning, LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31662

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/24/2024

Damage Location: 1915 Forest Valley Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Huston Electric Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 31688

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/9/2024

Damage Location: South Woodfield Drive, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Winco Construction Co.

Other Party: CenterPoint Energy Indiana

Case Number: 31690

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/8/2024

Damage Location: 13111 Old Meridian Street, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A-BTO LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31623

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/2/2024

Damage Location: 56765 Greenlawn Avenue, Osceola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Emond Drainage Service

Other Party: Northern Indiana Public Service Company

Case Number: 31638

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/13/2024

Damage Location: 6393 West 1600 South, Remington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Larry Garber Construction LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31664

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/25/2024

Damage Location: 1440 West 650 North, Howe

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Heiny Directional Drilling & Excavating Services Inc

Other Party: Citizens Gas

Case Number: 31741

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/15/2024

Damage Location: 8120 Sycamore Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E J N Services LLC

Other Party: CenterPoint Energy Indiana

Case Number: 31079

Date of Advisory Meeting: 5/16/2024

Date of Damage: 10/10/2023

Damage Location: 2400 Spruce Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC

Other Party: CenterPoint Energy Indiana

Case Number: 31214

Date of Advisory Meeting: 5/16/2024

Date of Damage: 10/31/2023

Damage Location: East 200 North, Montgomery

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Woodruff & Sons, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31540

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/11/2023

Damage Location: 746 North Randolph Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Utilities Group, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31546

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/13/2023

Damage Location: 957 North 250 East, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: G & B Directional Boring LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31550

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/14/2023

Damage Location: 28704 County Road 38, Wakarusa

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Terra Testing Inc

Other Party: Northern Indiana Public Service Company

Case Number: 31551

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/14/2023

Damage Location: US Highway 27 Decatur and Ferguson Road, Fort

Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Baseline N X C LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31585

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/19/2023

Damage Location: 2431 Drexel Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Haskins Underground, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31588

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/21/2023

Damage Location: 5949 East 450 North, Leesburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Verita Telecommunications Corp.

Other Party: Northern Indiana Public Service Company

Case Number: 31592

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/28/2023

Damage Location: 2701 Ada Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A Top Tree Service LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31665

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/26/2024

Damage Location: 515 Lane 200E Lake James Apartment Garage,

Angola

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Utilities Group, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31713

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/1/2024

Damage Location: 303 Wrenwood Drive, North Liberty

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC

Other Party: CenterPoint Energy Indiana

Case Number: 31819

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/4/2024

Damage Location: 1618 South Brown Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas

Other Party: CorGroup, LLC

Case Number: 31745

Date of Advisory Meeting: 5/16/2024
Date of Damage: 2/27/2024

Damage Location: 3206 East New York Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Citizens Gas

Other Party: CorGroup, LLC

Case Number: 31750

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/4/2024

Damage Location: 7350 Parkside Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Acculevel, Inc.

Case Number: 31619

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/22/2023

Damage Location: 17 North Plank, Rossville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Meade, Inc. - Gas

Case Number: 31620

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/2/2024

Damage Location: 9714 West 133rd Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Premier Directional Boring Inc.

Case Number: 31622

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/2/2024

Damage Location: 110 East Church Street, Pierceton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: M7 Excavating, LLC

Case Number: 31626

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/4/2024

Damage Location: 9387 Michigan Drive, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Town of Highland

Case Number: 31669

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/30/2024

Damage Location: 2847 Grand Boulevard, Highland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Woodruff & Sons, Inc.

Case Number: 31719

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/6/2024

Damage Location: 2915 Lake Shore Drive, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Lantech Communications

Case Number: 31726

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/7/2024

Damage Location: 1666 Driftwood Drive, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: M Davis Excavation LLC

Case Number: 31735

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/14/2024

Damage Location: 306 North Calumet Road, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Desabatine Brothers Excavating

Case Number: 31625

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/4/2024

Damage Location: 116 East Madison Street, Winamac

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: City of Fort Wayne

Case Number: 31663

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/25/2024

Damage Location: 2532 Smith Street, Lot 48, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Laplace Plumbing Incorporated

Case Number: 31717

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/5/2024

Damage Location: 305 East 3rd Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: Star Excavating

Case Number: 31722

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/6/2024

Damage Location: 616 North Spring Street, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company

Other Party: R L M Underground

Case Number: 31724

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/7/2024

Damage Location: 208 Carroll Road, South Whitley

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bob Frame Plumbing & Heating, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31586

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/20/2023

Damage Location: 520 Grand Boulevard, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Carroll White REMC

Other Party: Northern Indiana Public Service Company

Case Number: 31714

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/2/2024

Damage Location: 4888 West 775 South, Rossville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hawk Enterprises, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31668

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/30/2024

Damage Location: 9329 Keilman Street, Saint John

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Martell Electric LLC

Other Party: Citizens Gas

Case Number: 31571

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/27/2023

Damage Location: 8989 Pendleton Pike, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Warren

Additional Information:

APPROVED: /for Scott Sontag

Scott Sontag, Vice Chairman



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pioneer Masonry, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31526

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/6/2023

Damage Location: 3075 North 725 West, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vector Services Integrity Solutions

Other Party: Northern Indiana Public Service Company

Case Number: 31725

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/7/2024

Damage Location: 702 South 10th Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J M C Communications LLC

Other Party: CenterPoint Energy Indiana

Case Number: 29972

Date of Advisory Meeting: 5/16/2024

Date of Damage: 6/5/2023

Damage Location: 1161 Creek Bend Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J M C Communications LLC

Other Party: CenterPoint Energy Indiana

Case Number: 29973

Date of Advisory Meeting: 5/16/2024

Date of Damage: 6/5/2023

Damage Location: 1173 Creek Bend Drive, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rothenberger Company, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31715

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/2/2024

Damage Location: 4504 Southwest Anthony Wayne Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rothenberger Company, Inc.

Other Party: Northern Indiana Public Service Company

Case Number: 31736

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/14/2024

Damage Location: 4819 South Anthony Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pro Tree Service LLC

Other Party: Northern Indiana Public Service Company

Case Number: 31431

Date of Advisory Meeting: 5/16/2024

Date of Damage: 11/20/2023

Damage Location: 405 North Wood Street, Griffith

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Doug Meyers

Other Party: Northern Indiana Public Service Company

Case Number: 31545

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/12/2023

Damage Location: 316 East Burdick Road, Chesterton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jessie Jacobo

Other Party: Northern Indiana Public Service Company

Case Number: 31633

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/10/2024

Damage Location: 10728 West 133rd Avenue, Cedar Lake

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Juan Carlos Villagomez

Other Party: Northern Indiana Public Service Company

Case Number: 31667

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/29/2024

Damage Location: 4911 East 26th Avenue, Lake Station

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Olympian Community Management

Other Party: Northern Indiana Public Service Company

Case Number: 31732

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/12/2024

Damage Location: 9801 North US Highway 12, Lot 52, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Russell Ramer

Other Party: Northern Indiana Public Service Company

Case Number: 31530

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/7/2023

Damage Location: 61205 County Road 17, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Refugio Vega

Other Party: Northern Indiana Public Service Company

Case Number: 31595

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/31/2023

Damage Location: 4560 Ross Road, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jacob Clark

Other Party: Northern Indiana Public Service Company

Case Number: 31628

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/4/2024

Damage Location: 405 Gordon Terrace, Lot 33, Kouts

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff King

Other Party: Northern Indiana Public Service Company

Case Number: 31661

Date of Advisory Meeting: 5/16/2024

Date of Damage: 1/23/2024

Damage Location: 25233 California Court, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: Smith

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Norman Excavating LLC

Other Party: CenterPoint Energy Indiana

Case Number: 31677

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/2/2024

Damage Location: 201 Turner Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R T Moore, Co., Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 31770

Date of Advisory Meeting: 5/16/2024
Date of Damage: 2/27/2024

Damage Location: 2123 Cooper Run Lane, Whitestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Dan Cristiani Excavating Co., Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	31812
Date of Advisory Meeting:	5/16/2024
Date of Damage:	3/1/2024
Damage Location:	1203 Madison Street, Clarksville
The IURC Pipeline Safety Division finds the following violation(s):	
IC 8-1-26-16(h)(prior)	
The Advisory Committee recommends the following civil penalty:	
\$5,000	
Abstentions:	

/for Ben Warren

Additional Information:



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Corner Cable, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 30562

Date of Advisory Meeting: 5/16/2024

Date of Damage: 8/11/2023

Damage Location: 10 West Pearl Street, North Salem

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Walker Bobcat Service, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 31491

Date of Advisory Meeting: 5/16/2024

Date of Damage: 12/11/2023

Damage Location: 1385 Red Delicious Court, Avon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Mount Vernon

Other Party: CenterPoint Energy Indiana

Case Number: 31775

Date of Advisory Meeting: 5/16/2024

Date of Damage: 2/28/2024

Damage Location: 324 Emmick Street, Mount Vernon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Clouse Concrete Construction Inc

Other Party: CenterPoint Energy Indiana

Case Number: 31813

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/1/2024

Damage Location: 1829 Grand Avenue, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: David Fox

Other Party: CenterPoint Energy Indiana

Case Number: 31815

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/4/2024

Damage Location: 307 North 5th Street, Richmond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ragle, Inc.

Other Party: CenterPoint Energy Indiana

Case Number: 31821

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/6/2024

Damage Location: 16th Street, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: All Terrain Paving & Construction, LLC

Other Party: CenterPoint Energy Indiana

Case Number: 31840

Date of Advisory Meeting: 5/16/2024

Date of Damage: 3/13/2024

Damage Location: Park Place, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: /for Ben Warren