

Commissioner	Yes	No	Not Participating
Huston	٧		
Bennett	٧		
Freeman	٧		
Veleta			٧
Ziegner	٧		

#### INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER	)	
APPROVING ADVISORY COMMITTEE	)	APPROVED: OCT 09 2024
RECOMMENDATIONS PURSUANT TO	)	
INDIANA CODE CHAPTER 8-1-26.	)	

#### **ORDER OF THE COMMISSION**

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division ("Division") of the Indiana Utility Regulatory Commission ("Commission") investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission's Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission's Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

#### IT IS SO ORDERED.

#### HUSTON, BENNETT, FREEMAN, AND ZIEGNER CONCUR; VELETA ABSENT:

APPROVED: OCT 09 2024

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Douglas Bufkin	
Other Party:	Boonville Natural Gas Corporation	
Case Number:	32112	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/10/2024	
Damage Location:	7355 Folsomville Road, Tennyson	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:  Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



# Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Douglas Bergstrom
Other Party:	Northern Indiana Public Service Company
Case Number:	32214
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/8/2024
Damage Location:	9536 West 200 South, Russiaville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



# Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Daniel Pletcher
Other Party:	Northern Indiana Public Service Company
Case Number:	32219
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/10/2024
Damage Location:	144 Kenwood Avenue, Elkhart
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Marvin Harrison
Other Party:	Citizens Gas
Case Number:	32249
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/29/2024
Damage Location:	1001 Collier Street, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ron Kirchgessner	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32301	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/31/2024	
Damage Location:	157 Sycamore Lane, Greenwood	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:  Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Luis Salgado
Other Party:	Northern Indiana Public Service Company
Case Number:	32322
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/21/2024
Damage Location:	3807 Catalpa Street, East Chicago
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Curis Tipton	
Other Party:	Ohio Valley Gas Corp	
Case Number:	32352	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	6/9/2024	
Damage Location:	1423 Martin St., Connersville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recomm	nends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



Respondent:	Adam Ormsby	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32360	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	6/4/2024	
Damage Location:	134 West South B Street, Gas City	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
. ,		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Michael Hamilton	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32366	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	6/6/2024	
Damage Location:	1815 State Street, Washington	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Kirk Gaither	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32368	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	6/3/2024	
Damage Location:	940 Delmar Road, Anderson	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-16(h)		
The Advisory Committee recomm	ends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Brand Electric	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32279	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/22/2024	
Damage Location:	211 East Sycamore Street, Attica	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Brand Electric	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32182	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/14/2024	
Damage Location:	211 East Sycamore Street, Attica	
The IURC Pipeline Safety Divis IC 8-1-26-16(h)	ion finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	man	



# Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Core Outdoor Services Inc
Other Party:	Westfield Gas Corporation
Case Number:	32237
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/10/2024
Damage Location:	580 Axford Bay Drive, Westfield
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Company Green
Other Party:	CenterPoint Energy Indiana
Case Number:	32292
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/29/2024
Damage Location:	7252 Bayview Run, McCordsville
The IURC Pipeline Safety Divi	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
Abstentions:	ent tuns to complete truming
Additional Information:	
and (	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	rman



# Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Elite Excavating & Construction LLC
Other Party:	Ohio Valley Gas Corp
Case Number:	32354
Date of Advisory Meeting:	8/15/2024
Date of Damage:	6/12/2024
Damage Location:	811 18 <sup>th</sup> Street, Tell City
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Town of Ellettsville
Other Party:	CenterPoint Energy Indiana
Case Number:	32365
Date of Advisory Meeting:	8/15/2024
Date of Damage:	6/6/2024
Damage Location:	651 East Benjamin Street, Ellettsville
IC 8-1-26-16(h)	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



# Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Grimmer Construction Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32220
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/10/2024
Damage Location:	835 West Joliet Street, Crown Point
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mercury Broadband, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32049
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/12/2024
Damage Location:	1560 Lane 101 McClish Lake, Hudson
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



# Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Mercury Broadband, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32137
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/23/2024
Damage Location:	400 Lane 101 Lake of the Woods, Hudson
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	elete training instead of paying \$1,500
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Howard Companies, Inc
Other Party:	Citizens Gas
Case Number:	32233
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/4/2024
Damage Location:	11321 Stoeppelwerth Drive, Indianapoli
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Grimmer Construction Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32223
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/13/2024
Damage Location:	356 North Lake Street, Apartment 62, Gary
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Howard Companies, Inc
Other Party:	Citizens Gas
Case Number:	32236
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/9/2024
Damage Location:	5536 Beauport Road, Speedway
The IURC Pipeline Safety Divis IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recom	nmends the following civil penalty:
\$4,500	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Standard Optic General Services Corp
Other Party:	CenterPoint Energy Indiana
Case Number:	31646
Date of Advisory Meeting:	8/15/2024
Date of Damage:	1/24/2024
Damage Location:	2500 South 13th Street, Terre Haute
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions:	
Additional Information:	
Carall S	
APPROVED:	James R. Surd for Ben Warren



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

M & C Concrete Company, Inc.

Other Party:	CenterPoint Energy Indiana
Case Number:	31647
Date of Advisory Meeting:	8/15/2024
Date of Damage:	1/17/2024
Damage Location:	3103 West 1000 North, Fortville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee recomm	nends the following civil penalty:
\$3,500	
<b>40,</b> 500	
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	nan



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Indiana Structural Foundations, LLC
Other Party:	Citizens Gas
Case Number:	32243
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/21/2024
Damage Location:	555 Pine Drive, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vic	<del></del>



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Alfredo Valasquez
Other Party:	Citizens Gas
Case Number:	32248
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/24/2024
Damage Location:	4833 Countrybrook Court, Indianapolis
	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



# Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	N & K Construction and Developments LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	32283
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/23/2024
Damage Location:	1422 South 3 <sup>rd</sup> Street, Clinton
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



# Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Midwest Maintenance Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	32296
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/30/2024
Damage Location:	112 North Bryan Avenue, Bloomington
The IURC Pipeline Safety Div IC 8-1-26-16(h)(expire)	ision finds the following violation(s):
·	mmends the following civil penalty:  lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	The Oscar W. Larson Company
Other Party:	CenterPoint Energy Indiana
Case Number:	32302
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/24/2024
Damage Location:	3376 East Main Street, Danville
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



# Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Johns Brothers Tiling & Excavating Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	32332
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/23/2024
Damage Location:	10 East 100 South, Reynolds
	rision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: <b>Smith</b> Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	B P I Outdoor Living Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	32362
Date of Advisory Meeting:	8/15/2024
Date of Damage:	6/5/2024
Damage Location:	11008 Knightsbridge Lane, Fishers
The IURC Pipeline Safety Divi IC 8-1-26-16(h)(expire)	ision finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



# Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Accurate Concrete Specialists Inc
Other Party:	Citizens Gas
Case Number:	32242
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/21/2024
Damage Location:	4937 East Edgewood Avenue, Indianapolis
The IURC Pipeline Safety Division IC 8-1-26-16(h)(out)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Price Electric Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	32260
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/16/2024
Damage Location:	2221 East Pointe Road, Bloomington
The IURC Pipeline Safety Div	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
Training or \$5,000 if respon	dent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Ben Warren, Chairman

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Indiana American Water Co. DBA Indiana American
Other Party:	Northern Indiana Public Service Company
Case Number:	32146
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/27/2024
Damage Location:	785 Pittsburg Avenue, Apartment 79, Valparaiso
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	E & B Paving, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32216
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/10/2024
Damage Location:	8646 North State Road 25, Burrows
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Midwest Paving LLC
Other Party:	Citizens Gas
Case Number:	32251
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/29/2024
Damage Location:	7401 ##
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee recor	mmends the following civil penalty:
\$3,500	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



Respondent:

#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Rieth-Riley Construction Co., Inc.

Other Party:	CenterPoint Energy Indiana
Case Number:	32288
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/28/2024
Damage Location:	9610 Allisonville Road, Indianapolis
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee recomn	nends the following civil penalty:
\$5,000	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairn	nan



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rieth-Riley Construction Co., Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32129
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/22/2024
Damage Location:	25931 Western Avenue, South Bend
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Knecht Development
Other Party:	Northern Indiana Public Service Company
Case Number:	32193
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/1/2024
Damage Location:	1922 McKibben Street, Wabash
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Traditional Concepts
Other Party:	CenterPoint Energy Indiana
Case Number:	32285
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/22/2024
Damage Location:	2679 Rix Court, Carmel
The IURC Pipeline Safety Div IC 8-1-26-20(a)(3)(b)	ision finds the following violation(s):
•	mmends the following civil penalty:
	g
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Bowen Engineering Corporation
Other Party:	CenterPoint Energy Indiana
Case Number:	32293
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/30/2024
Damage Location:	2104 South Hoyt Avenue, Muncie
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee recomn	nends the following civil penalty:
\$5,000	
,	
Abstentions:	
A 11:::	
Additional Information:	
Sall	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren
Den warren, Chann	1411



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	O'Neal Excavating & Construction, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32312
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/17/2024
Damage Location:	204 West Main Street, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Rey Llanas
Other Party:	CenterPoint Energy Indiana
Case Number:	32280
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/22/2024
Damage Location:	2302 Nichol Avenue, Anderson
The IURC Pipeline Safety Divisi	ion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recomm	mends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
Sall S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	man



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Allison Damm	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32286	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/25/2024	
Damage Location:	3108 Lake Drive, Evansville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	nends the following civil penalty:	
Warning letter		
Abstentions:		
Additional Information:		
Carl C		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Fox Contractors Corp.
Case Number:	32024
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/4/2024
Damage Location:	1945 Spring Street, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Van Lake's Repair LLC
Case Number:	32028
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/5/2024
Damage Location:	114 North Logan Street, Kewanna
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ban Warran



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Kankakee Valley REMC
Case Number:	32040
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/10/2024
Damage Location:	1305 Shady Lane Drive, Walkerton
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Dimension Fence, Inc.
Case Number:	32115
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/16/2024
Damage Location:	1225 West 96th Court, Crown Point
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Lantech Communications
Case Number:	32123
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/18/2024
Damage Location:	6442 Fallen Timbers Avenue, Portage
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	The Robert Henry Corporation
Case Number:	32133
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/22/2024
Damage Location:	2911 Riverwalk Street, Lake Station
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	City of Peru
Case Number:	32148
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/29/2024
Damage Location:	1171 Barksdale Avenue, Peru
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(no-response)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	All Seasons Underground Construction, Inc.
Case Number:	32025
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/5/2024
Damage Location:	3322 Clermont Avenue, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	NIPSCO - Electric
Case Number:	32027
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/5/2024
Damage Location:	431 East 8th Street, Michigan City
The IURC Pipeline Safety Div IC 8-1-26-18(h)(records)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Rieth-Riley Construction Co., Inc.
Case Number:	32117
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/16/2024
Damage Location:	25609 Western Avenue, South Bend
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Wayne Asphalt & Construction Co., Inc.
Case Number:	32138
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/23/2024
Damage Location:	240 Jackson Street, Bluffton
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Land Inc.
Case Number:	32141
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/25/2024
Damage Location:	503 Spring Street, Fremont
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Lantech Communications
Case Number:	32195
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/2/2024
Damage Location:	140 West Commercial Avenue, Lowell
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Summers Plumbing Heating & Cooling
Case Number:	32206
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/6/2024
Damage Location:	1710 South Lincoln Street, Peru
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Glover Cable Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31888
Date of Advisory Meeting:	8/15/2024
Date of Damage:	3/12/2024
Damage Location:	310 North Ironwood Drive, South Bend
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Gatlin Plumbing & Heating, Inc.	
Other Party:	Northern Indiana Public Service Company	
Case Number:	32023	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	4/3/2024	
Damage Location:	Harrison Avenue and Vine Street, Hammond	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee reco	mmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	G S I Underground LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	32281
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/23/2024
Damage Location:	1775 Blue Lake Drive, Greenwood
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recom	nmends the following civil penalty:
\$1,500, respondent can comple	ete training instead of paying \$1,500
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Sub Surface of Indiana, Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	32361
Date of Advisory Meeting:	8/15/2024
Date of Damage:	6/5/2024
Damage Location:	290 North West Street, Bargersville
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$1,500, respondent can comp	elete training instead of paying \$1,500
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Electricom, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32181	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/14/2024	
Damage Location:	331 West Staat Street, Fortville	
TI HIDOD' I' G C ( D' ' '		
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$5,000		
\$5,000		
Abstentions:		
Additional Information:		
Additional information.		
APPROVED:	James D. Curd for Don Women	
Ben Warren, Chairm	James R. Surd for Ben Warren an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Midwest Paving LLC
Case Number:	32245
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/22/2024
Damage Location:	7326 Twin Beech Drive, Lawrence
The IURC Pipeline Safety Divi IC 8-1-26-18(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ohio Valley Gas Corp
Other Party:	American Utility Corp, Inc.
Case Number:	32184
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/1/2024
Damage Location:	Section Street & Graysville Street, Sullivar
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-18(h)(locator-error	
The Advisory Committee recor \$1,000	mmends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Char	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Midwest Paving LLC
Case Number:	32239
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/16/2024
Damage Location:	7356 Twin Beech Drive, Indianapolis
The IURC Pipeline Safety Div	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



Respondent:

### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana
Other Party:	Lineal Contracting, Inc.
Case Number:	32264
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/17/2024
Damage Location:	1160 East Morgan Street, Martinsville
Γhe IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-18(h)(locator-error)	
The Advisory Committee recom	mends the following civil penalty:
\$1,000	
71,000	
Abstentions:	
Additional Information	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	rman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Lineal Contracting, Inc.
Case Number:	32272
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/20/2024
Damage Location:	1070 East Morgan Street, Martinsville
The IURC Pipeline Safety Divide IC 8-1-26-18(h)(locator-error	ision finds the following violation(s):
The Advisory Committee recors \$1,000	mmends the following civil penalty:
Abstentions: Additional Information:	
APPROVED:  Ben Warren, Cha	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	CenterPoint Energy Indiana	
Other Party:	Jerry Bryant & Sons Plumbing	
Case Number:	32273	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/20/2024	
Damage Location:	619 Perrin Lane, Jeffersonville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recomm	sanda tha fallayyina aiyil manaltyy	
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	Alvey's Sign Co Inc
Case Number:	32274
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/21/2024
Damage Location:	4502 West Lloyd Expressway, Evansville
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-18(h)(locator-error	)
The Advisory Committee recor	nmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chair	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	CenterPoint Energy Indiana
Other Party:	R T Moore, Co., Inc.
Case Number:	32295
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/30/2024
Damage Location:	2041 Jasper Brooke Court, Whitestown
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)(locator-error)	
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	an



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	D C Construction Services, Inc.	
Case Number:	32359	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	6/4/2024	
Damage Location:	811 West State Street, Veedersburg	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions: Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Blankenberger Brothers, Inc.
Case Number:	32263
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/16/2024
Damage Location:	South Denby Avenue & East Walnut Street, Evansville
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-18(h)(no-response)	
The Advisory Committee recon	nmends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
Sall	
APPROVED: Ben Warren, Chai	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Morphey Construction, Inc.	
Case Number:	32358	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	6/4/2024	
Damage Location:	9750 North By Northeast Boulevard, Fishers	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(no-response)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
Carl S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Miller Pipeline, LLC	
Case Number:	32303	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/31/2024	
Damage Location:	601 West Elm Street, Gaston	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-18(h)(records)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:

#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Broadband of Indiana LLC	
Case Number:	32367	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	6/7/2024	
Damage Location:	4306 Charlestown Pike, Jeffersonville	
The ILIRC Pineline Safety Divisio	on finds the following violation(s):	
The Torce I spenne Safety Division	on mids the following violation(s).	
IC 8-1-26-18(h)(records)		
The Advisory Committee recommends the following civil penalty:  §1,000		
Abstentions:		
Additional Information:		
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:	Summers of Marion, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31605	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	1/4/2024	
Damage Location:	403 East Elm Street, Hartford City	
The IURC Pipeline Safety Division finds the following violation(s):  IC 8-1-26-20(a)(2)		
The Advisory Committee recom	nmends the following civil penalty:	
\$1,500, respondent can comple	ete training instead of paying \$1,500	
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	rman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	P E Industries LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	31613
Date of Advisory Meeting:	8/15/2024
Date of Damage:	1/8/2024
Damage Location:	591 Hazelwood Drive, West Lafayett
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
Abstentions: Additional Information:	ent rans to complete training
APPROVED:  Ben Warren, Chai	James R. Surd for Ben Warren
Ben warren, Chai	rman



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Milldrill, LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31993	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	4/5/2024	
Damage Location:	405 East Ohio Street, Fortville	
The IURC Pipeline Safety Divi	ision finds the following violation(s):	
The Advisory Committee recor	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Gemini Landscape Construction LLC	
Other Party:	Citizens Gas	
Case Number:	32104	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	4/22/2024	
Damage Location:	4438 Lakeridge Drive, Indianapolis	
•	ision finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	

Scott Sontag, Vice Chairman



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milestone Contractors, L.P.
Other Party:	Citizens Gas
Case Number:	32105
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/24/2024
Damage Location:	6990 Pendleton Pike, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee record	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Olco, Inc.
Other Party:	Citizens Gas
Case Number:	32111
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/29/2024
Damage Location:	2002 Southeastern Avenue, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$3,500	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Milestone Contractors, L.P.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32278	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/22/2024	
Damage Location:	406 North 1st Street, Lewisville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$5,000		
,		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Griffs Underground LLC
Case Number:	32134
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/23/2024
Damage Location:	1130 West Bradshaw Avenue, Delphi
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R Surd for Ren Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	J M Underground Utilities LLC
Case Number:	32136
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/23/2024
Damage Location:	1040 North and 493 East, DeMotte
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Ley Excavating LLC
Case Number:	32139
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/24/2024
Damage Location:	4402 Reed Street, Fort Wayne
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Premier Directional Boring Inc.
Case Number:	32140
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/24/2024
Damage Location:	102 East Jasper Street, Goodland
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Pavey Excavating Company, Inc.
Case Number:	32147
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/29/2024
Damage Location:	706 Plain Street, LaPorte
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	S & H Landscaping LLC
Case Number:	32190
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/22/2024
Damage Location:	12918 Liberty Mills Drive, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Miller Pipeline, LLC
Case Number:	32197
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/3/2024
Damage Location:	4311 Strathdon Drive, Fort Wayne
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Surf Internet
Case Number:	32218
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/10/2024
Damage Location:	625 Simpson Avenue, Apartment 1, Elkhart
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	G & B Directional Boring LLC
Case Number:	32304
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/6/2024
Damage Location:	11250 North 200 West, Sumava Resorts
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Rex Construction Company, Inc.
Case Number:	32306
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/14/2024
Damage Location:	5050 West 45th Avenue, Gary
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Milestone Contractors, L.P.
Case Number:	32307
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/15/2024
Damage Location:	32104 State Road 2, New Carlisle
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-erro	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Rieth-Riley Construction Co., Inc.
Case Number:	32320
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/20/2024
Damage Location:	405 East Patterson Street, Lakeville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	LaPorte County Highway Department
Case Number:	32321
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/20/2024
Damage Location:	4418 West Pine Ridge Drive, LaPorte
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Q C Communications, Inc.
Case Number:	32333
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/24/2024
Damage Location:	1325 West Cliff Drive, Logansport
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	J M & Sons Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32114
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/16/2024
Damage Location:	8690 and 8732 East Smith Drive, Syracuse
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Roto-Rooter of Kokomo
Other Party:	Northern Indiana Public Service Company
Case Number:	32130
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/22/2024
Damage Location:	217 Wheatland Avenue, Logansport
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Anthony Ponds
Other Party:	Northern Indiana Public Service Company
Case Number:	32132
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/22/2024
Damage Location:	509 East 7 <sup>th</sup> Street, Auburn
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lantech Communications
Other Party:	Northern Indiana Public Service Company
Case Number:	32142
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/25/2024
Damage Location:	759 Tonto Court, Lowell
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,500	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Karpenter Construction
Other Party:	Northern Indiana Public Service Company
Case Number:	32144
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/26/2024
Damage Location:	308 Arbordale Drive, Valparaiso
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R & R Excavating
Other Party:	Northern Indiana Public Service Company
Case Number:	32145
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/26/2024
Damage Location:	1 McCourtney Hall, Notre Dame
The IURC Pipeline Safety Div	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: <b>Smith</b>	
Additional Information:	
Carl	
APPROVED:	James R. Surd for Ben Warren



Respondent:	William Sexton
Other Party:	
Case Number:	32189
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/29/2024
Damage Location:	363 West Evergreen Plaza, Santa Claus
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Cha	James R. Surd for Ben Warren irman



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Josh Weimer
Other Party:	Northern Indiana Public Service Company
Case Number:	32201
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/4/2024
Damage Location:	5260 East 800 South, Columbia City
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Carlos Becerra
Other Party:	Northern Indiana Public Service Company
Case Number:	32126
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/20/2024
Damage Location:	1905 Crescent Drive, Warsaw
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Dave Judy
Other Party:	Northern Indiana Public Service Company
Case Number:	32066
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/15/2024
Damage Location:	65 Noble Street, Wabash
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Harlan Kauffman
Other Party:	Northern Indiana Public Service Company
Case Number:	32122
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/18/2024
Damage Location:	15525 County Road 108, Bristol
•	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jim Miller
Other Party:	CenterPoint Energy Indiana
Case Number:	31691
Date of Advisory Meeting:	8/15/2024
Date of Damage:	2/9/2024
Damage Location:	495 West Markle Road, Huntington
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
Warning letter	
Abstentions: Additional Information:	
APPROVED:  Ben Warren, Chairm	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Joeseph Dellinger
Other Party:	CenterPoint Energy Indiana
Case Number:	32158
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/1/2024
Damage Location:	811 North Randolph Avenue, Clarksville
The IURC Pipeline Safety Divi IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Char	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	John Conroy
Other Party:	Northern Indiana Public Service Company
Case Number:	32149
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/29/2024
Damage Location:	0840 West 450 South, North Judson
The IURC Pipeline Safety Division IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Kelly Good
Other Party:	CenterPoint Energy Indiana
Case Number:	32168
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/7/2024
Damage Location:	5138 Gardenia Court, West Lafayette
The IURC Pipeline Safety Divis IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recom	mends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chair	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Laquita Anderson
Other Party:	Northern Indiana Public Service Company
Case Number:	32203
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/4/2024
Damage Location:	639 Donnelly Street, Michigan City
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Lizet Chavez
Other Party:	Northern Indiana Public Service Company
Case Number:	32127
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/20/2024
Damage Location:	408 Pierce Street, Plymouth
The IURC Pipeline Safety Divi IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
·	3 1 7
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Marcus Snowberger
Other Party:	Northern Indiana Public Service Company
Case Number:	32143
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/25/2024
Damage Location:	110 South High Street, Delphi
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mike Ward
Other Party:	Northern Indiana Public Service Company
Case Number:	32207
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/6/2024
Damage Location:	6471 North McKinley Drive, Monon
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Randall Chipps
Other Party:	Northern Indiana Public Service Company
Case Number:	32196
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/3/2024
Damage Location:	1509 Lebanon Street, South Bend
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
11110 LD.	James R. Surd for Den Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Ray Antonio
Other Party:	Citizens Gas
Case Number:	32103
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/21/2024
Damage Location:	4510 Maren Drive, Indianapolis
The IURC Pipeline Safety Divis  IC 8-1-26-16(h)	ion finds the following violation(s):
The Advisory Committee recom	mends the following civil penalty:
Warning letter	
Abstentions: Warren Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ryan Davidson
Other Party:	Northern Indiana Public Service Company
Case Number:	32200
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/3/2024
Damage Location:	5839 Natalie Drive, Remington
The IURC Pipeline Safety Divi IC 8-1-26-16(h)	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Steve Depositar
Other Party:	Northern Indiana Public Service Company
Case Number:	32150
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/29/2024
Damage Location:	13211 1/2 Pokagon Street, Mishawaka
The IURC Pipeline Safety Div. IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	John Price Heating, Cooling & Plumbing
Other Party:	Citizens Gas
Case Number:	32247
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/25/2024
Damage Location:	4342 East 39 <sup>th</sup> Street, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James P. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jose M. Lopez
Other Party:	Northern Indiana Public Service Company
Case Number:	32192
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/1/2024
Damage Location:	530 20 <sup>th</sup> Street, Logansport
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Moore Utility Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32210
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/7/2024
Damage Location:	State Road 5 and 900 West, Cromwell
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Walsh Plumbing
Other Party:	Ohio Valley Gas Corp
Case Number:	32185
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/13/2024
Damage Location:	7911 N 1220 E, Evanston
The IURC Pipeline Safety Div IC 8-1-26-20(a)(1)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Ritchie Installation and Communications LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32213
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/8/2024
Damage Location:	855 Lane 101 Lake of Woods, Hudson
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	elete training instead of paying \$1,500
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Niblock Excavating, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32224
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/13/2024
Damage Location:	57564 County Road 115, Goshen
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Q C Communications, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32323
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/22/2024
Damage Location:	13925 IN 14, Fort Wayne
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Haskins Underground, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32057
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/15/2024
Damage Location:	311 Short Street, Argos
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
\$3,000; no ticket escalation -	additional \$1,000
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Haskins Underground, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32067
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/15/2024
Damage Location:	309 Short Street, Argos
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,500; no ticket escalation -	additional \$1,000
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Modish Pools LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	32161
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/1/2024
Damage Location:	10020 Brooks Edge Circle, Fishers
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
Training or \$5,000 if responden	at fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James P. Surd for Ben Warran
Ben Warren, Chairn	James R. Surd for Ben Warren
Don wanting Chairin	IIIIII



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jon Lilly Excavation & Drainage LLC	
Other Party:	Northern Indiana Public Service Company	
Case Number:	32194	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/2/2024	
Damage Location:	11918 North US Highway 421, Monticello	
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recomm	nends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Heckaman Real Estate Group LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32204
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/5/2024
Damage Location:	9793 South 750 West, Claypool
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mishawaka Investments LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32211
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/7/2024
Damage Location:	5825 Grape Road, Mishawaka
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



#### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Doctor Construction Corp
Other Party:	CenterPoint Energy Indiana
Case Number:	32290
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/29/2024
Damage Location:	724 Rocky Run, Huntington
The IURC Pipeline Safety Div  IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Promised Land Concrete Construction LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32297	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/30/2024	
Damage Location:	930 South Southland Drive, Lafayette	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Taurus Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32308
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/16/2024
Damage Location:	929 Emmett Lane, Fort Wayne
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hamilton Creative Concrete Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	32329
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/23/2024
Damage Location:	610 Terrace Bay Road, Monticello
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mid-America Milling Company, LLC	
Other Party:	Northern Indiana Public Service Company	
Case Number:	32116	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	4/16/2024	
Damage Location:	118 Lakeview Drive, Walkerton	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recomm	nends the following civil penalty:	
$\$1,\!500$ , respondent can complete training instead of paying $\$1,\!500$ ; no ticket escalation - additional $\$1,\!000$		
Abstentions: <b>Smith</b>		
Additional Information:		
Sal		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	C & D Concrete Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32228
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/15/2024
Damage Location:	2615 Baley Court, South Bend
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recon	nmends the following civil penalty:
\$1,500, respondent can complescalation - additional \$1,000	lete training instead of paying \$1,500; no ticket
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	irman



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Off Duty Flagpoles
Other Party:	Indiana Natural Gas Corporation
Case Number:	32152
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/16/2024
Damage Location:	930 South Country Club Road, Columbus
•	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recommends the following civil penalty: \$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000	
Abstentions: Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chair	HHAH



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Ben Schmucker Construction, LLP
Other Party:	Northern Indiana Public Service Company
Case Number:	32118
Date of Advisory Meeting:	8/15/2024
Date of Damage:	4/17/2024
Damage Location:	202 South Main Street, Churubusco
The IURC Pipeline Safety Div	vision finds the following violation(s):
The Advisory Committee reco	ommends the following civil penalty:
\$3,500; no ticket escalation -	additional \$1,000
Abstentions: <b>Smith</b>	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



### INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	North Montgomery High School Building Corporation
Other Party:	CenterPoint Energy Indiana
Case Number:	32265
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/17/2024
Damage Location:	480 West County Road 580 North, Crawfordsville
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recom  Warning letter	mends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED:  Ben Warren, Chair	James R. Surd for Ben Warren



Respondent:

#### INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Watson Excavating, Inc. (Anderson)

Other Party:	CenterPoint Energy Indiana	
Case Number:	31682	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	2/6/2024	
Damage Location:	2403 Meadow Way, Anderson	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:		
\$3,000		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Prater & Sons Inc
Other Party:	Rensselaer Municipal Gas System, City of
Case Number:	32254
Date of Advisory Meeting:	8/15/2024
Date of Damage:	6/4/2024
Damage Location:	1631 Wade Street, Rensselaer
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



### Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Town of Hamlet	
Other Party:	Northern Indiana Public Service Company	
Case Number:	32209	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/7/2024	
Damage Location:	407 West Plymouth Street, Hamlet	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: <b>Smith</b>		
Additional Information:		
A PPROVED:	James P. Surd for Ben Warren	



## Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Howard Asphalt LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	32294
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/30/2024
Damage Location:	380 Savannah Drive, Greenwood
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recor	nmends the following civil penalty:
Training or \$5,000 if respond	ent fails to complete training
Abstentions:	
Additional Information:	
Carall 1	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Town of Ferdinand	
Other Party:	Ohio Valley Gas Corp	
Case Number:	32351	
Date of Advisory Meeting:	8/15/2024	
Date of Damage:	5/31/2024	
Damage Location:	310 Georgia Street, Ferdinand	
The IURC Pipeline Safety Divi IC 8-1-26-20(a)(1)	ision finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respond	ent fails to complete training	
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

# Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R & W Contracting, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	32261
Date of Advisory Meeting:	8/15/2024
Date of Damage:	5/16/2024
Damage Location:	3311 Klondike Road, West Lafayette
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	elete training instead of paying \$1,500
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren