

STATE OF INDIANA

Commissioner	Yes	No	Not Participating
Huston	٧		
Bennett			٧
Freeman	٧		
Veleta	٧		
Ziegner	٧		

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)	
APPROVING ADVISORY COMMITTEE)	APPROVED: DEC 18 2024
RECOMMENDATIONS PURSUANT TO)	
INDIANA CODE CHAPTER 8-1-26.)	

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division ("Division") of the Indiana Utility Regulatory Commission ("Commission") investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission's Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission's Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, FREEMAN, VELETA, AND ZIEGNER CONCUR; BENNETT ABSENT:

APPROVED: DEC 18 2024

I hereby certify that the above is a true and correct copy of the Order as approved.

Dana Kosco Secretary of the Commission



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ray Castillo
Other Party:	Citizens Gas
Case Number:	31466
Date of Advisory Meeting:	10/3/2024
Date of Damage:	12/10/2023
Damage Location:	423 North Forest Avenue, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	RICK Black	
Other Party:	Ohio Valley Gas Corp	
Case Number:	31901	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/2/2024	
Damage Location:	1893 Hillview Drive, Connersville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Mario Herrara
Other Party:	Northern Indiana Public Service Company
Case Number:	32113
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/16/2024
Damage Location:	2053 Connecticut Street Apartment S, Gary
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James P. Surd for Ren Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jerry Phillips
Other Party:	Northern Indiana Public Service Company
Case Number:	32199
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/3/2024
Damage Location: Warsaw	800 East Arthur Street Apartment 14 Building I
IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recon	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
Call	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Washington	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32602	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/1/2024	
Damage Location:	101 Harned, Washington	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Ramon Rios

Other Party:	CenterPoint Energy Indiana	
Case Number:	31926	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	3/22/2024	
Damage Location:	1736 South 11th Street, Terre Haute	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jeff Lewis II
Other Party:	Northern Indiana Public Service Company
Case Number:	31959
Date of Advisory Meeting:	10/3/2024
Date of Damage:	3/25/2024
Damage Location:	204 David Street, South Bend
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Jeremy Walter
Other Party:	Northern Indiana Public Service Company
Case Number:	32221
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/11/2024
Damage Location:	4990 North 250 East, Warsaw
The IURC Pipeline Safety Div	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Kenneth Schell

-		
Other Party:	CenterPoint Energy Indiana	
Case Number:	31985	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/8/2024	
Damage Location:	1608 Cameron Drive, Jeffersonville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty: Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Corbin Deeter

-		
Other Party:	CenterPoint Energy Indiana	
Case Number:	31992	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/13/2024	
Damage Location:	4204 Clark Street, Anderson	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty: Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Aaron Franm
Other Party:	Northern Indiana Public Service Company
Case Number:	32039
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/9/2024
Damage Location:	150 East Speicher Street, Urbana
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Collin Anderson
Other Party:	Northern Indiana Public Service Company
Case Number:	32041
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/10/2024
Damage Location:	164 East 550 South, Kouts
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Key Concrete, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31970
Date of Advisory Meeting:	10/3/2024
Date of Damage:	3/29/2024
Damage Location:	1230 Delta Boulevard, Fort Wayne
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Key Concrete, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32061
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/15/2024
Damage Location:	2805 Bankbarn Place, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(out)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Washington	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32609	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/2/2024	
Damage Location:	413 East Hefron Street, Washington	
The IURC Pipeline Safety Division IC 8-1-26-16(h)(expire)	on finds the following violation(s):	
The Advisory Committee recomm	ends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Rensselaer Municipal Gas System, City of
Other Party:	Providence Directional Boring, LLC dba Modus Utility
Case Number:	32229
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/3/2024
Damage Location:	440 East Wood Road, Rensselaer
The IURC Pipeline Safety Division IC 8-1-26-18(h)(locator-error)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
\$1,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Peerless Enterprises Inc dba Peerless Fence
Case Number:	32240
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/16/2024
Damage Location:	1715 North Alabama Street, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Nobis Technology LLC
Case Number:	32417
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/1/2024
Damage Location:	6817 BLUESTEM CT, INDIANAPOLIS
The IURC Pipeline Safety Div IC 8-1-26-18(h)(locator-error	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Citizens Gas
Other Party:	Knox Septic & Sewer Service
Case Number:	32486
Date of Advisory Meeting:	10/3/2024
Date of Damage:	7/10/2024
Damage Location:	6127 AFTON CRST, INDIANAPOLIS
The IURC Pipeline Safety Div	ision finds the following violation(s):
•	mmends the following civil penalty:
\$1,000	
Abstentions: Warren	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Citizens Gas
Other Party:	Midwest Paving LLC
Case Number:	32645
Date of Advisory Meeting:	10/3/2024
Date of Damage:	7/11/2024
Damage Location:	7416 E 53RD ST, LAWRENCE
The IURC Pipeline Safety Divisi IC 8-1-26-18(h)(records)	on finds the following violation(s):
The Advisory Committee recommunity \$1,000	mends the following civil penalty:
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vice	Chairman



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Aurora Utilities

-	
Other Party:	Terry Crosby
Case Number:	32768
Date of Advisory Meeting:	10/3/2024
Date of Damage:	8/10/2024
Damage Location:	12895 Probst Road, Aurora
The HIDO Disceller Cofee Disciple	f 1. 41 f. 11
The TURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-18(h)(locator-error)	
The Advisory Committee recomm	nends the following civil penalty:
	<i>S</i> 1 <i>J</i>
\$1,000	
Abstentions:	
Austritions.	
Additional Information:	
Sull	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	ıan



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Hiatt's Landscaping LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32225
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/14/2024
Damage Location:	2307 Poets Drive, Rochester
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Wayne Asphalt & Construction Co., Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32338
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/28/2024
Damage Location:	425 and 429 Millside Court, Ossian
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	K & K Earthmoving, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32339
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/28/2024
Damage Location:	921 Beaver Lane, Goshen
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	NIPSCO - Gas
Other Party:	Northern Indiana Public Service Company
Case Number:	32344
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/29/2024
Damage Location:	522 West Wabash Avenue, Logansport
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Indiana American Water Co. DBA Indiana American
Other Party:	Northern Indiana Public Service Company
Case Number:	31584
Date of Advisory Meeting:	10/3/2024
Date of Damage:	12/18/2023
Damage Location:	25 West 3rd Street, Hobart
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Grimmer Construction Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32425
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/3/2024
Damage Location:	348 North Lake Street, Gary
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	S & S Directional Boring, LTD
Other Party:	Northern Indiana Public Service Company
Case Number:	32217
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/10/2024
Damage Location:	2002 Kentucky Avenue, Fort Wayne
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	A-1 Sanitary Sewer & Drain Company
Other Party:	Northern Indiana Public Service Company
Case Number:	32426
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/3/2024
Damage Location:	631 and 633 Runnion Avenue, Fort Wayne
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Lantech Communications
Other Party:	Northern Indiana Public Service Company
Case Number:	32063
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/15/2024
Damage Location:	2870 Mingo Court, Portage
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$4,000	
Abstentions: Smith	
Additional Information:	
Caral 1	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Midwest Paving LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32508	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/20/2024	
Damage Location:	110 Park Road, Tipton	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$4,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Precision Utilities Group, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32347
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/30/2024
Damage Location:	240 Lane 160 Crooked Lake, Angola
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Midwest Paving LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32634	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/13/2024	
Damage Location:	1481 Waterford Drive, Zionsville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$4,500		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Dotson Construction, Inc.	
Case Number:	32536	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/27/2024	
Damage Location:	544 North Main Street, Lynnville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana
Other Party:	Sage Drilling, Inc
Case Number:	32289
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/28/2024
Damage Location:	523 Northwest L Street, Richmond
The IURC Pipeline Safety Division finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)	
The Advisory Committee recommends the following civil penalty:	
\$1,000	
,	
Abstentions:	
A 44:4: a.m. 1 I.m. f. a.m. a.t. a.m.	
Additional Information:	
ADDROVED	L DC 16 D W
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren
,	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

CenterPoint Energy Indiana		
Rams Underground Group LLC		
32371		
10/3/2024		
6/8/2024		
508 Trace Five, West Lafayette		
on finds the following violation(s):		
ends the following civil penalty:		
\$1,000		
James R. Surd for Ben Warren		
an		



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	E & B Paving, Inc.	
Case Number:	32388	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/12/2024	
Damage Location:	1345 Henry Street, Huntington	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
. ,		
Abstentions:		
Additional Information:		
Additional information.		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	_	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Tactical Boring Solutions	
Case Number:	32391	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/13/2024	
Damage Location:	1833 South Maxwell Street, Bloomington	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
,		
Abstentions:		
A 11'4' 17 C 4'		
Additional Information:		
Sall		
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren	
Don warren, Chann	1411	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	C A Advanced, Inc.	
Case Number:	32393	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/13/2024	
Damage Location:	15322 Clearstream Drive, Fishers	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Liberty Fence	
Case Number:	32504	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/19/2024	
Damage Location:	509 Duffey Street, Plainfield	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Little J J's Trees	
Case Number:	32514	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/24/2024	
Damage Location:	1221 West Rex Street, Muncie	
The IURC Pipeline Safety Divisi	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recomm	mends the following civil penalty:	
\$1,000		
71,000		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairr	nan	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Setser Cable Construction LLC	
Case Number:	32535	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/27/2024	
Damage Location:	1800 Continental Drive, Zionsville	
The IURC Pipeline Safety Divisi	ion finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recomm	mends the following civil penalty:	
\$1,000		
, ,		
Abstentions:		
A 11'.' 1 T C'		
Additional Information:		
Sall		
APPROVED: Ben Warren, Chair	James R. Surd for Ben Warren	
Den warren, Chain	111411	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Precision Quality Contracting LLC	
Case Number:	32616	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/1/2024	
Damage Location:	3318 Timberbrook Court, Danville	
Γhe IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recomn	nends the following civil penalty:	
\$1,000		
72,000		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Miller Pipeline, LLC	
Case Number:	32621	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/9/2024	
Damage Location:	4 South Oak Street, Redkey	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Altstadt Hoffman Plumbing Service, Inc	
Case Number:	32623	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/10/2024	
Damage Location:	1709 South Boeke Road, Evansville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
,		
Abstentions:		
Additional Information:		
raditional information.		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn		



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Smyth LLC	
Case Number:	32625	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/10/2024	
Damage Location:	520 East Main Street, Carmel	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Hire Construction, Inc.	
Case Number:	32630	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/11/2024	
Damage Location:	235 South Clark Street, Markle	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	E & B Paving, Inc.	
Case Number:	32631	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/12/2024	
Damage Location:	9767 Fortune Drive, Fishers	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(locator-error)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	American Electric Power DBA Indiana Michigan Power	
Case Number:	32291	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	5/29/2024	
Damage Location:	120 East State Street, Albany	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(no-response)		
The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Brothers Excavating LLC	
Case Number:	32373	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/7/2024	
Damage Location:	12002 Lantern Road, Fishers	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(no-response)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	City of Lafayette	
Case Number:	32262	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	5/16/2024	
Damage Location:	268 Green Street, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(records)		
The Advisory Committee recomm	nends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Miller Pipeline, LLC	
Case Number:	32364	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/6/2024	
Damage Location:	108 Amick Lane, Bedford	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(records)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Miller Pipeline, LLC	
Case Number:	32372	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/5/2024	
Damage Location:	204 West Elm Street, Gaston	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(records)		
The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	D C Construction Services, Inc.	
Case Number:	32382	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/10/2024	
Damage Location:	804 West State Street, Veedersburg	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(records)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Morphey Construction, Inc.	
Case Number:	32503	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/19/2024	
Damage Location:	9810 Carney Drive, Fishers	
The IURC Pipeline Safety Divisio	n finds the following violation(s):	
IC 8-1-26-18(h)(records)		
The Advisory Committee recomm	ends the following civil penalty:	
\$1,000		
,		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm		



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	Low Voltage Industries, Inc.	
Case Number:	32513	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/22/2024	
Damage Location:	440 Maria Drive, Greenwood	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-18(h)(records)		
The Advisory Committee recomn	nends the following civil penalty:	
\$1,000		
, -,- ,		
Abstentions:		
A 44:4: 1 Information.		
Additional Information:		
Sulled		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	
2011 Warren, Chairn		



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

CenterPoint Energy Indiana

Other Party:	American Electric Power DBA Indiana Michigan Power	
Case Number:	32604	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/1/2024	
Damage Location:	1824 East 2nd Street, Muncie	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-18(h)(records)		
The Advisory Committee recommends the following civil penalty: \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	Robertson Paving, Inc.	
Case Number:	32622	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/8/2024	
Damage Location:	301 North Clay Street, Edinburgh	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-18(h)(records)		
The Advisory Committee recommends the following civil penalty:		
\$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Evansville (Water & Sewer Departments)	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32386	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/12/2024	
Damage Location:	7351 Old State Road, Evansville	
The IURC Pipeline Safety Divisio	on finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee recomm	ends the following civil penalty:	
\$5,000		
,		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Evansville (Water & Sewer Departments)
Other Party:	CenterPoint Energy Indiana
Case Number:	32519
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/25/2024
Damage Location:	1603 Ewing Avenue, Evansville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recomn \$5,000	nends the following civil penalty:
Abstentions: Additional Information:	
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milenium, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32038
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/9/2024
Damage Location:	1815 Elizabethan Court Lot 103, South Bend
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Verita Telecommunications Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	31873
Date of Advisory Meeting:	10/3/2024
Date of Damage:	3/1/2024
Damage Location:	2403 West Shoaff Road, Huntertown
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Verita Telecommunications Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	31880
Date of Advisory Meeting:	10/3/2024
Date of Damage:	3/7/2024
Damage Location:	105 Crystal Heights Boulevard, Middlebury
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
Sall	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Milenium, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32305
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/9/2024
Damage Location:	19652 Pulling Street, South Bend
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(3)(a)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	24-7 PHC LLC
Other Party:	Citizens Gas
Case Number:	31854
Date of Advisory Meeting:	10/3/2024
Date of Damage:	3/11/2024
Damage Location:	623 East 60th, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hunter Transit, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32326
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/22/2024
Damage Location:	3002 North Knoll Drive, Macy
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Statement Excavating LLC
Other Party:	Westfield Gas Corporation
Case Number:	31865
Date of Advisory Meeting:	10/3/2024
Date of Damage:	3/25/2024
Damage Location:	17295 Gibbons Pl., Westfield
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	The Hendricks Experience
Other Party:	Northern Indiana Public Service Company
Case Number:	32327
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/22/2024
Damage Location:	316 North Carroll Avenue, Michigan City
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Grademasters LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	31846
Date of Advisory Meeting:	10/3/2024
Date of Damage:	3/15/2024
Damage Location:	2445 Black Rock Circle, Lebanon
The IURC Pipeline Safety Divisio	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	ends the following civil penalty:
\$1,500, respondent can complete escalation - additional \$1,000	e training instead of paying \$1,500; no ticket
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren an



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	C Lee Construction Services, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32466
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/13/2024
Damage Location:	1705 East Main Street, Griffith
	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recon	nmends the following civil penalty:
\$1,500, respondent can complescalation - additional \$1,000	ete training instead of paying \$1,500; no ticket
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	rman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	1868 Vistula Street Properties LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32440
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/7/2024
Damage Location:	1105 West Vistula Street, Bristol
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ronald Hernan Cartagena Almendarez LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31473	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	12/2/2023	
Damage Location:	South Tompkins & West Polk Street, Shelbyville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Greenland Landscaping & Lawn Care Inc	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31824	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	3/7/2024	
Damage Location:	4160 Scoria Court, Lafayette	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Marway Construction LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	31886
Date of Advisory Meeting:	10/3/2024
Date of Damage:	3/12/2024
Damage Location:	29332 County Road 10, Elkhart
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Hamilton County Fence Repair LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32075	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/18/2024	
Damage Location:	8445 Los Robles Road, Fishers	
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Privacy Connection	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32084	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/22/2024	
Damage Location:	810 South 18th Street, Richmond	
The IURC Pipeline Safety Divisio IC 8-1-26-16(h)	n finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	B & B Excavating LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32124
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/19/2024
Damage Location:	8662 East 101st Avenue Lot 1, Crown Point
The IURC Pipeline Safety Divisi IC 8-1-26-16(h)	on finds the following violation(s):
The Advisory Committee recommittee	mends the following civil penalty:
Training or \$5,000 if responder	nt fails to complete training
Abstentions: Smith Additional Information:	
Additional information.	
Sall	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Pro Roofing and Construction
Other Party:	Northern Indiana Public Service Company
Case Number:	32202
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/4/2024
Damage Location:	1203 East Colfax Avenue, South Bend
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Legendary Concrete & Excavation LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32227
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/15/2024
Damage Location:	605 South State Street, Kendallville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ancilla Domini Sisters Inc
Other Party:	Northern Indiana Public Service Company
Case Number:	32349
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/31/2024
Damage Location:	9815 United Building Greenhouse, Plymouth
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Evergreen Enterprise LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	32516
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/17/2024
Damage Location:	6931 West Amanda Court, Greenfield
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):
The Advisory Committee recomm	
Abstentions: Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Kosciusko County Highway Department
Other Party:	Northern Indiana Public Service Company
Case Number:	32324
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/22/2024
Damage Location:	North 700 West and West 400 North, Warsaw
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Smith	
Additional Information:	
Carol	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	nirman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Fox Contractors Corp.
Other Party:	Northern Indiana Public Service Company
Case Number:	31804
Date of Advisory Meeting:	10/3/2024
Date of Damage:	2/27/2024
Damage Location:	1555 Manchester Avenue, Wabash
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000; no ticket escalation -	additional \$1,000
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CenterPoint Energy Indiana	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31909	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	3/20/2024	
Damage Location:	4767 Alaina Drive, Newburgh	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
\$5,000; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Environmental Quality Management, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32447
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/10/2024
Damage Location:	1220 Chicago Street, Logansport
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	airman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dead Center Underground, LLC
Other Party:	Northern Indiana Public Service Company
Case Number:	32021
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/2/2024
Damage Location:	205 Highland Street, Nappanee
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(out)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,500	
Abstentions: Smith	
Additional Information:	
Sales	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	F & K Construction Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32427
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/3/2024
Damage Location:	114 16th Street, Logansport
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	airman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	S/T Bancroft Electric, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32452
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/11/2024
Damage Location:	301 Castleman Court, Mishawaka
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Indianapolis	
Other Party:	Citizens Gas	
Case Number:	32106	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/24/2024	
Damage Location:	5679 West Terrytown Parkway, Indianapolis	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-20(a)(1)		
The Advisory Committee reco	mmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Vic	ce Chairman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	CorGroup, LLC
Other Party:	Citizens Gas
Case Number:	32107
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/25/2024
Damage Location:	1431 North Alabama Street, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vic	ee Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Bell's Landscape & Design LLC	
Other Party:	Community Natural Gas Inc	
Case Number:	32487	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/11/2024	
Damage Location:	377 W Evergreen S., Santa Claus	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Jakes Heating Air & Plumbing	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32500	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/18/2024	
Damage Location:	409 North Broadway Street, Greenfield	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recor	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Sull		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha	irman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Luminaire Service	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32505	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/18/2024	
Damage Location:	534 Corbin Way, Avon	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty: Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Performance Pipelining Inc
Other Party:	CenterPoint Energy Indiana
Case Number:	32527
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/27/2024
Damage Location:	135 North Clark Street, Bloomington
The IURC Pipeline Safety Divi	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Hoosier Edison Line Company LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32523	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/25/2024	
Damage Location:	628 Boham Court, West Lafayette	
The IURC Pipeline Safety Divi	sion finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recor	nmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
Sints		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chai	irman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Dotson Construction, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32525	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/27/2024	
Damage Location:	11725 Petersburg Road, Evansville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Kings Trucking & Excavation, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32603	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/1/2024	
Damage Location:	5705 North Sandy Creek Drive, Seymour	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Crider & Crider Construction	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32532	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/29/2024	
Damage Location:	1800 North Stonelake Drive, Bloomington	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$5,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Altstadt Hoffman Plumbing Service, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32611	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/2/2024	
Damage Location:	3401 Bromm Road, Evansville	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomn	nends the following civil penalty:	
\$5,000		
Abstentions:		
Additional Information:		
additional information.		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm		



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Always Underground, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32617	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/8/2024	
Damage Location:	5746 Granite Drive, Anderson	
The IURC Pipeline Safety Divisio	n finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$5,000		
,		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm		



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Brackney, Inc.

Other Party:	CenterPoint Energy Indiana	
Case Number:	32620	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/9/2024	
Damage Location:	201 South Union Street, Eaton	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	nends the following civil penalty:	
\$5,000		
,-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Abstentions:		
Additional Information:		
Sall		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R & R Home Improvement LLC
Other Party:	Citizens Gas
Case Number:	30509
Date of Advisory Meeting:	10/3/2024
Date of Damage:	8/4/2023
Damage Location:	912 East 27th Street, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Valor Environmental	
Other Party:	Citizens Gas	
Case Number:	32253	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	5/31/2024	
Damage Location:	5037 GERHING DR, INDIANAPOLIS	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recor	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	L E D Excavating LLC	
Other Party:	Citizens Gas	
Case Number:	32406	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/20/2024	
Damage Location:	3855 East 56th Street, Indianapolis	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee reco	mmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	M I C Construction & More LLC
Other Party:	Citizens Gas
Case Number:	32407
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/18/2024
Damage Location:	937 W 28TH ST, Indianapolis
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Jose Monrey	
Other Party:	Citizens Gas	
Case Number:	32412	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/6/2024	
Damage Location:	3752 RUCKLE ST, Indianapolis	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Vice	e Chairman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Midwest Landscaping & Tree Service	
Other Party:	Sycamore Gas Company	
Case Number:	32488	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/11/2024	
Damage Location:	956 Heck Drive, Greendale	
The HIDC Division Cofee Division	C 1- 41- C. 11	
The TURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
A 1122 17 C 22		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn	<u> </u>	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	R & F Concrete Specialists Inc	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32608	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/2/2024	
Damage Location:	1708 Mimosa Lane, Anderson	
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Banda Concrete Construction LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32627	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/11/2024	
Damage Location:	1328 I Avenue, New Castle	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Cutting Edge Hardscapes
Other Party:	Citizens Gas
Case Number:	32668
Date of Advisory Meeting:	10/3/2024
Date of Damage:	7/30/2024
Damage Location:	8175 Talliho Drive, Indianapolis
The IURC Pipeline Safety Div IC 8-1-26-16(h)(expire)	vision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	dent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Diego Hernandez
Other Party:	Citizens Gas
Case Number:	32416
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/2/2024
Damage Location:	811 COFFEY ST., Indianapolis
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recom	nmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vice	e Chairman



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Jeffrey's Auto Exchange Inc	
Other Party:	Midwest Natural Gas Corporation	
Case Number:	32642	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/23/2024	
Damage Location:	314 W Wardell St, Scottsburg	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Toby Deem

-	•	
Other Party:	Midwest Natural Gas Corporation	
Case Number:	32644	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/30/2024	
Damage Location:	954 S Lewis St, Bloomfield	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty: Warning letter		
Abstentions:		
Additional Information:		
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Yolanda Miramontes
Other Party:	Citizens Gas
Case Number:	32649
Date of Advisory Meeting:	10/3/2024
Date of Damage:	7/16/2024
Damage Location:	2325 Collier Street, Indianapolis
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	nmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vic	e Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Eric Gallo
Other Party:	Citizens Gas
Case Number:	32651
Date of Advisory Meeting:	10/3/2024
Date of Damage:	7/18/2024
Damage Location:	4655 W VERMONT ST, INDIANAPOLIS
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vic	ce Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Silvano Fernandez	
Other Party:	Citizens Gas	
Case Number:	32655	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/21/2024	
Damage Location:	541 North Traub, Indianapolis	
The IURC Pipeline Safety Divis IC 8-1-26-16(h)	ion finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Vice	Chairman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Andres Gonzales	
Other Party:	Citizens Gas	
Case Number:	32661	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/23/2024	
Damage Location:	6601 East 42nd Street, Indianapolis	
The IURC Pipeline Safety Division IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Vice C	Chairman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	McDougalle Contracting, Inc.	
Other Party:	Citizens Gas	
Case Number:	32479	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/26/2024	
Damage Location:	7137 E 46TH ST, INDIANAPOLIS	
The IURC Pipeline Safety Divisi IC 8-1-26-16(h)	on finds the following violation(s):	
The Advisory Committee recomm	mends the following civil penalty:	
$\$1,\!500$, respondent can complete training instead of paying $\$1,\!500$; no ticket escalation - additional $\$1,\!000$		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Vice		



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	High Power Technical Services, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32618	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/7/2024	
Damage Location:	425 Beech Park Drive, Greenwood	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Saltsgaver Construction, Inc.	
Other Party:	Midwest Natural Gas Corporation	
Case Number:	32643	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/29/2024	
Damage Location:	535 TCB Blvd, Memphis	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Ideal Plumbing Systems LLC	
Other Party:	Citizens Gas	
Case Number:	32478	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/25/2024	
Damage Location:	1840 E MINNESOTA ST, INDIANAPOLIS	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(expire)		
The Advisory Committee recomm	mends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Warren		
Additional Information:		
A DDD OVED:	James D. Soud for South South	
APPROVED:	James R. Surd for Scott Sontag	

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Town of Oolitic	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32498	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/17/2024	
Damage Location:	101 Quiet Lane, Oolitic	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(expire)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Broadband of Indiana LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31844	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	3/14/2024	
Damage Location:	2617 Autumn Way, Sellersburg	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$4,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Rudolf Excavating, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31922	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	3/25/2024	
Damage Location:	13111 Old Meridian Street, Carmel	
The IURC Pipeline Safety Divisio IC 8-1-26-20(a)(2)	n finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
\$3,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Setser Cable Construction LLC
Other Party:	Citizens Gas
Case Number:	32415
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/3/2024
Damage Location:	5135 South Emerson Avenue, Indianapolis
The IURC Pipeline Safety Divi IC 8-1-26-20(a)(2)	sion finds the following violation(s):
1C 0-1-20-20(a)(2)	
The Advisory Committee recor	nmends the following civil penalty:
\$3,000	
Abstentions: Warren Additional Information:	
Carol	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vic	e Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	E & A Underground	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31924	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	3/25/2024	
Damage Location:	6600 Schultz Road, Evansville	
The IURC Pipeline Safety Divisi	ion finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommendation	mends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chair	man	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Indiana Excavating & Utilities
Other Party:	Citizens Gas
Case Number:	32011
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/4/2024
Damage Location:	2901 Guilford Avenue, Indianapolis
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recon	nmends the following civil penalty:
Training or \$5,000 if responde	ent fails to complete training
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vice	e Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Wise Building Solutions Inc	
Other Party:	Citizens Gas	
Case Number:	32481	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/2/2024	
Damage Location:	1120 WATERWAY BLVD, INDIANAPOLIS	
The IURC Pipeline Safety Divi	ision finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recor	nmends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Vic	-	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Custom Wood Fencing
Other Party:	Citizens Gas
Case Number:	32485
Date of Advisory Meeting:	10/3/2024
Date of Damage:	7/8/2024
Damage Location:	833 JEFFERSON AVE, INDIANAPOLIS
The IURC Pipeline Safety Div IC 8-1-26-20(a)(2)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respond	lent fails to complete training
Abstentions: Warren	
Additional Information:	
Sint	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Kerns Excavating, LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	31930
Date of Advisory Meeting:	10/3/2024
Date of Damage:	3/27/2024
Damage Location:	2104 Washington Avenue, Vincennes
The IURC Pipeline Safety Divi	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500
Abstentions:	
Additional Information:	
Carl S	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Draper Fencing Company LLC
Other Party:	Citizens Gas
Case Number:	32411
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/6/2024
Damage Location:	8419 N PARK AVE, INDIANAPOLIS
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,500, respondent can comp	elete training instead of paying \$1,500
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Hope Plumbing, LLC	
Other Party:	Citizens Gas	
Case Number:	32414	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/3/2024	
Damage Location:	510 BLUE RIDGE RD, Indianapolis	
The IURC Pipeline Safety Divi	sion finds the following violation(s):	
IC 8-1-26-20(a)(2)		
10 0 1 2 0 2 0(u)(2)		
The Advisory Committee recor	nmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: Warren		
Additional Information:		
Additional information.		
ADDROVED		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag, Vice	e Chairman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Miller Pipeline, LLC
Other Party:	Citizens Gas
Case Number:	32480
Date of Advisory Meeting:	10/3/2024
Date of Damage:	7/1/2024
Damage Location:	2740 E 38TH ST, INDIANAPOLIS
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$5,000	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vic	e Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Rieth-Riley Construction Co., Inc.	
Other Party:	Citizens Gas	
Case Number:	32484	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/8/2024	
Damage Location:	7860 DEAN RD, INDIANAPOLIS	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$5,000		
Abstentions: Warren		
Additional Information:		
APPROVED: Scott Sontag, Vice C	James R. Surd for Scott Sontag	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Milestone Contractors, L.P.		
Other Party:	Citizens Gas		
Case Number:	32664		
Date of Advisory Meeting:	10/3/2024		
Date of Damage:	7/25/2024		
Damage Location:	4615 North Shadeland Avenue, Indianapolis		
The IURC Pipeline Safety DivisiIC 8-1-26-20(a)(2)	The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:			
\$5,000			
Abstentions: Warren Additional Information:			
APPROVED:	James R. Surd for Scott Sontag		
Scott Sontag, Vice	Chamban		



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ridgeline Electrical Industries	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32520	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/25/2024	
Damage Location:	405 North Harrison Street, Shelbyville	
The IURC Pipeline Safety Divisi	on finds the following violation(s):	
IC 8-1-26-16(h)(expire)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairr	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	2YardPros	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32613	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/3/2024	
Damage Location:	1105 Washington Street, Columbus	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(expire)		
The Advisory Committee recomm	ends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
Carl S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Hipolitos Construction LLC
Other Party:	Citizens Gas
Case Number:	32476
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/24/2024
Damage Location:	3610 N PARKER AVE, INDIANAPOLIS
The IURC Pipeline Safety Div IC 8-1-26-16(h)(out)	ision finds the following violation(s):
10 0 1 20 10(h)(00t)	
The Advisory Committee reco	mmends the following civil penalty:
Training or \$5,000 if respondent fails to complete training	
Abstentions: Warren	
Additional Information:	
APPROVED:	James R. Surd for Scott Sontag

Scott Sontag, Vice Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Al's Building Group	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32090	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/23/2024	
Damage Location:	12901 Harrison Drive, Carmel	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(prior)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	M & B Underground LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32095	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/25/2024	
Damage Location:	7000 Stonewick Drive, Newburgh	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(prior)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
and S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	G & R Excavating Inc	
Other Party:	Citizens Gas	
Case Number:	32110	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/29/2024	
Damage Location:	861 West 96th Street, Indianapolis	
The IURC Pipeline Safety Divisi	ion finds the following violation(s):	
IC 8-1-26-16(h)(out)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: Warren		
Additional Information:		
APPROVED:	James R. Surd for Scott Sontag	
Scott Sontag Vice	Chairman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Jim Allen Maintenance Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32626	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/11/2024	
Damage Location:	625 West Broadway Street, Fortville	
The IURC Pipeline Safety Division IC 8-1-26-16(h)(out)	in finds the following violation(s).	
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Foley Foundations, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32078	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/19/2024	
Damage Location:	1901 Mud Creek Court, West Lafayette	
The IURC Pipeline Safety Divis IC 8-1-26-16(h)(prior)	sion finds the following violation(s):	
The Advisory Committee recom	nmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED:Ben Warren, Chair	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	B & B Site Maintenance, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32390	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/13/2024	
Damage Location:	1361 South Range Line Road, Carmel	
The IURC Pipeline Safety Divi	sion finds the following violation(s):	
IC 8-1-26-16(h)(prior)		
The Advisory Committee recor	nmends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
Sulled		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Cha	ırman	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Dave O'Mara Contractor, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32493	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/17/2024	
Damage Location:	744 Clifty Drive, Madison	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)(prior)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
and C		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairman		



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

RLA Utilities, Inc.

Other Party:	CenterPoint Energy Indiana	
Case Number:	32369	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/5/2024	
Damage Location:	1417 South 14th Street, Richmond	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	nends the following civil penalty:	
φ ₂ 5 00		
\$3,500		
A1		
Abstentions:		
Additional Information:		
Sall S		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Gehring Underground, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32392	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/13/2024	
Damage Location:	906 Hummingbird Lane, Columbus	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$3,500		
,		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Specialties Co. LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32397	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/13/2024	
Damage Location:	1909 1/2 South Main Street, Upland	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$3,500		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Five Star Energy Services LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32496	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/17/2024	
Damage Location:	2917 West Godman Avenue, Muncie	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty: \$3,500		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Lazer Excavating Company	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31991	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/13/2024	
Damage Location:	2136 Rosemont Drive, Columbus	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	MAC Construction & Excavating, Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32491	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/17/2024	
Damage Location:	1005 West Riverside Drive, Jeffersonville	
The IURC Pineline Safety Divis	sion finds the following violation(s):	
The Totte Tipeline Surety Divis	sion imas the following violation(s).	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty: \$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED:Ben Warren, Chair	James R. Surd for Ben Warren	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Electricom, Inc.

-		
Other Party:	CenterPoint Energy Indiana	
Case Number:	32501	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/18/2024	
Damage Location:	2343 West Cart Road, Richmond	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-16(h)(out)		
The Advisory Committee recommends the following civil penalty: \$5,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Calumet Civil Contractors, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	32374
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/10/2024
Damage Location:	609 East Harrison Street, Martinsville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)(prior)	
The Advisory Committee recomm	nends the following civil penalty:
\$5,000	
Abstentions:	
Additional Information:	
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Citizens Gas		
32648		
10/3/2024		
7/15/2024		
6015 COOPER RD, INDIANAPOLIS		
ion finds the following violation(s):		
The Advisory Committee recommends the following civil penalty:		
James R. Surd for Scott Sontag Chairman		



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Greg Cassel

Other Party:	CenterPoint Energy Indiana	
Case Number:	32710	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/16/2024	
Damage Location:	1652 S 1150 West, Parker City	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Wallace Construction Inc	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32377	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/10/2024	
Damage Location:	931 Westbrook Drive, Mooresville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(out)		
The Advisory Committee recommends the following civil penalty:		
\$4,500		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	A I Excavating LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31976	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/3/2024	
Damage Location:	2000 East 29th Street, Muncie	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(prior)		
The Advisory Committee recomm	ends the following civil penalty:	
\$3,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Hendrix

Other Party: CenterPoint Energy Indiana

Case Number: 30568

Date of Advisory Meeting: 10/3/2024

Date of Damage: 8/12/2023

Damage Location: 10424 East US Highway 40, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Violation found; no penalty recommended

Abstentions:

Additional Information: Homeowner used a hydro-vac and exposed two gas lines: one steel; one plastic. Homeowner, not sure which line was live, contacted the locator and the operator. Both entities confirmed the steel gas line was abandoned and could be cut/removed. Unbeknownst to the operator, a live plastic gas line was inserted into the abandoned steel line. Although the homeowner did everything right, he still damaged a gas pipeline and UPPAC felt it appropriate to not recommend a penalty.

APPROVED: James R. Surd for Ben Warren
Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Fourth Quarter Solutions LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32080	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/17/2024	
Damage Location:	2446 Creek Bank Drive, Columbus	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	an	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Crosby Excavating, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	32157
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/1/2024
Damage Location:	4650 West Industries Road, Richmond
The IURC Pipeline Safety Divi IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recor	nmends the following civil penalty:
\$5,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chai	James R. Surd for Ben Warren irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	R M R Services LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32395	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/14/2024	
Damage Location:	3985 Woods Court, Greenwood	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Blackmore Construction LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32490	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/17/2024	
Damage Location:	16965 Silo Ridge Way, Noblesville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recomm	ends the following civil penalty:	
\$5,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Brown's Construction Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31606	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	1/4/2024	
Damage Location:	2215 Runningbrook Court, Greenwood	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)(expire)		
The Advisory Committee recomm \$3,000	nends the following civil penalty:	
Abstentions: Additional Information:		
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R L M Underground
Other Party:	Northern Indiana Public Service Company
Case Number:	32029
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/5/2024
Damage Location:	504 South Main Street, North Webster
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R L M Underground
Other Party:	Northern Indiana Public Service Company
Case Number:	32065
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/15/2024
Damage Location:	437 East Greenwalt Extension, North Webster
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)(expire)	
The Advisory Committee reco	mmends the following civil penalty:
\$5,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Brown's Construction Inc.	
Other Party:	Citizens Gas	
Case Number:	31573	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	12/29/2023	
Damage Location:	2550 Greythorne Drive, Indianapolis	
The IURC Pipeline Safety Division IC 8-1-26-16(h)(out)	on finds the following violation(s):	
The Advisory Committee recomm	nends the following civil penalty:	
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: Warren Additional Information:		
APPROVED: Scott Sontag, Vice O	James R. Surd for Scott Sontag	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Koberstein Contracting, Inc.		
Other Party:	CenterPoint Energy Indiana		
Case Number:	32381		
Date of Advisory Meeting:	10/3/2024		
Date of Damage:	6/11/2024		
Damage Location:	1146 Stanley Avenue, Evansville		
The IURC Pipeline Safety Division	The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-16(h)(prior)			
The Advisory Committee recommends the following civil penalty: \$3,000			
Abstentions: Additional Information:			
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren		



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Summers of Crown Point, Inc.
Case Number:	32330
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/23/2024
Damage Location:	3985 Kingsway Drive, Crown Point
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	A-1 Suburban Plumbing Inc.
Case Number:	31960
Date of Advisory Meeting:	10/3/2024
Date of Damage:	3/25/2024
Damage Location:	1664 Sunnyslope Drive, Crown Point
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
Sales	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Nick Lambert
Case Number:	32418
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/23/2024
Damage Location:	781 Surrey Drive, Lowell
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the **Indiana Underground Plant Protection Advisory Committee**

Respondent:	Northern Indiana Public Service Company
Other Party:	Gilbert Drainage & Excavating LLC
Case Number:	32419
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/24/2024
Damage Location:	2135 East 100 South, LaGrange
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	C & E Excavating
Case Number:	32420
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/30/2024
Damage Location:	13065 County Road 20, Middlebury
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	All Seasons Underground Construction, Inc.
Case Number:	32421
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/30/2024
Damage Location:	1232 East Creighton Avenue, Fort Wayne
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	City of Elkhart
Case Number:	32432
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/5/2024
Damage Location:	1203 Erwin Street, Elkhart
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	•)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Milenium, Inc.
Case Number:	32434
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/5/2024
Damage Location:	52081 Hollyhock, South Bend
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	V & H Excavating Co., Inc.
Case Number:	32439
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/6/2024
Damage Location:	1207 North Main Street, Crown Point
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Flynnco Construction LLC
Case Number:	32443
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/8/2024
Damage Location:	3481 North State Road 19, Sharpsville
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Lake County Highway Department
Case Number:	32450
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/10/2024
Damage Location:	11730 Burr Street, Crown Point
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	r)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Rothenberger Company, Inc.
Case Number:	32468
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/14/2024
Damage Location:	4815 South Anthony Boulevard, Fort Wayne
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(locator-error	·)
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company	
Other Party:	Alexandra Patino-Malagaon / Leonardo Patino	
Case Number:	32472	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/15/2024	
Damage Location:	311 North Washington Street, Warsaw	
The IURC Pipeline Safety Div	ision finds the following violation(s):	
IC 8-1-26-18(h)(locator-error	r)	
The Advisory Committee reco	mmends the following civil penalty:	
\$1,000		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Northern Indiana Public Service Company
Other Party:	Surf Internet
Case Number:	32341
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/29/2024
Damage Location:	19543 County Road 6, Bristol
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	M & J Underground Inc.
Case Number:	32429
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/4/2024
Damage Location:	12955 85th, Saint John
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ren Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company	
Other Party:	Fox Contractors Corp.	
Case Number:	32438	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/6/2024	
Damage Location:	12222 US Highway 24 West, Fort Wayne	
The IURC Pipeline Safety Div	rision finds the following violation(s):	
IC 8-1-26-18(h)(records)		
The Advisory Committee reco	mmends the following civil penalty:	
\$1,000		
Abstentions: Smith		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Northern Indiana Public Service Company
Other Party:	Techno Drill, LLC
Case Number:	32448
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/10/2024
Damage Location:	3400 County Road 6, Elkhart
The IURC Pipeline Safety Divis	sion finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee recon	nmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chai	rman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Milestone Contractors, L.P.
Case Number:	32460
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/12/2024
Damage Location:	1135 North Notre Dame Avenue, South Bend
The IURC Pipeline Safety Div. IC 8-1-26-18(h)(records)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
111110 Y L/D.	James IX. Buru for Den Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Northern Indiana Public Service Company
Other Party:	Loop Enterprises LLC
Case Number:	32463
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/13/2024
Damage Location:	3340 West State Road 26, Rossville
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-18(h)(records)	
The Advisory Committee reco	mmends the following civil penalty:
\$1,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Hydro, Inc.
Other Party:	Citizens Gas
Case Number:	31708
Date of Advisory Meeting:	10/3/2024
Date of Damage:	2/5/2024
Damage Location:	1117 Waldemere, Indianapolis
The IURC Pipeline Safety Division IC 8-1-26-20(a)(2)	sion finds the following violation(s):
The Advisory Committee recon	nmends the following civil penalty:
\$1,500, respondent can compl	ete training instead of paying \$1,500
Abstentions: Warren Additional Information:	
APPROVED:	James R. Surd for Scott Sontag
Scott Sontag, Vice	e Chairman



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Koberstein Contracting, Inc.	
Other Party:	Boonville Natural Gas Corporation	
Case Number:	32601	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/26/2024	
Damage Location:	509 Forrest Avenue, Boonville	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(2)		
The Advisory Committee recomn	nends the following civil penalty:	
\$4,000		
Abstentions:		
Additional Information:		
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	R L M Underground
Other Party:	Northern Indiana Public Service Company
Case Number:	31787
Date of Advisory Meeting:	10/3/2024
Date of Damage:	2/20/2024
Damage Location:	225 West Buckeye Street, South Whitley
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	mmends the following civil penalty:
\$4,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	R L M Underground
Other Party:	CenterPoint Energy Indiana
Case Number:	31921
Date of Advisory Meeting:	10/3/2024
Date of Damage:	3/19/2024
Damage Location:	325 East River Road, Jonesboro
The IURC Pipeline Safety Divisio IC 8-1-26-20(a)(2)	n finds the following violation(s):
The Advisory Committee recomm	ends the following civil penalty:
\$5,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	City of Misnawaka
Other Party:	Northern Indiana Public Service Company
Case Number:	32034
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/8/2024
Damage Location:	405 Manchester Drive, Mishawaka
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Clark Concrete LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	32624
Date of Advisory Meeting:	10/3/2024
Date of Damage:	7/10/2024
Damage Location:	703 West Gourley Pike. Building 2, Bloomington
The IURC Pipeline Safety Divi	sion finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee recon	nmends the following civil penalty:
\$1,500, respondent can compl	lete training instead of paying \$1,500
Abstentions:	
Additional Information:	
Sall S	
APPROVED: Ben Warren, Chai	James R. Surd for Ben Warren
_ 511 311 511, 51141	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Koberstein Contracting, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	32507
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/20/2024
Damage Location:	6601 Oak Hill Road, Evansville
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee recomm	ends the following civil penalty:
\$3,500	
. ,	
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Chairm	an



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Landscape Designs of Indianapolis, Inc.
Other Party:	CenterPoint Energy Indiana
Case Number:	32517
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/19/2024
Damage Location:	6593 Ambassador Drive, Plainfield
The IURC Pipeline Safety Division IC 8-1-26-20(a)(3)(b)	on finds the following violation(s):
The Advisory Committee recomm	ends the following civil penalty:
\$3,000	
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren



1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Providence Directional Boring, LLC dba Modus Utility
Other Party:	Rensselaer Municipal Gas System, City of
Case Number:	32350
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/10/2024
Damage Location:	428 Millissa Ln, Rensselaer
The IURC Pipeline Safety Division IC 8-1-26-20(a)(3)(b)	on finds the following violation(s):
The Advisory Committee recomm	nends the following civil penalty:
\$4,500	
Abstentions:	
Additional Information:	
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Woodruff & Sons, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	31810
Date of Advisory Meeting:	10/3/2024
Date of Damage:	2/29/2024
Damage Location:	1700 Lake Shore Drive, Long Beach
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-20(a)(3)(b)	
The Advisory Committee reco	mmends the following civil penalty:
\$3,500	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Dave Kritzer
Other Party:	Northern Indiana Public Service Company
Case Number:	32336
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/27/2024
Damage Location:	5191 East Shady Point Drive, Monticello
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
Sant S	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Tyler Davis
Other Party:	CenterPoint Energy Indiana
Case Number:	32384
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/11/2024
Damage Location:	2850 Blackburn Road, Mount Vernon
The IURC Pipeline Safety Division	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomm	nends the following civil penalty:
Warning letter	
Abstentions:	
Additional Information:	
APPROVED:Ben Warren, Chairm	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Lonnie Phllips

Other Party:	CenterPoint Energy Indiana
Case Number:	32396
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/15/2024
Damage Location:	5661 Saint Charles Drive, Mount Vernor
•	on finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recomn Warning letter	nends the following civil penalty:
Abstentions:	
Additional Information:	
APPROVED: Ben Warren, Chairn	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Joel Hakes

-		
Other Party:	CenterPoint Energy Indiana	
Case Number:	32398	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/15/2024	
Damage Location:	9663 Farragut Circle, Fishers	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recomm	nends the following civil penalty:	
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Roland Campbell

-	-	
Other Party:	Midwest Natural Gas Corporation	
Case Number:	32403	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/27/2024	
Damage Location:	191 Cherry Street, Austin	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recomn Warning letter	nends the following civil penalty:	
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Veronica Gozales
Other Party:	Northern Indiana Public Service Company
Case Number:	32423
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/2/2024
Damage Location:	2121 Wright Street, Logansport
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Theodore Poulus
Other Party:	Northern Indiana Public Service Company
Case Number:	32424
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/2/2024
Damage Location:	1760 Alta Vista Avenue, Munster
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Kyle Fleming
Other Party:	Northern Indiana Public Service Company
Case Number:	32442
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/8/2024
Damage Location:	297 East 550 South, Kouts
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Cirino Roa
Other Party:	Northern Indiana Public Service Company
Case Number:	32444
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/8/2024
Damage Location:	11750 Lookout Drive, Monticello
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
Carall 1	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	John Jones
Other Party:	Northern Indiana Public Service Company
Case Number:	32455
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/11/2024
Damage Location:	302 West Eliza Street, San Pierre
The IURC Pipeline Safety Div IC 8-1-26-16(h)	ision finds the following violation(s):
The Advisory Committee recor	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
ALLINGTVIND.	James K. Surd for Den warren



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Paul Singleton
Other Party:	Northern Indiana Public Service Company
Case Number:	32457
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/12/2024
Damage Location:	66310 Redwood Road, North Liberty
The IURC Pipeline Safety Div	rision finds the following violation(s):
IC 8-1-26-16(h)	
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



Ben Warren, Chairman

INDIANA UNDERGROUND PLANT PROTECTION ADVISORY COMMITTEE

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Melissa Presley
Other Party:	Northern Indiana Public Service Company
Case Number:	32470
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/14/2024
Damage Location: Valparaiso	652 North State Road 149 Apartment 2nd House
The IURC Pipeline Safety Div IC 8-1-26-16(h)	rision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Jamie Robinson

Other Party:	CenterPoint Energy Indiana	
Case Number:	32511	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/22/2024	
Damage Location:	649 West 8th Street, New Albany	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recomm	nends the following civil penalty:	
Warning letter		
<u> </u>		
Abstentions:		
A 11'4' 1 T C 4'		
Additional Information:		
Sull		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Dominic Lacoss

Other Party:	CenterPoint Energy Indiana	
Case Number:	32529	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/28/2024	
Damage Location:	2221 West 27th Street, Anderson	
The IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recomn	nends the following civil penalty:	
Warning letter		
g		
Abstentions:		
Additional Information:		
Sant		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	
Den wanen, Chairn	ıan	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Danette Salter

Other Party:	Community Natural Gas Inc	
Case Number:	32537	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/2/2024	
Damage Location:	418 S Dayton St., Worthington	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty: Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Johnny Moore

Other Party:	CenterPoint Energy Indiana	
Case Number:	32607	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/1/2024	
Damage Location:	221 North Jackson Street, Greensburg	
Γhe IURC Pipeline Safety Division	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairn		



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Eli Biddle

Other Party:	CenterPoint Energy Indiana	
Case Number:	32615	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/7/2024	
Damage Location:	104 South Blake Street, Sheridan	
Γhe IURC Pipeline Safety Divisio	on finds the following violation(s):	
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Mike Schmucker

-		
Other Party:	CenterPoint Energy Indiana	
Case Number:	32638	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/15/2024	
Damage Location:	7196 South Meridian Street, Marion	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty: Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Brian Biszantz	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32640	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/13/2024	
Damage Location:	5120 Johnson Street, Greenwood	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Warning letter		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Bruce Luttringer
Other Party:	Northern Indiana Public Service Company
Case Number:	32348
Date of Advisory Meeting:	10/3/2024
Date of Damage:	5/30/2024
Damage Location:	5016 West 1125 North, Wheatfield
The IURC Pipeline Safety Div IC 8-1-26-16(h)(expire)	ision finds the following violation(s):
The Advisory Committee reco	mmends the following civil penalty:
Warning letter	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Patrick Becknell	
Other Party:	Ohio Valley Gas Corp	
Case Number:	32353	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/10/2024	
Damage Location:	25637 ST RD 1, Guilford	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	_	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Charile Correll	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32612	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/3/2024	
Damage Location:	14932 East J and R Road, Bicknell	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-16(h)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Jefferson Electric LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	31836	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	3/12/2024	
Damage Location:	241 1st Avenue Northwest, Carmel	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Beeson Mechanical Service Inc	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32636	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/15/2024	
Damage Location:	19 South State Street, Whiteland	
The IURC Pipeline Safety Divisio IC 8-1-26-20(a)(1)	on finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Ace Home Improvements. Inc.	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32088	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	4/17/2024	
Damage Location:	928 Davis Drive, Mount Vernon	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions: Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Doin It Wells Services LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32164	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	5/6/2024	
Damage Location:	107 West 7th Street, Michigantown	
The IURC Pipeline Safety Division finds the following violation(s): IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:		
\$1,500, respondent can complete training instead of paying \$1,500		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Knecht Development
Other Party:	Northern Indiana Public Service Company
Case Number:	32131
Date of Advisory Meeting:	10/3/2024
Date of Damage:	4/22/2024
Damage Location:	1911 McKibben Street, Wabash
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(1)	
The Advisory Committee recor	mmends the following civil penalty:
\$3,000	
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	SouthMid Fiber LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32159	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	5/1/2024	
Damage Location:	3688 Joseph Court, Newburgh	
The IURC Pipeline Safety Divisio IC 8-1-26-20(a)(1)	n finds the following violation(s):	
The Advisory Committee recomm	ends the following civil penalty:	
\$4,000		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Bayer's Plumbing Inc

Other Party:	CenterPoint Energy Indiana	
Case Number:	32376	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	6/10/2024	
Damage Location:	4734 Alaina Drive, Newburgh	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-20(a)(1)		
The Advisory Committee recommends the following civil penalty:		
\$4,000		
ψ 1,000		
Abstentions:		
Tostentions.		
Additional Information:		
and C		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	Sunrise Telecom Inc.	
Other Party:	Ohio Valley Gas Corp	
Case Number:	32186	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	5/15/2024	
Damage Location:	1552 W Co Rd 300 N, Connersville	
The IURC Pipeline Safety Division IC 8-1-26-20(a)(1)	on finds the following violation(s):	
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED: Ben Warren, Chairm	James R. Surd for Ben Warren	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	L & A Fiber Utility LLC
Other Party:	CenterPoint Energy Indiana
Case Number:	30807
Date of Advisory Meeting:	10/3/2024
Date of Damage:	9/11/2023
Damage Location:	3497 Kensington Boulevard, Columbu
The IURC Pipeline Safety Div	ision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee recor	mmends the following civil penalty:
\$1,500, respondent can comp	lete training instead of paying \$1,500
Abstentions:	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren
Ben Warren, Cha	irman



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent:	Wissco Irrigation, Inc.
Other Party:	Northern Indiana Public Service Company
Case Number:	32469
Date of Advisory Meeting:	10/3/2024
Date of Damage:	6/14/2024
Damage Location:	1354 Howard Street, South Bend
The IURC Pipeline Safety Div	vision finds the following violation(s):
IC 8-1-26-20(a)(2)	
The Advisory Committee reco	ommends the following civil penalty:
\$1,500, respondent can comp	olete training instead of paying \$1,500
Abstentions: Smith	
Additional Information:	
APPROVED:	James R. Surd for Ben Warren

Ben Warren, Chairman



Respondent:

INDIANA UNDERGROUND PLANT PROTECTION

ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

City of Anderson

Other Party:	CenterPoint Energy Indiana	
Case Number:	32629	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/11/2024	
Damage Location:	2603 Fowler Street, Anderson	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
\$3,000		
φ3,000		
Abstentions:		
Austentions.		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chairm	nan	



ADVISORY COMMITTEE 1433 Holey Moley Way Greenwood, Indiana 46143

Respondent:	B & S Property Management LLC	
Other Party:	CenterPoint Energy Indiana	
Case Number:	32632	
Date of Advisory Meeting:	10/3/2024	
Date of Damage:	7/13/2024	
Damage Location:	2305 Maplewood Circle, Evansville	
The IURC Pipeline Safety Division finds the following violation(s):		
IC 8-1-26-20(a)(2)		
The Advisory Committee recommends the following civil penalty:		
Training or \$5,000 if respondent fails to complete training		
Abstentions:		
Additional Information:		
APPROVED:	James R. Surd for Ben Warren	
Ben Warren, Chai		