

## Food Inspections

May 24<sup>th</sup> thru May 30<sup>th</sup>, 2024

|                        |                     |           |                |
|------------------------|---------------------|-----------|----------------|
| Kentucky Fried Chicken | 350 E Broadway      | Routine   | No Findings    |
| Dollar General         | 385 W Carey St      | Routine   | No Findings    |
| Shelby Senior Services | 2120 Intelliplex Dr | Routine   | No Findings    |
| Maya's Sweet Shop      | 2513 E St Rd 44     | Routine   | No Findings    |
| Dollar Tree            | 2523 E St Rd 44     | Follow Up | No Findings    |
| CVS                    | 200 S Harrison St   | Routine   | No Findings    |
| Willey Farkles         | 639 S Noble St      | Routine   | No Findings    |
| Cabell's               | 1658 IN-44          | Routine   | No Findings    |
| Lucky 7                | 418 Miller Ave      | Routine   | No Findings    |
| Blue Agave             | 530 N Harrison St   | Routine   | No Findings    |
| AFC Kroger             | 1601 E Michigan Rd  | Routine   | No Findings    |
| Supreme Produce        | 1601 E Michigan Rd  | Routine   | No Findings    |
| Greeks Pizzeria        | 20 S Harrison       | Routine   | 1 non Critical |

1. Non Critical- Observed general cleaning needed on hoods, can opener, floors.

**Speedway 1424 S Harrison**

**Routine**

**1 Critical**

**2 noncritical**

- 1. Critical- Observed Temperature on freezer in back room at 22 degrees. (Product moved to Back freezer in Spec temperature.)**
- 2. Non-Critical- Observed general cleaning in mop area and on walls.**
- 3. Non-Critical- Observed dim lighting in Men's restroom 3 of 4 bulbs missing.**

**Kroger 1601 E Michigan Rd Routine 2 Critical and 5 Non-Critical**

- 1. Critical- Observed frozen shrimp marked "freeze only" on box and stored in refrigerator at 40 Degrees.**
- 2. Critical- Observed open top cooler w/cut fruit temp at 56 Degrees.**
- 3. Non Critical- Observed 10 plus thermometers out of order or not working.**
- 4. Non-Critical- Observed general cleaning needed in deli, Bathroom Floor, handles on coolers and refrigerators, deli refrigerator walk in weatherstripping doors and seals.**
- 5. Non-Critical- Observed employee lounge microwave soiled.**
- 6. Non-Critical- Observed hand sink soiled in employee lounge.**
- 7. Non-Critical- Observed black substance on outside wall by hand sink and Prep sink.**

**Bellacino's 1620 E Michigan Rd**

**Routine**

**1 non critical**

- 1. Observed black substance on shelves and walls in walk in cooler.**

**Pizza Hut 1636 East Dr**

**Routine**

**2 Critical**

**1 non-critical**

- 1. Non Critical- Observed general cleaning in ice/box room. Foreign material coming out of soda fountain drains and under shelving.**
- 2. Critical- Observed ceiling tile missing with wiring exposed due to leaking roof by warming station and pass through food area.**
- 3. Critical- Observed temperature of tomatoes on prep station at 48 degrees.**

**El Meson 1831 E Michigan Rd**

**Routine**

**2 Non-critical**

- 1. Non-Critical- Observed weather stripping on emergency exit door showing daylight.**
- 2. Non-Critical- Observed some date labels missing in kitchen items in prep station and they must have lids.**

**Taco Bell 1621 East Dr 44**

**Routine**

**4 Critical**

**2 Non-Critical**

- 1. Critical- Observed sanitation bucket not being used with PP under 100. Told by employee was changed at 3:00 PM current time 4:12.**
- 2. Critical- Observed food being on Back line no date or time label. Food was dried out. Food removed and discarded.**
- 3. Non-Critical- Observed general cleaning needed in drive thru area and walls.**
- 4. Non-Critical- Observed hoods in need of serve last cleaned 04/2024.**
- 5. Non-Critical- Observed utensils left in food possible cross contamination.**

- 6. Critical- Observed handles on refrigerators and freezer doors sticky with debris possible cross contamination.**
- 7. Non-Critical- Observed backdoor showing daylight.**
- 8. Non-Critical- Observed dishes put in Rack not dry. Dishes still holding water.**
- 9. Critical- Observed employee cell phone on food prep line.**