Food Inspections

October 22nd thru October 29th

| Arby's | 2501 St Rd 44 | Routine | 5 Critical/ 3 non Critical | | |
|--------|---|-------------------------|--|-----------------------------|--|
| | 1. Critical- Observed no Holding times on all food items. | | | | |
| | a. Roast Beef, Brisket, Turkey all out of temperature. | | | | |
| | 2. Critical- Obser | ved sanitation bucket o | anitation bucket clean not used. Tested for PH and | | |
| | came back 0. | | | | |
| | Critical- Observed line 2 not being sanitized possible cross contamination. | | | | |
| | | | | | |
| | Contaminatior | Contamination. | | | |
| | | 5. Critical- Obser | ved gnats and flies in k | itchen area, prep table and | |
| | restaurant din | ing. | | | |
| | 6. Non-Critical- C | bserved general clean | ing needed back floor, preparation | | |
| | area and resta | urant. | | | |
| | 7. Non-Critical- C | bserved clean dishes s | stored by mop sink dishes were | | |
| | moved to be w | vashed again. | | | |
| | 8. Non-Critical- C | bserved hand sink wit | h grease covering the surface. | | |

| Taco Bell- 1810 N Riley Highway | | Routine | 3 Non-Critical | | |
|-------------------------------------|--|---------------------|--------------------------|--|--|
| | 1. Non-Critical- Observed | General Cleaning ne | eeded in men's restroom. | | |
| | 2. Non-Critical- Observed no sanitation strips. | | | | |
| | 3. Non-Critical- Observed general cleaning needed for | | | | |
| a. Dining Room, Hand Sink, Mop Sink | | | | | |
| Zaxby's | 1792 N Riley Highway | Routine | No Findings | | |
| Spiegel's | 48 Public Square | Routine | No Findings | | |
| Pudder's | 18 Public Square | Routine | 2 Non- Critical | | |
| | 1. non-critical- Observed fans in walk-in cooler and ceiling soiled. | | | | |
| | 2. Non-Critical- Observed ice machine soiled on the inside. | | | | |
| St. Joseph Elem. 127 E Broadway | | Routine | No Findings | | |
| Coulston | 121 Knightstown Rd | Routine | No Findings | | |
| Loper Elem. | 901 Loper Dr | Routine | No Findings | | |
| Waldron General | | Routine | No Findings | | |
| BP MiniMart | 2546 E St Rd 44 | Routine | No Findings | | |
| Aldi's | 2695 E Range Rd | Routine | No Findings | | |
| Studio 10 | 1624 E St Rd 44 | Routine | No Findings | | |
| Subway | 1646 E St Rd 44 | Routine | 1 Critical | | |
| | 1. Critical- Observed no serv safe | | | | |

Blue Bear Golf Course 2660 N Riley High Routine 3 Non-Critical

- 1. Non-Critical- Observed ice machine soiled heavily.
- 2. Non-Critical- Observed back door needs door seals.
- 3. Non-Critical- Observed mop sink not working no water.

The Flying Pig 4056 E Michigan Road Routine 3 Non-Critical

- 1. Non-Critical- Observed beard nets and hair nets not being worn.
- 2. Non-Critical- Observed general cleaning needed on kitchen walls, dishwashing area, refrigerator, freezer.
- 3. Non-Critical- Observed mop bucket water needed to be discarded .